



NSAI
Standards

Irish Standard
I.S. EN ISO/ASTM 52911-1:2019

Additive manufacturing - Design - Part 1: Laser-based powder bed fusion of metals (ISO/ASTM 52911-1:2019)

I.S. EN ISO/ASTM 52911-1:2019

Incorporating amendments/corrigenda/National Annexes issued since publication:

The National Standards Authority of Ireland (NSAI) produces the following categories of formal documents:

I.S. xxx: Irish Standard — national specification based on the consensus of an expert panel and subject to public consultation.

S.R. xxx: Standard Recommendation — recommendation based on the consensus of an expert panel and subject to public consultation.

SWiFT xxx: A rapidly developed recommendatory document based on the consensus of the participants of an NSAI workshop.

This document replaces/revises/consolidates the NSAI adoption of the document(s) indicated on the CEN/CENELEC cover/Foreword and the following National document(s):

NOTE: The date of any NSAI previous adoption may not match the date of its original CEN/CENELEC document.

This document is based on:

EN ISO/ASTM 52911-1:2019

Published:

2019-09-25

This document was published under the authority of the NSAI and comes into effect on:

2019-10-14

ICS number:

25.030

NOTE: If blank see CEN/CENELEC cover page

NSAI
1 Swift Square,
Northwood, Santry
Dublin 9

T +353 1 807 3800
F +353 1 807 3838
E standards@nsai.ie
W NSAI.ie

Sales:
T +353 1 857 6730
F +353 1 857 6729
W standards.ie

Údarás um Chaighdeáin Náisiúnta na hÉireann

National Foreword

I.S. EN ISO/ASTM 52911-1:2019 is the adopted Irish version of the European Document EN ISO/ASTM 52911-1:2019, Additive manufacturing - Design - Part 1: Laser-based powder bed fusion of metals (ISO/ASTM 52911-1:2019)

This document does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

For relationships with other publications refer to the NSAI web store.

Compliance with this document does not of itself confer immunity from legal obligations.

In line with international standards practice the decimal point is shown as a comma (,) throughout this document.

This page is intentionally left blank

EUROPEAN STANDARD

EN ISO/ASTM 52911-1

NORME EUROPÉENNE

EUROPÄISCHE NORM

September 2019

ICS 25.030

English Version

Additive manufacturing - Design - Part 1: Laser-based powder bed fusion of metals (ISO/ASTM 52911-1:2019)

Fabrication additive - Conception - Partie 1: Fusion laser sur lit de poudre métallique (ISO/ASTM 52911-1:2019)

Additive Fertigung - Konstruktion - Teil 1: Laserbasierte Pulverbettfusion von Metallen (ISO/ASTM 52911-1:2019)

This European Standard was approved by CEN on 21 July 2019.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

Contents	Page
European foreword.....	3

European foreword

This document (EN ISO/ASTM 52911-1:2019) has been prepared by Technical Committee ISO/TC 261 "Additive manufacturing" in collaboration with Technical Committee CEN/TC 438 "Additive Manufacturing" the secretariat of which is held by AFNOR.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by March 2020, and conflicting national standards shall be withdrawn at the latest by March 2020.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

Endorsement notice

The text of ISO/ASTM 52911-1:2019 has been approved by CEN as EN ISO/ASTM 52911-1:2019 without any modification.

This page is intentionally left blank

INTERNATIONAL
STANDARD

ISO/ASTM
52911-1

First edition
2019-07

Additive manufacturing — Design —
Part 1:
Laser-based powder bed fusion of
metals

Fabrication additive — Conception —

Partie 1: Fusion laser sur lit de poudre métallique



Reference number
ISO/ASTM 52911-1:2019(E)

© ISO/ASTM International 2019

ISO/ASTM 52911-1:2019(E)



COPYRIGHT PROTECTED DOCUMENT

© ISO/ASTM International 2019

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester. In the United States, such requests should be sent to ASTM International.

ISO copyright office
CP 401 • Ch. de Blandonnet 8
CH-1214 Vernier, Geneva
Phone: +41 22 749 01 11
Fax: +41 22 749 09 47
Email: copyright@iso.org
Website: www.iso.org

ASTM International
100 Barr Harbor Drive, PO Box C700
West Conshohocken, PA 19428-2959, USA
Phone: +610 832 9634
Fax: +610 832 9635
Email: khooper@astm.org
Website: www.astm.org

Published in Switzerland

Contents

	Page
Foreword	v
Introduction	vi
1 Scope	1
2 Normative references	1
3 Terms and definitions	1
4 Symbols and abbreviated terms	2
4.1 Symbols.....	2
4.2 Abbreviated terms.....	3
5 Characteristics of powder bed fusion (PBF) processes	3
5.1 General.....	3
5.2 Size of the parts.....	4
5.3 Benefits to be considered in regard to the PBF process.....	4
5.4 Limitations to be considered in regard to the PBF process.....	5
5.5 Economic and time efficiency.....	5
5.6 Feature constraints (islands, overhang, stair-step effect).....	6
5.6.1 General.....	6
5.6.2 Islands.....	6
5.6.3 Overhang.....	6
5.6.4 Stair-step effect.....	6
5.7 Dimensional, form and positional accuracy.....	7
5.8 Data quality, resolution, representation.....	7
6 Design guidelines for laser-based powder bed fusion of metals (PBF-LB/M)	8
6.1 General.....	8
6.1.1 Selecting PBF-LB/M.....	8
6.1.2 Design and test cycles.....	8
6.2 Material and structural characteristics.....	8
6.3 Support structures.....	9
6.4 Build orientation, positioning and arrangement.....	11
6.4.1 General.....	11
6.4.2 Powder spreading.....	11
6.4.3 Support structures design.....	12
6.4.4 Curl effect.....	13
6.5 Anisotropy of the material characteristics.....	14
6.6 Surface roughness.....	14
6.7 Post-production finishing.....	14
6.7.1 General.....	14
6.7.2 Surface finishing.....	15
6.7.3 Removal of powder residue.....	15
6.7.4 Removal of support structures.....	15
6.7.5 Adjusting geometric tolerances.....	15
6.7.6 Heat treatment.....	15
6.8 Design considerations.....	16
6.8.1 General.....	16
6.8.2 Cavities.....	16
6.8.3 Gaps.....	16
6.8.4 Wall thicknesses.....	16
6.8.5 Holes and channels.....	17
6.8.6 Integrated markings.....	17
6.9 Example applications.....	17
6.9.1 General.....	17
6.9.2 Integral design (provided by CETIM — Technical Centre for Mechanical Industry).....	17

ISO/ASTM 52911-1:2019(E)

6.9.3	Gear wheel design (provided by Fraunhofer IGCV).....	19
6.9.4	Impossible crossing (provided by TNO — The Netherlands Organisation for applied scientific research).....	20
Annex A (informative) Materials for PBF-LB/M.....		22
Bibliography.....		23

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 261, *Additive manufacturing*, in cooperation with ASTM F42, *Additive Manufacturing Technologies*, on the basis of a partnership agreement between ISO and ASTM International with the aim to create a common set of ISO/ASTM standards on additive manufacturing.

A list of all parts in the ISO 52911 series can be found on the ISO website.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

ISO/ASTM 52911-1:2019(E)

Introduction

Laser-based powder bed fusion of metals (PBF-LB/M) describes an additive manufacturing (AM) process and offers an additional manufacturing option alongside established processes. PBF-LB/M has the potential to reduce manufacturing time and costs, and increase part functionality. Practitioners are aware of the strengths and weaknesses of conventional, long-established manufacturing processes, such as cutting, joining and shaping processes (e.g. by machining, welding or injection moulding), and of giving them appropriate consideration at the design stage and when selecting the manufacturing process. In the case of PBF-LB/M and AM in general, design and manufacturing engineers only have a limited pool of experience. Without the limitations associated with conventional processes, the use of PBF-LB/M offers designers and manufacturers a high degree of freedom and this requires an understanding about the possibilities and limitations of the process.

The ISO 52911 series provides guidance for different powder bed fusion (PBF) technologies. It is intended that the series will include this document on PBF-LB/M, ISO 52911-2¹⁾ on laser-based powder bed fusion of polymers (PBF-LB/P), and ISO 52911-3²⁾ on electron beam powder bed fusion of metals (PBF-EB/M). Each document in the series shares [Clauses 1](#) to [5](#), where general information including terminology and the PBF process is provided. The subsequent clauses focus on the specific technology.

This document is based on VDI 3405-3:2015. It provides support to technology users, such as design and production engineers, when designing parts that need to be manufactured by means of PBF-LB/M. It will help practitioners to explore the benefits of PBF-LB/M and to recognize the process-related limitations when designing parts. It also builds on ISO/ASTM 52910 to extend the requirements, guidelines and recommendations for AM design to include the PBF process.

1) Under preparation.

2) Under preparation.

Additive manufacturing — Design —

Part 1: Laser-based powder bed fusion of metals

1 Scope

This document specifies the features of laser-based powder bed fusion of metals (PBF-LB/M) and provides detailed design recommendations.

Some of the fundamental principles are also applicable to other additive manufacturing (AM) processes, provided that due consideration is given to process-specific features.

This document also provides a state of the art review of design guidelines associated with the use of powder bed fusion (PBF) by bringing together relevant knowledge about this process and by extending the scope of ISO/ASTM 52910.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO/ASTM 52900, *Additive manufacturing — General principles — Fundamentals and vocabulary*

3 Terms and definitions

For the purposes of this document, the terms and definitions given in ISO/ASTM 52900 and the following apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at <http://www.iso.org/obp>
- IEC Electropedia: available at <http://www.electropedia.org/>

3.1

curl effect

thermal and residual stress effect

<aspect of heat-induced warping> dimensional distortion as the printed part cools and solidifies after being built or by poorly evacuated heat input

3.2

downskin area

D

(sub-)area where the normal vector \vec{n} projection on the z-axis is negative

Note 1 to entry: See [Figure 1](#).

This is a free preview. Purchase the entire publication at the link below:

[Product Page](#)

-
- [Looking for additional Standards? Visit Intertek Inform Infostore](#)
 - [Learn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation](#)
-