



NSAI
Standards

Irish Standard
I.S. EN 4708-108:2019

Aerospace series - Sleeving, heat-shrinkable, for binding, insulation and identification - Part 108: Limited fire hazard sleeving - Operating temperatures - 65 °C to 150 °C - Product standard

I.S. EN 4708-108:2019

Incorporating amendments/corrigenda/National Annexes issued since publication:

The National Standards Authority of Ireland (NSAI) produces the following categories of formal documents:

I.S. xxx: Irish Standard — national specification based on the consensus of an expert panel and subject to public consultation.

S.R. xxx: Standard Recommendation — recommendation based on the consensus of an expert panel and subject to public consultation.

SWiFT xxx: A rapidly developed recommendatory document based on the consensus of the participants of an NSAI workshop.

This document replaces/revises/consolidates the NSAI adoption of the document(s) indicated on the CEN/CENELEC cover/Foreword and the following National document(s):

NOTE: The date of any NSAI previous adoption may not match the date of its original CEN/CENELEC document.

This document is based on:

EN 4708-108:2019

Published:

2019-09-25

*This document was published
under the authority of the NSAI
and comes into effect on:*

2019-10-14

ICS number:

49.060

NOTE: If blank see CEN/CENELEC cover page

NSAI
1 Swift Square,
Northwood, Santry
Dublin 9

T +353 1 807 3800
F +353 1 807 3838
E standards@nsai.ie
W NSAI.ie

Sales:
T +353 1 857 6730
F +353 1 857 6729
W standards.ie

Údarás um Chaighdeáin Náisiúnta na hÉireann

National Foreword

I.S. EN 4708-108:2019 is the adopted Irish version of the European Document EN 4708-108:2019, Aerospace series - Sleeving, heat-shrinkable, for binding, insulation and identification - Part 108: Limited fire hazard sleeving - Operating temperatures - 65 °C to 150 °C - Product standard

This document does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

For relationships with other publications refer to the NSAI web store.

Compliance with this document does not of itself confer immunity from legal obligations.

In line with international standards practice the decimal point is shown as a comma (,) throughout this document.

This page is intentionally left blank

EUROPEAN STANDARD

EN 4708-108

NORME EUROPÉENNE

EUROPÄISCHE NORM

September 2019

ICS 49.060

English Version

**Aerospace series - Sleeving, heat-shrinkable, for binding,
insulation and identification - Part 108: Limited fire hazard
sleeving - Operating temperatures - 65 °C to 150 °C -
Product standard**

Série aéronautique - Manchons thermorétractables, de
jonction, isolement et identification - Partie 108 :
Risque d'incendie limité - Températures d'utilisation -
65 °C à 150 °C - Norme de produit

Luft- und Raumfahrt - Wärmeschrumpfender Schlauch
zur Befestigung, Isolierung und Identifizierung - Teil
108: Begrenzte Brandgefahr - Temperaturbereich - 65
°C und 150 °C - Produktnorm

This European Standard was approved by CEN on 14 July 2019.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

Contents	Page
European foreword	3
1 Scope.....	4
2 Normative references.....	4
3 Terms and definitions	5
4 Required characteristics	5
5 Quality assurance.....	11
6 Designation	11
7 Labelling and packaging.....	11
8 Technical specification	11

European foreword

This document (EN 4708-108:2019) has been prepared by the Aerospace and Defence Industries Association of Europe — Standardization (ASD-STAN).

After enquiries and votes carried out in accordance with the rules of this Association, this Standard has received the approval of the National Associations and the Official Services of the member countries of ASD, prior to its presentation to CEN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by March 2020, and conflicting national standards shall be withdrawn at the latest by March 2020.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

According to the CEN-CENELEC Internal Regulations, the national standards organisations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

EN 4708-108:2019 (E)**1 Scope**

This document specifies the required characteristics for four types of heat-shrinkable limited fire hazard sleeveings for use in aircraft electrical systems at operating temperatures between – 65 °C and 150 °C.

This sleeving is flexible, flame retarded and emits minimum smoke, gases and corrosive by-products when exposed to fire. It is available with various wall thicknesses and also in a higher shrink ratio according to the application and degree of mechanical protection required. It is suitable for use (e.g. as cable protection) in areas where smoke, gases or corrosive by-products would constitute a particular hazard.

Type A: Medium wall, shrink ratio 2:1 and is normally supplied with internal diameters up to 30 mm.

The standard colour is black.

Sizes or colours other than those specifically listed in this document may be available. These items shall be considered to comply with this document if they comply with the property requirements listed in Table 2 except for dimensions and mass.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 3909, *Aerospace series — Test fluids and test methods for electrical and optical components and sub-assemblies*

EN 4708-001, *Aerospace series — Sleeving, heat-shrinkable, for binding, insulation and identification — Part 001: Technical specification*¹⁾

EN 60684-1, *Flexible insulating sleeving — Part 1: Definitions and general requirements* (IEC 60684-1)

EN 60684-2, *Flexible insulating sleeving — Part 2: Methods of test* (IEC 60684-2)

IEC 60757, *Code for designation of colours*²⁾

EN ISO 846, *Plastics — Evaluation of the action of micro-organisms* (ISO 846)

ISO 1817, *Rubber, vulcanized or thermoplastic — Determination of the effect of liquids*

MIL-PRF-87937, *Performance specification: Cleaning compound, aerospace equipment*³⁾

AMS 1428, *Fluid, Aircraft Deicing/Anti-Icing, Non Newtonian (Pseudoplastic), SAE Types II, III, and IV*⁴⁾

AMS 1476, *Deodorant, aircraft toilet*⁴⁾

ASTM D740, *Standard Specification for Methyl Ethyl Ketone*

1) Published as ASD-STAN Prestandard at the date of publication of this standard by AeroSpace and Defence industries Association of Europe — Standardization (ASD-STAN), <http://www.asd-stan.org/>

2) Published by: IEC International Electrotechnical Commission. <http://www.iec.ch/>

3) Published by: Department of Defense (DoD). <http://www.defenselink.mil/>

4) Published by: SAE National (US) Society of Automotive Engineers. <http://www.sae.org/>

This is a free preview. Purchase the entire publication at the link below:

[Product Page](#)

-
- Looking for additional Standards? Visit Intertek Inform Infostore
 - Learn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation
-