



NSAI
Standards

Irish Standard
I.S. EN 4476:2019

Aerospace series - Paints and varnishes - Cold curing intermediate coat

I.S. EN 4476:2019

Incorporating amendments/corrigenda/National Annexes issued since publication:

The National Standards Authority of Ireland (NSAI) produces the following categories of formal documents:

I.S. xxx: Irish Standard — national specification based on the consensus of an expert panel and subject to public consultation.

S.R. xxx: Standard Recommendation — recommendation based on the consensus of an expert panel and subject to public consultation.

SWiFT xxx: A rapidly developed recommendatory document based on the consensus of the participants of an NSAI workshop.

This document replaces/revises/consolidates the NSAI adoption of the document(s) indicated on the CEN/CENELEC cover/Foreword and the following National document(s):

NOTE: The date of any NSAI previous adoption may not match the date of its original CEN/CENELEC document.

This document is based on:

EN 4476:2019

Published:

2019-09-25

This document was published under the authority of the NSAI and comes into effect on:

2019-10-14

ICS number:

49.040

NOTE: If blank see CEN/CENELEC cover page

NSAI
1 Swift Square,
Northwood, Santry
Dublin 9

T +353 1 807 3800
F +353 1 807 3838
E standards@nsai.ie
W NSAI.ie

Sales:
T +353 1 857 6730
F +353 1 857 6729
W standards.ie

Údarás um Chaighdeáin Náisiúnta na hÉireann

National Foreword

I.S. EN 4476:2019 is the adopted Irish version of the European Document EN 4476:2019, Aerospace series - Paints and varnishes - Cold curing intermediate coat

This document does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

For relationships with other publications refer to the NSAI web store.

Compliance with this document does not of itself confer immunity from legal obligations.

In line with international standards practice the decimal point is shown as a comma (,) throughout this document.

This page is intentionally left blank

EUROPEAN STANDARD

EN 4476

NORME EUROPÉENNE

EUROPÄISCHE NORM

September 2019

ICS 49.040

Supersedes EN 4476:2011

English Version

Aerospace series - Paints and varnishes - Cold curing intermediate coat

Série aéronautique - Peintures et vernis - Couche
intermédiaire polymérisant à température ambiante

Luft- und Raumfahrt - Beschichtungsstoffe -
Zwischenbeschichtung raumtemperaturhärtend

This European Standard was approved by CEN on 26 May 2019.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

Contents	Page
European foreword	3
Introduction	4
1 Scope	5
2 Normative references	5
3 Terms and definitions	6
4 Classification	7
5 Batch release and qualification testing	7
6 Designation	12
Annex A (normative) Method for the determination of ability to selectively remove the finish	13
Annex B (normative) Method for the determination of ability to restore the paint system after removal	14
Annex C (normative) Composition of reference paint remover	15
Annex D (informative) Evolution sheet	16
Bibliography	17

European foreword

This document (EN 4476:2019) has been prepared by the Aerospace and Defence Industries Association of Europe - Standardization (ASD-STAN).

After enquiries and votes carried out in accordance with the rules of this Association, this Standard has received the approval of the National Associations and the Official Services of the member countries of ASD, prior to its presentation to CEN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by March 2020, and conflicting national standards shall be withdrawn at the latest by March 2020.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN 4476:2011

According to the CEN-CENELEC Internal Regulations, the national standards organisations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

EN 4476:2019 (E)**Introduction**

The intermediate coating to this document incorporated in a paint scheme between primer and topcoat finish will allow selective removal of top coat finish using a benzyl alcohol-based paint remover. An example for the composition of a benzyl alcohol based is given in Annex C. If not otherwise agreed between manufacturer and purchaser of intermediate coating benzyl alcohol mixtures diluted with approximate 60 % water can be used for testing.

The paint scheme, including this intermediate coating is intended for application to metallic and non-metallic surfaces to provide equivalent protection against corrosion, mechanical damage and resistance to aircraft fluids so that provided by a paint scheme consisting of primer and topcoat paint.

Primer and topcoat used in combination with intermediate coating to this standard has to be defined by customer. Pre-treatment of test specimens for primer paint application to be defined by customer.

Table 1 — Coatings ¹⁾

Primer	
EN 2435-1 to EN 2435-5	Corrosion resistant chromated two component cold curing primer
EN 2436-1 to EN 2436-6	Corrosion resistant chromate free two component cold curing epoxy primer
EN 4687	Chromate free non corrosion inhibiting two components cold curing primer for military application
EN 4688	Corrosion inhibiting two components cold curing primer for military application
Top Coats	
EN 2434-1 to EN 2434-5	Two component cold curing polyurethane finish
EN 4689	Two components cold curing polyurethane finish - High flexibility and chemical agent resistance for military application

1) If not otherwise agreed between manufacturer and customer following primers and topcoats can be used for qualification of intermediate primer to this document.

1 Scope

This document specifies the requirements for an intermediate coat to be applied over a primer for aerospace applications and with a topcoat for aerospace applications on top.

The properties specified in this document are obtained on defined aluminium alloy test pieces prepared in accordance with EN 3837 and EN ISO 3270 and painted with primer listed in Table 1. Topcoat listed in Table 1 is to be applied on intermediate coat to this document. The ability of the material to be used for a specific application (e.g. alternative substrate, alternative primer, specific drying conditions, etc.) should be determined by supplementary tests to confirm that the requirements of this document are met.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 2334, *Aerospace series — Chromic-sulphuric acid pickle of aluminium and aluminium alloys*

EN 2379, *Aerospace series — Fluids for assessment of non-metallic materials*

EN 2435 (all parts), *Aerospace series — Paints and varnishes — Corrosion resistant chromated two component cold curing primer*

EN 3837, *Aerospace series — Paints and varnishes — Nature and methods for surface preparation of test pieces in aluminium alloys* ²⁾

EN 3840, *Aerospace series — Paints and varnishes — Technical specification*

EN 4160, *Aerospace series — Paints and varnishes — Determination of the effect of thermal exposure*

EN ISO 1513, *Paints and varnishes — Examination and preparation of test samples*

EN ISO 1518-1, *Paints and varnishes — Determination of scratch resistance — Part 1: Constant loading method*

EN ISO 1520, *Paints and varnishes — Cupping test*

EN ISO 2409, *Paints and varnishes — Cross-cut test*

EN ISO 2431, *Paints and varnishes — Determination of flow time by use of flow cups*

EN ISO 2811 (all parts), *Paints and varnishes — Determination of density*

EN ISO 2812-2, *Paints and varnishes — Determination of resistance to liquids — Part 2: Water immersion method*

2) Published as ASD-STAN Prestandard at the date of publication of this standard by AeroSpace and Defence industries Association of Europe - Standardization (ASD-STAN), <http://www.asd-stan.org/>

This is a free preview. Purchase the entire publication at the link below:

[Product Page](#)

-
- [Looking for additional Standards? Visit Intertek Inform Infostore](#)
 - [Learn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation](#)
-