



NSAI
Standards

Irish Standard
I.S. EN 16985:2018

Spray booths for organic coating material - Safety requirements

I.S. EN 16985:2018

Incorporating amendments/corrigenda/National Annexes issued since publication:

The National Standards Authority of Ireland (NSAI) produces the following categories of formal documents:

I.S. xxx: Irish Standard — national specification based on the consensus of an expert panel and subject to public consultation.

S.R. xxx: Standard Recommendation — recommendation based on the consensus of an expert panel and subject to public consultation.

SWiFT xxx: A rapidly developed recommendatory document based on the consensus of the participants of an NSAI workshop.

This document replaces/revises/consolidates the NSAI adoption of the document(s) indicated on the CEN/CENELEC cover/Foreword and the following National document(s):

NOTE: The date of any NSAI previous adoption may not match the date of its original CEN/CENELEC document.

This document is based on:

EN 16985:2018

Published:

2018-12-05

This document was published under the authority of the NSAI and comes into effect on:

2018-12-23

ICS number:

87.100

NOTE: If blank see CEN/CENELEC cover page

NSAI
1 Swift Square,
Northwood, Santry
Dublin 9

T +353 1 807 3800
F +353 1 807 3838
E standards@nsai.ie
W NSAI.ie

Sales:
T +353 1 857 6730
F +353 1 857 6729
W standards.ie

Údarás um Chaighdeáin Náisiúnta na hÉireann

National Foreword

I.S. EN 16985:2018 is the adopted Irish version of the European Document EN 16985:2018, Spray booths for organic coating material - Safety requirements

This document does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

For relationships with other publications refer to the NSAI web store.

Compliance with this document does not of itself confer immunity from legal obligations.

In line with international standards practice the decimal point is shown as a comma (,) throughout this document.

This page is intentionally left blank

EUROPEAN STANDARD

EN 16985

NORME EUROPÉENNE

EUROPÄISCHE NORM

December 2018

ICS 87.100

Supersedes EN 12215:2004+A1:2009, EN
12981:2005+A1:2009, EN 13355:2004+A1:2009

English Version

Spray booths for organic coating material - Safety requirements

Cabines d'application par pulvérisation de produits de revêtement organiques - Prescriptions de sécurité

Lackierkabinen für organische Beschichtungsstoffe - Sicherheitsanforderungen

This European Standard was approved by CEN on 15 March 2018.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

Contents	Page
European foreword	6
1 Scope	8
2 Normative references	9
3 Terms, definitions, variables and abbreviations	11
3.1 Terms and definitions	11
3.2 Variables	15
3.3 Abbreviations	17
4 Safety requirements and/or -measures	18
4.1 General	18
4.2 Mechanical	18
4.2.1 Moving or rotating elements	18
4.2.2 Falling objects	18
4.2.3 Height from the ground	19
4.2.4 Slippery surface	19
4.3 Electrical	19
4.4 Thermal	19
4.5 Noise	19
4.6 Radiation	20
4.7 Contact with and inhalation of hazardous material	21
4.7.1 General	21
4.7.2 Automatic application	22
4.7.3 Manual application	22
4.8 Fire	26
4.8.1 General	26
4.8.2 Spray booth construction	27
4.8.3 Filter media	27
4.8.4 Fire detection	27
4.8.5 Fire extinguishing equipment	28
4.9 Explosion	28
4.9.1 General	28
4.9.2 Spray booth for liquid coating material	29
4.9.3 Spray booth for powder coating material	31
4.10 Safety devices and control systems	34
4.11 Trapping	36
4.11.1 General	36
4.11.2 Manual spray booth	36
4.11.3 Automatic spray booth	37
4.12 Ergonomics	37
4.12.1 General	37
4.12.2 Access	37
4.12.3 Working area	37
4.12.4 Climatic environment	37
4.12.5 Luminous environment	38
4.12.6 Maintenance	38
4.13 Environment in which the machinery is used	38

5	Verification of the safety requirements	38
6	Information for use	44
6.1	General	44
6.2	Instruction handbook	44
6.2.1	General	44
6.2.2	Information related to installation	45
6.2.3	Information related to operation	46
6.2.4	Information related to maintenance	46
6.3	Marking	47
	Annex A (informative) Hazards	49
	Annex B (informative) Examples of classification of hazardous zones.....	53
B.1	Example 1	53
B.2	Example 2	54
B.3	Example 3	56
B.4	Example 4	58
B.5	Example 5	60
B.6	Example 6	62
	Annex C (normative) Calculated average concentration of flammable substances	65
C.1	General	65
C.2	Spray booths for liquid coating material containing organic solvents	65
C.2.1	General	65
C.2.2	Example for the calculation of concentration of flammable substances on the basis of a given air flow velocity (manual spray booth)	65
C.2.3	Example for the calculation of required minimum fresh air flow (automatic spray booth).....	66
C.3	Spray booths for organic powder coating material.....	67
C.3.1	General	67
C.3.2	Example for the calculation of coating powder concentration	67
C.3.3	Example for the calculation of maximum coating powder input	68
C.4	Filters for powder coating booths	69
C.4.1	General	69
C.4.2	Example for the calculation of coating powder concentration in the clean air part of the filter.....	69
	Annex D (normative) Air flow velocity measurement.....	71
D.1	Measurement equipment	71
D.2	Measurement procedure	71
D.2.1	Measurement conditions	71
D.2.2	Air flow velocity components.....	71
D.3	Measurement points.....	72

EN 16985:2018 (E)

D.3.1	Vertically ventilated spray booth (liquid and powder, internal working area)	72
D.3.2	Vertically ventilated spray booth with designated workpiece (liquid and powder, internal working area).....	73
D.3.3	Vertically ventilated segmented spray booth.....	73
D.3.4	Horizontally ventilated spray booth (liquid and powder)	75
D.3.5	Openings of a spray booth	76
D.3.6	Summary of air flow velocity parameters.....	76
	Annex E (informative) Ignitability of water-based paint	79
	Annex F (normative) Energy-efficiency and reduction of environmental impact.....	80
F.1	General.....	80
F.2	Spray booths for liquid coating material.....	80
F.2.1	Acquisition	80
F.2.2	Production.....	80
F.2.3	Use	80
F.2.3.1	Input	80
F.2.3.1.1	Material.....	80
F.2.3.1.2	Water	80
F.2.3.1.3	Energy.....	81
F.2.3.2	Output	81
F.2.3.2.1	Emissions to air.....	81
F.2.3.2.2	Waste	81
F.2.3.2.3	Noise.....	81
F.2.4	End of life	82
F.3	Spray booths for powder coating.....	82
F.3.1	Acquisition	82
F.3.2	Production.....	82
F.3.3	Use	82
F.3.3.1	Input	82
F.3.3.2	Output	82
F.3.3.2.1	Emissions to air.....	82
F.3.3.2.2	Waste	82
F.3.3.2.3	Noise.....	82
F.3.4	End of Life	83
	Annex G (informative) Examples for safety related controls.....	84
G.1	General.....	84
G.2	Interlocking of forced ventilation system with interface to spray application.....	84

Annex H (informative) Determination of the spray booth clearance time using smoke.....	86
H.1 General	86
H.2 Procedure	86
Annex I (informative) Estimation of the spray booth purge time.....	87
I.1 General	87
I.2 Example.....	87
Annex J (informative) Examples for ventilation of spray booths with working pits.....	89
J.1 Ventilation of working pits	89
J.2 Measurement of air flow velocity in working pits	93
Annex ZA (informative) Relationship between this European Standard and the essential requirements of Directive 2006/42/EC aimed to be covered.....	95
Bibliography	98

EN 16985:2018 (E)**European foreword**

This document (EN 16985:2018) has been prepared by Technical Committee CEN/TC 271 "Surface treatment equipment - safety", the secretariat of which is held by DIN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by June 2019, and conflicting national standards shall be withdrawn at the latest by June 2019.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN 12215:2004+A1:2009, EN 12981:2005+A1:2009 and EN 13355:2004+A1:2009.

In comparison with the previous edition the following technical modifications have been made:

- a) The 3 European Standards EN 12215:2004+A1:2009, EN 12981:2005+A1:2009 and EN 13355:2004+A1:2009 have been merged into this European standard;
- b) The scope has not been changed, but the limits of a spray booth have been defined by specifying the interfaces to ancillary machinery, to clarify the scope;
- c) 4.2.2 Falling objects, has been introduced;
- d) 4.2.3 Height from the ground, has been introduced;
- e) 4.7 Contact with and inhalation of hazardous material, has been revised;
- f) 4.7.3.3.4 Segmented spray booths, has been introduced;
- g) 4.8 Fire, has been revised;
- h) 4.9 Explosion, has been revised;
- i) 4.10 Safety devices and control systems, has been revised;
- j) 4.11 Trapping, has been introduced;
- k) 4.12 Ergonomics, has been introduced;
- l) 4.13 Environment in which the machinery is used, has been introduced;
- m) The list of hazards has been moved to new Annex A (informative);
- n) Examples of classification of hazardous zones have been moved to new Annex B (informative);
- o) Calculations for explosive atmosphere have been moved to new Annex C (normative);
- p) Calculation for powder filters has been introduced (Annex C.4);
- q) Requirements for air flow velocity measurement have been clarified and moved to new Annex D (normative);

- r) Information on ignitability of water-based paint has been introduced in new Annex E (informative);
- s) Annex F (normative) on Energy-efficiency and reduction of environmental impact has been introduced;
- t) Annex G (informative) with examples for safety related controls has been introduced;
- u) Annex H (informative) on a procedure for the determination of the spray booth clearance time using smoke has been introduced;
- v) Annex I (informative) with an example for the estimation of the spray booth purge time has been introduced;
- w) Annex J (informative) with examples for ventilation of spray booths with working pits has been introduced.

This document has been prepared under a mandate given to CEN by the European Commission and the European Free Trade Association, and supports essential requirements of the EU Directive 2006/42/EC.

For relationship with the EU Directive, see informative Annex ZA, which is an integral part of this document.

NOTE Although a spray booth, as an integral whole, formally does not fall under the scope of the ATEX Directive 2014/34/EU, the standard is based upon a fundamental risk analysis according to this directive.

According to the CEN-CENELEC Internal Regulations, the national standards organisations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.


EN 16985:2018 (E)

1 Scope

This European Standard deals with all significant hazards, hazardous situations and hazardous events relevant to spray booths for the application of organic liquid and powder coating materials, when they are used as intended and under the conditions foreseen by the manufacturer, including reasonably foreseeable misuse.

See Annex A for significant hazards.

Interfaces between spray booths and other machinery used in coating application are given in Figure 1.



Key



spray booth

- 1 water output connector
- 2 connector to electric power supply
- 3 water input connector
- 4 connector to pressurized air supply
- 5 interface of control system
- 6 fresh air supply
- 7 connector to exhaust air treatment system
- 8 connector to RPD air supply
- 9 booth cleaning system connector
- 10 connection to external fire extinguishing system
- 11 connection to lifting device

Figure 1 — Interfaces of a spray booth to ancillary machinery

This is a free preview. Purchase the entire publication at the link below:

[Product Page](#)

-
- [Looking for additional Standards? Visit Intertek Inform Infostore](#)
 - [Learn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation](#)
-