



**NSAI**  
Standards

Irish Standard  
I.S. EN 50465:2015&A1:2019

Gas appliances - Combined heat and power appliance of nominal heat input inferior or equal to 70 kW

**I.S. EN 50465:2015&A1:2019**

*Incorporating amendments/corrigenda/National Annexes issued since publication:*

EN 50465:2015/A1:2019

The National Standards Authority of Ireland (NSAI) produces the following categories of formal documents:

I.S. xxx: Irish Standard — national specification based on the consensus of an expert panel and subject to public consultation.

S.R. xxx: Standard Recommendation — recommendation based on the consensus of an expert panel and subject to public consultation.

SWiFT xxx: A rapidly developed recommendatory document based on the consensus of the participants of an NSAI workshop.

*This document replaces/revises/consolidates the NSAI adoption of the document(s) indicated on the CEN/CENELEC cover/Foreword and the following National document(s):*

*NOTE: The date of any NSAI previous adoption may not match the date of its original CEN/CENELEC document.*

*This document is based on:*

EN 50465:2015

*Published:*

2015-01-23

*This document was published under the authority of the NSAI and comes into effect on:*

2019-12-10

ICS number:

NOTE: If blank see CEN/CENELEC cover page

NSAI  
1 Swift Square,  
Northwood, Santry  
Dublin 9

T +353 1 807 3800  
F +353 1 807 3838  
E standards@nsai.ie  
W NSAI.ie

Sales:  
T +353 1 857 6730  
F +353 1 857 6729  
W standards.ie

Údarás um Chaighdeáin Náisiúnta na hÉireann

## National Foreword

I.S. EN 50465:2015&A1:2019 is the adopted Irish version of the European Document EN 50465:2015, Gas appliances - Combined heat and power appliance of nominal heat input inferior or equal to 70 kW

This document does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

**Compliance with this document does not of itself confer immunity from legal obligations.**

*In line with international standards practice the decimal point is shown as a comma (,) throughout this document.*

This page is intentionally left blank

EUROPEAN STANDARD

**EN 50465:2015/A1**

NORME EUROPÉENNE

EUROPÄISCHE NORM

November 2019

ICS 27.070; 97.100.20

English Version

## Gas appliances - Combined heat and power appliance of nominal heat input inferior or equal to 70 kW

Appareils à gaz - Appareils produisant de la chaleur et de l'électricité combinées dont le débit calorifique nominal est inférieur ou égal à 70 kW

Gasgeräte - Geräte zur Kraft-Wärme-Kopplung mit einer Nennwärmebelastung kleiner oder gleich 70 kW

This amendment A1 modifies the European Standard EN 50465:2015; it was approved by CENELEC on 11 February 2019. CEN and CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this amendment the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN and CENELEC member.

This amendment exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN and CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN and CENELEC members are the national standards bodies and national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom



European Committee for Electrotechnical Standardization  
Comité Européen de Normalisation Electrotechnique  
Europäisches Komitee für Elektrotechnische Normung

**CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels**

## Contents

	Page
European foreword .....	4
1 Modification to the Scope .....	5
2 Modification to clause 2, "Normative references" .....	5
3 Modification to Clause 3, "Terms and definitions" .....	9
4 Modification to subclause 5.1, General construction.....	9
5 Modification to subclause 5.3.2 "Connection to the gas pipe" .....	10
6 Modification to subclause 5.10 "Operational safety in the event of failure of the energy supply for the control systems" .....	10
7 Modification to subclause 5.12 "Conversion to different gases" .....	10
8 Modification to subclause 5.13.2.4 "Welded seams and welding fillers" .....	10
9 Modification to subclause 5.18 "Design" .....	10
10 Modification to subclause 5.20 "Electrical equipment" .....	10
11 Modification to subclause 5.21.1 "General" .....	10
12 Modification to subclause 5.21.6 "Remote control" .....	10
13 Modification to subclause 6.5.5.3.2 "Safety of operation" .....	11
14 Modification to subclause 6.6.1 "Efficiency (Hi)" .....	11
15 Modification to subclause 6.6.7 "Annual energy consumption for space heating" .....	11
16 Modification to subclause 6.8.3 "Supplementary test for condensing mCHP appliance" .....	11
17 Modification to subclause 6.11 "Formation of condensate" .....	11
18 Modification to Clause 6 "Operational Requirements" .....	11
19 Modification to clause 7, "Test Methods" .....	11
20 Modification to subclause 7.8.3 "Supplementary test for condensing mCHP appliance" .....	12
21 Modification to subclause 7.14.2.1 "Characterization" .....	12
22 Modification to subclause 7.15.1 "Characterization" .....	12
23 Modification to subclause 7.15.2 "Long-term resistance to thermal load" .....	13
24 Modification to subclause 7.15.3 "Long-term resistance to condensate exposure" .....	13
25 Modification to subclause 7.15.6 "Compression set" .....	13
26 Modification to subclause 7.15.7 "Low temperature resistance" .....	13
27 Modification to Clause 7, "Test Methods" .....	13
28 Modification to subclause 9, "Marking, installation and operating instructions" .....	13
29 Modification to subclause 9.2.1.1, "Introduction" .....	13
30 Modification to subclause 9.2.1.2, "General" .....	13
31 Modification to Subclause 9.2.1, "Technical instructions" .....	14
32 Modification to Annex CC, "Test methods to determine the effects of long-term thermal load, long-term condensate exposure, condensing/ non- condensing cycling and resistance to UV radiation" .....	14

<b>33</b>	<b>Modification to Annex DD, "Variations in gas quality" .....</b>	<b>14</b>
<b>34</b>	<b>Addition of Annexes .....</b>	<b>14</b>
	<b>Annex J (informative) Market surveillance (ErP).....</b>	<b>15</b>
<b>J.1</b>	<b>General .....</b>	<b>15</b>
<b>J.2</b>	<b>Minimum Criteria to be met by laboratories carrying out the verification measurements .....</b>	<b>15</b>
<b>J.3</b>	<b>Minimization of the influence of the measurement procedure .....</b>	<b>15</b>
<b>J.4</b>	<b>Verification of the declared parameters .....</b>	<b>16</b>
	<b>Annex K (informative) Specific Energy Consumption .....</b>	<b>17</b>
<b>K.1</b>	<b>Introduction .....</b>	<b>17</b>
<b>K.2</b>	<b>Definitions .....</b>	<b>18</b>
<b>K.3</b>	<b>Operational requirements .....</b>	<b>18</b>
<b>K.4</b>	<b>Test methods .....</b>	<b>19</b>
<b>35</b>	<b>Modification to Annexes ZZ.....</b>	<b>21</b>

## EN 50465:2015/A1:2019 (E)

## European foreword

This document (EN 50465:2015/A1:2019) has been prepared by CEN/CLC/JTC 17 “Fuel cell gas appliances”.

The following dates are fixed:

- latest date by which this document has to be implemented at national level by publication of an identical national standard or by endorsement (dop) 2020-05-22
- latest date by which the national standards conflicting with this document have to be withdrawn (dow) 2022-11-22

It should be noted that the following changes have been incorporated in this Amendment:

- a) Adoptions to follow the guidelines for developing harmonized standards (“Vademecum on European standardisation in support of Union legislation and policies (*commission staff working document SWD(2015) 205 final*)” have been implemented, e.g. normative references have been updated to dated references all over the standard by revising Clause 2 with dated references, which apply to all normative references throughout the standard text.
- b) Requirements for risk assessment according to the (EU) 2016/426 (GAR) have been introduced to 5.1.
- c) Requirements for the calculation of the “Annual energy consumption” have been introduced.
- d) Additional requirements for sound power level and additional items for marking, installation and operating instructions have been introduced, which are addressed by the 2009/125/EC (ErP).
- e) Additional information for the market surveillance have been introduced (Annex J), which are addressed by the ErP.
- f) An informative Annex K has been introduced, which is giving information for definition and test methods for the “Specific Energy Consumption”, it is recommended to be used as a basis for future review of the Energy Labelling Regulation.
- g) Annex ZZA concerning (EU) 2016/426 (GAR) and Annexes ZZB and ZZC concerning regulations 811/2013 and 813/2013 under Directive 2010/30/EU have been introduced.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC shall not be held responsible for identifying any or all such patent rights.

For the relationship with EU Directive(s) see informative Annexes ZZA, ZZB and ZZC, which are an integral part of this document.



## 1 Modification to the Scope

**Replace** the first paragraph of the Scope with the following:

This document specifies the requirements and test methods for the construction, safety, fitness for purpose, rational use of energy, sound power measurement and together with requirements for the marking and advice on the end of life disposal of a micro combined heat and power appliance; hereafter referred to as “mCHP appliance”.

## 2 Modification to clause 2, "Normative references"

**Replace** Clause 2 by the following:

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE This standard uses only dated references as for undated references in the main body of the standard, the version referred to in this clause applies.

EN 88-1:2011+A1:2016, *Pressure regulators and associated safety devices for gas appliances - Part 1: Pressure regulators for inlet pressures up to and including 50 kPa*

EN 125:2010+A1:2015, *Flame supervision devices for gas burning appliances - Thermoelectric flame supervision devices*

EN 126:2012, *Multifunctional controls for gas burning appliances*

EN 161:2011+A3:2013, *Automatic shut-off valves for gas burners and gas appliances*

EN 298:2012, *Automatic burner control systems for burners and appliances burning gaseous or liquid fuels*

EN 437:2003+A1:2009, *Test gases - Test pressures - Appliance categories*

EN 513:1999, *Unplasticized polyvinylchloride (PVC-U) profiles for the fabrication of windows and doors - Determination of the resistance to artificial weathering*

EN 549:1994, *Rubber materials for seals and diaphragms for gas appliances and gas equipment*

EN 573-1:2004, *Aluminium and aluminium alloys - Chemical composition and form of wrought products - Part 1: Numerical designation system*

EN 1057:2006+A1:2010, *Copper and copper alloys - Seamless, round copper tubes for water and gas in sanitary and heating applications*

EN 1092-1:2007+A1:2013, *Flanges and their joints — Circular flanges for pipes, valves, fittings and accessories, PN designated — Part 1: Steel flanges*

EN 1092-2:1997, *Flanges and their joints - Circular flanges for pipes, valves, fittings and accessories, PN designated - Part 2: Cast iron flanges*

EN 1092-3:2003, *Flanges and their joints - Circular flanges for pipes, valves, fittings and accessories, PN designated - Part 3: Copper alloy flanges*

EN 1092-3:2003/AC:2007, *Flanges and their joints - Circular flanges for pipes, valves, fittings and accessories, PN designated - Part 3: Copper alloy flanges*

EN 1092-4:2002, *Flanges and their joints - Circular flanges for pipes, valves, fittings and accessories, PN designated - Part 4: Aluminium alloy flanges*

EUROPEAN STANDARD

**EN 50465**

NORME EUROPÉENNE

EUROPÄISCHE NORM

January 2015

ICS 27.070; 97.100.20

Supersedes EN 50465:2008

English Version

## Gas appliances - Combined heat and power appliance of nominal heat input inferior or equal to 70 kW

Appareils à gaz - Appareils produisant de la chaleur et de l'électricité combinées dont le débit calorifique nominal est inférieur ou égal à 70 kW

Gasgeräte - Geräte zur Kraft-Wärme-Kopplung mit einer Nennwärmebelastung kleiner oder gleich 70 kW

This European Standard was approved by CENELEC on 29 October 2014. CEN and CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN and CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN and CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN and CENELEC members are the national standards bodies and national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom



European Committee for Electrotechnical Standardization  
Comité Européen de Normalisation Electrotechnique  
Europäisches Komitee für Elektrotechnische Normung

**CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels**

## Contents

<b>Foreword</b> .....	<b>6</b>
<b>1 Scope</b> .....	<b>8</b>
<b>2 Normative references</b> .....	<b>8</b>
<b>3 Terms and definitions</b> .....	<b>11</b>
<b>4 Classification</b> .....	<b>26</b>
4.1 Gases/Categories .....	26
4.2 Mode of air supply and evacuation of combustion products.....	26
4.3 Maximum water side operating pressure .....	28
4.4 Expansion system .....	28
<b>5 Constructional requirements</b> .....	<b>28</b>
5.1 General construction .....	28
5.2 Use and servicing.....	30
5.3 Connections to the gas and water pipes.....	30
5.4 Soundness .....	31
5.5 Supply of air and evacuation of combustion products .....	32
5.6 Requirements for a fan incorporated in a mCHP appliance .....	33
5.7 Gas/air ratio controls .....	33
5.8 Air proving .....	34
5.9 Checking the state of operation .....	35
5.10 Operational safety in the event of failure of the energy supply for the control systems .....	35
5.11 Drainage.....	35
5.12 Conversion to different gases .....	35
5.13 Materials and thickness.....	36
5.14 Thermal insulation .....	42
5.15 Durability against corrosion of metallic combustion product circuits .....	42
5.16 Requirements for valves as parts of the gas circuit .....	43
5.17 Combustion products evacuation duct.....	44
5.18 Design .....	44
5.19 Gas carrying circuit .....	45
5.20 Electrical equipment.....	47
5.21 Requirements for adjusting, control and safety devices .....	48
5.22 Burners.....	54
<b>6 Operational requirements</b> .....	<b>54</b>
6.1 General requirements .....	54
6.2 Soundness .....	55
6.3 Heat input and heat and electrical output .....	58
6.4 Safety of operation (temperature / limit gas).....	58
6.5 Start / Release and adjusting, control and safety devices (if applicable) .....	63
6.6 Efficiency .....	68
6.7 Operation .....	68
6.8 Combustion .....	68
6.9 Resistance of materials to pressure.....	69
6.10 Hydraulic resistance.....	70
6.11 Formation of condensate .....	70
6.12 Designation and measurement of reference temperatures of flue systems .....	70
6.13 Mechanical resistance and stability of ducts, terminal and fitting pieces.....	71
6.14 Requirements for plastic in the combustion product evacuation ducts, terminals and fitting pieces for mCHP appliances.....	71
6.15 Requirements for elastomeric seals and elastomeric sealants in the combustion product evacuation ducts, terminals and fitting pieces .....	75
6.16 Special provisions for mCHP appliances intended to be installed in a partially protected place.....	77
<b>7 Test methods</b> .....	<b>77</b>
7.1 General test conditions .....	77

7.2	Soundness .....	86
7.3	Heat input and heat and electrical output .....	90
7.4	Safety of operation .....	92
7.5	Start / Release and adjusting, control and safety devices .....	107
7.6	Efficiency .....	112
7.7	Operation .....	120
7.8	Combustion .....	120
7.9	Resistance of the materials to pressure.....	126
7.10	Hydraulic resistance .....	126
7.11	Formation of condensate .....	127
7.12	Designation and measurement of reference temperatures of flue systems .....	128
7.13	Mechanical resistance and stability of ducts, terminal and fitting pieces.....	128
7.14	Requirements for plastic in the combustion product evacuation ducts, terminals and fitting pieces for mCHP appliances.....	129
7.15	Tests for elastomeric seals and elastomeric sealants in the combustion product evacuation ducts, terminals and fitting pieces .....	132
7.16	Special provisions for mCHP appliances intended to be installed in a partially protected place.....	134
<b>8</b>	<b>EMC / electrical requirements .....</b>	<b>134</b>
8.1	Relevant for the Gas safety .....	134
8.2	Relevant for the Electrical safety related to the grid with indirect effect to gas safety.....	134
8.3	Relevant for the EMC.....	134
<b>9</b>	<b>Marking, installation and operating instructions .....</b>	<b>135</b>
9.1	mCHP appliance marking .....	135
9.2	Installation instructions.....	138
9.3	Operating instructions (i.e. users' instructions).....	141
9.4	Conversion instructions.....	142
9.5	Presentation .....	142
<b>Annex A (informative)</b>	<b>Different gas connections in common use in the various countries.....</b>	<b>143</b>
<b>Annex B (informative)</b>	<b>Classification of type B and type C mCHP appliances .....</b>	<b>144</b>
<b>Annex C (informative)</b>	<b>Composition of the gas circuit.....</b>	<b>149</b>
<b>Annex D (informative)</b>	<b>Practical method of calibrating the test rig to enable the heat loss <math>D_p</math> to be determined .....</b>	<b>151</b>
<b>Annex E (informative)</b>	<b>A-deviations .....</b>	<b>152</b>
<b>Annex F (informative)</b>	<b>Main symbols and abbreviations used.....</b>	<b>153</b>
<b>Annex G (informative)</b>	<b>Examples for marking.....</b>	<b>154</b>
<b>Annex H (informative)</b>	<b>Calculation of conversions of <math>NO_x</math> .....</b>	<b>155</b>
<b>Annex I (informative)</b>	<b>Test rig for the measurement of the stand-by heat losses.....</b>	<b>156</b>
<b>Annex CC (normative)</b>	<b>Test methods to determine the effects of long-term thermal load, long-term condensate exposure, condensing/ non- condensing cycling and resistance to UV radiation .....</b>	<b>158</b>
<b>Annex DD (informative)</b>	<b>Variations in gas quality .....</b>	<b>159</b>
<b>Annex EE (informative)</b>	<b>Calculation of the efficiency for ErP .....</b>	<b>164</b>
<b>Annex ZZ (informative)</b>	<b>Coverage of Essential Requirements of EU Directives .....</b>	<b>167</b>
	<b>Bibliography .....</b>	<b>170</b>

## Figures

Figure 1 – Typical set-up for a fuel cell mCHP appliance.....	15
Figure 2 – Typical set-up for a Stirling engine mCHP appliance .....	15
Figure 3 – Typical set-up for an internal combustion engine mCHP appliance.....	16
Figure 4 – Example of a sampling probe for the measurement of the products of combustion .....	79
Figure 5 – Example of the location of the probe for a C type appliance .....	80
Figure 6 – Test rig for the soundness of the gas carrying circuit .....	85
Figure 7 – Test rig for the soundness of components (pressure drop method).....	86
Figure 8 – Test rig for thermostats: short cut circulation.....	94
Figure 9 – Test rig for thermostats with heat exchanger .....	95
Figure 10 – Test rig for type C <sub>1</sub> appliances, equipped with horizontal wind protection device at a vertical wall.....	99
Figure 11 – Test rig for type C <sub>1</sub> appliances for installation in buildings with tilted roof.....	100
Figure 12 – Test rig for type C <sub>3</sub> and C <sub>9</sub> appliances for installation in flat roofed buildings .....	101
Figure 13 – Test rig for type C <sub>3</sub> and C <sub>9</sub> appliances for installation in buildings with tilted roof.....	102
Figure 14 – Measuring points for the stand-by heat losses .....	114
Figure 15 – Test rig for the determination of hydraulic resistance.....	127
Figure B.1 – Type B <sub>2</sub> .....	144
Figure B.2 – Type B <sub>3</sub> .....	144
Figure B.3 – Type C <sub>1</sub> .....	145
Figure B.4 – Type C <sub>3</sub> .....	145
Figure B.5 – Type C <sub>4</sub> .....	146
Figure B.6 – Type C <sub>5</sub> .....	146
Figure B.7 – Type C <sub>6</sub> .....	147
Figure B.8 – Type C <sub>8</sub> .....	147
Figure B.9 – Type C <sub>9</sub> .....	148
Figure C.1 – Automatic gas shut off valves in the gas supply line for mCHP appliances .....	149
Figure C.2 – Automatic gas shut off valves in the gas supply line for permanent or alternating mCHP appliances .....	150
Figure I.1 – Test rig .....	156
Figure DD.1 – The relation between the (extreme) limit gases (ELG), the reference gas (RG) and the normal distribution gas (NDG) the appliance is designed for. The current standard assumes that the normal distribution is close to the reference gas.....	160
Figure DD.2 – The relation between the (extreme)limit gases (ELG), the reference gas (RG), the distribution limit gases (DLG),and the normal distribution gas(NDG) the appliance is designed for. The DLG are to be considered if the normal distribution gas may vary to a large extent over the lifetime of the appliance.....	162
Figure EE.1 – Equivalent heating efficiency and linear extrapolation from $\eta_{e1} = 0,75/CC$ .....	165

**Tables**

Table 1 – Mechanical properties and chemical compositions of carbon and stainless steels.....	37
Table 2 – Minimum requirements for cast iron.....	37
Table 3 – Parts in aluminium and aluminium alloys.....	38
Table 4 – Parts in copper or copper alloys .....	38
Table 5 – Minimum thicknesses for rolled parts .....	38
Table 6 – Nominal minimum thicknesses of mCHP appliance sections.....	38
Table 7 – Weld joints and welding processes.....	39
Table 8 – Metallic combustion products circuit material specifications .....	43
Table 9 – Composition of the gas circuit.....	47
Table 10 – Maximum admissible leakage rates.....	56
Table 11 – NO <sub>x</sub> classes.....	69
Table 12 – Criteria for testing long-term resistance to thermal load.....	72
Table 13 – Criteria for testing long-term resistance to condensate exposure .....	73
Table 14 – Criteria for testing resistance to condensing/non-condensing cycling.....	74
Table 15 – Group sizes of internal flue diameters .....	74
Table 16 – Criteria for testing long-term resistance to thermal load.....	75
Table 17 – Criteria for testing-long term resistance to condensate exposure .....	76
Table 18 – Weighting factor $F_{\text{CHP}}$ for weighting $\eta_{\text{eq,CHP}}$ in the $\eta_{\text{son}}$ calculation* .....	116
Table 19 – (CO <sub>2</sub> ) <sub>N</sub> concentration of the combustion products, in percent .....	120
Table 20 – Weighting factors .....	124
Table 21 – Weighting factors .....	125
Table 22 – Exposure time in weeks at raised temperatures.....	130
Table 23 – Composition of test condensate for corrosion .....	130
Table 24 – Condensate composition, related to construction classes.....	132
Table 25 – Supplementary markings .....	137
Table A.1 – Gas connections conditions in common use in the various countries.....	143
Table F.1 – Main symbols and abbreviations used .....	153
Table G.1 – Category(ies), direct and indirect country(ies) of destination.....	154
Table G.2 – Example 1: Possibilities for the second gas family .....	154
Table G.3 – Example 2: Possibilities for the third gas family.....	154
Table H.1 – Conversion of the emission value of NO <sub>x</sub> for second family gases.....	155
Table H.2 – Conversion of the emission value of NO <sub>x</sub> for third family gases.....	155
Table EE.1 – Energy outputs and primary energy inputs. ....	164
Table ZZ.1 – Clauses of this European Standard addressing essential requirements or other provisions of EC Directives .....	167

## Foreword

This document (EN 50465:2015) has been prepared by CEN/CLC Joint Working Group FCGA, "Fuel cell gas appliances".

The following dates are fixed:

- latest date by which this document has to be implemented at national level by publication of an identical national standard or by endorsement (dop) 2015-10-29
- latest date by which the national standards conflicting with this document have to be withdrawn (dow) 2017-10-29

This document supersedes EN 50465:2008.

EN 50465:2015 includes the following significant technical changes with respect to EN 50465:2008:

- inclusion of requirements for „Stirling Engine“ and „Internal Combustion Engine“;
- modification of requirements for fuel cell heating appliances to reflect experience since the first edition;
- partly adaptation to EN 15502-1 and EN 15502-2-1, especially to reflect the new requirements for air proving devices;
- introduction of additional types of combustion air and flue duct systems;
- modification of the total efficiency calculation;
- modifications of NO<sub>x</sub> weighting and calculation.

Micro-cogeneration is also known as micro combined heat and power [mCHP]. mCHP is an efficient way to deliver heating, cooling and electricity. It is based on the simultaneous production of electrical and thermal energy, both of which are used. The central and most fundamental principle of mCHP is that in order to maximize the many benefits that arise from it, systems should be based according to the heat demand of the application.

A fuel cell, Stirling engine and internal combustion engine are just some of the significant technologies to be the thermal heart of a mCHP appliance.

mCHP appliances that are already established in the market are used to provide central heating and domestic hot water in residential buildings.

Due to the development of new technology other solutions than those described in this European Standard are possible if these solutions provide at least an equivalent level of safety.

Matters related to quality assurance systems, tests during production, and certificates of conformity of auxiliary devices are not dealt with in this European Standard.

Due to the change in scope to include technologies in addition to fuel cells, the title of this European Standard has been changed from "fuel cell gas heating appliance" into "combined heat and power appliance".

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC [and/or CEN] shall not be held responsible for identifying any or all such patent rights.

This document has been prepared under a mandate given to CENELEC by the European Commission and the European Free Trade Association, and supports essential requirements of EU Directive(s).

For the relationship with EU Directive(s) see informative Annex ZZ, which is an integral part of this document. The essential requirements of EC Directive 2009/142/EC relating to "rational use of energy" is defined by the maximum quantity of energy recovered (thermal and electrical energy output) from the gas energy input.

---



## 1 Scope

This European Standard specifies the requirements and test methods for the construction, safety, fitness for purpose, rational use of energy and the marking of a micro combined heat and power appliance; (hereafter referred to as “mCHP appliance”).

This European Standard applies to mCHP appliances of types B<sub>22</sub>, B<sub>23</sub>, B<sub>32</sub>, B<sub>33</sub>, B<sub>52</sub>, B<sub>53</sub>, C<sub>1</sub>, C<sub>3</sub>, C<sub>42</sub>, C<sub>43</sub>, C<sub>52</sub>, C<sub>53</sub>, C<sub>62</sub>, C<sub>63</sub>, C<sub>82</sub>, C<sub>83</sub> and C<sub>9</sub> based on the classifications of CEN/TR 1749:

- that use one or more supplied gases of the three gas families at the pressures stated in EN 437,
- where the temperature of the heat transfer fluid of the heating system (heating water circuit) does not exceed 105 °C during normal operation,
- where the maximum operating pressure in the
  - heating water circuit does not exceed 6 bar,
  - domestic hot water circuit (if installed) does not exceed 10 bar,
- which are either intended to be installed indoors or outdoors in a partially protected place,
- which are intended to produce hot water either by the instantaneous or storage principle,
- which have a maximum heat input (based on net calorific value) not exceeding 70 kW,
- which are designed for sealed or open water systems.

NOTE 1 For applications where the maximum allowable water temperature exceeds 110 °C or where volume multiplied by maximum allowable pressure exceeds 50 bar litres, further requirements may be necessary to comply with the essential requirements of Directive 97/23/EC (Pressure Equipment Directive (PED)).

NOTE 2 For mCHP appliances with constructions that might not be fully covered by this European Standard or by another specific standard, the risk associated with the alternative construction will be assessed.

NOTE 3 prEN 13203-4 will specify the assessment of energy consumption for domestic hot water production of gas combined heat and power appliances (mCHP).

This European Standard does not contain the requirements necessary for appliance capable of producing electrical energy without using the thermal energy.

This European Standard does not cover all the requirements for mCHP appliances that are intended to be connected to gas grids where the quality of the distributed gas is likely to vary to a large extent over the lifetime of the appliance (see Annex DD).

## 2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 88-1, *Pressure regulators and associated safety devices for gas appliances – Part 1: Pressure regulators for inlet pressures up to and including 500 kPa*

EN 125, *Flame supervision devices for gas burning appliances – Thermoelectric flame supervision devices*

EN 126, *Multifunctional controls for gas burning appliances*

EN 161, *Automatic shut-off valves for gas burners and gas appliances*

EN 298, *Automatic burner control systems for burners and appliances burning gaseous or liquid fuels*

EN 437:2003+A1:2009, *Test gases – Test pressures – Appliance categories*

EN 513, *Unplasticized polyvinylchloride (PVC-U) profiles for the fabrication of windows and doors - Determination of the resistance to artificial weathering*

This is a free preview. Purchase the entire publication at the link below:

[Product Page](#)

- 
- [Looking for additional Standards? Visit Intertek Inform Infostore](#)
  - [Learn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation](#)
-