

Irish Standard I.S. EN ISO 11296-4:2011

Plastics piping systems for renovation of underground non-pressure drainage and sewerage networks - Part 4: Lining with cured-in-place pipes (ISO 11296-4:2009, corrected version 2010-06-01)

© NSAI 2011

No copying without NSAI permission except as permitted by copyright law.

Incorporating amendments	/corrigenda/National Anne.	xes issued since public	cation:
The National Standards Author documents:	rity of Ireland (NSAI) produc	es the following cate	gories of formal
I.S. xxx: Irish Standard – national specification based on the consensus of an expert panel and subject to public consultation.			
S.R. xxx: Standard Recom panel and subject to public con	mendation - recommendat sultation.	on based on the cons	ensus of an expert
SWiFT xxx: A rapidly developarticipants of an NSAI worksh	ped recommendatory docur op.	nent based on the cor	nsensus of the
This document replaces: EN 13566-4:2002			
This document is based on EN ISO 11296-4:2011	: Published: 11 May, 2011		
This document was publis under the authority of the and comes into effect on: 11 May, 2011			ICS number: 23.040.20
<b>NSAI</b> 1 Swift Square, Northwood, Santry Dublin 9	T +353 1 807 3800 F +353 1 807 3838 E standards@nsai.ie W NSAI.ie	<b>Sales:</b> T +353 1 857 6730 F +353 1 857 6729 W standards.ie	
Údarás um Chaighdeáin Náisiúnta na hÉireann			

## **EUROPEAN STANDARD**

### **EN ISO 11296-4**

## NORME EUROPÉENNE EUROPÄISCHE NORM

April 2011

ICS 23.040.20; 23.040.45; 93.030; 91.140.80

Supersedes EN 13566-4:2002

#### **English Version**

Plastics piping systems for renovation of underground nonpressure drainage and sewerage networks - Part 4: Lining with cured-in-place pipes (ISO 11296-4:2009, corrected version 2010-06-01)

Systèmes de canalisations en plastique pour la rénovation des réseaux de branchements et de collecteurs d'assainissement enterrés sans pression - Partie 4: Tubage continu par tubes polymérisés sur place (ISO 11296-4:2009, version corrigée 2010-06-01)

Kunststoff-Rohrleitungssysteme für die Renovierung von erdverlegten drucklosen Entwässerungsnetzen (Freispiegelleitungen) - Teil 4: Vor Ort härtendes Schlauch-Lining (ISO 11296-4:2009)

This European Standard was approved by CEN on 8 April 2011.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION COMITÉ EUROPÉEN DE NORMALISATION EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: Avenue Marnix 17, B-1000 Brussels

## EN ISO 11296-4:2011 (E)

Contents	Page
Foreword	3

EN ISO 11296-4:2011 (E)

#### **Foreword**

The text of ISO 11296-4:2009 has been prepared by Technical Committee ISO/TC 138 "Plastics pipes, fittings and valves for the transport of fluids" of the International Organization for Standardization (ISO) and has been taken over as EN ISO 11296-4:2011 by Technical Committee CEN/TC 155 "Plastics piping systems and ducting systems" the secretariat of which is held by NEN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by October 2011, and conflicting national standards shall be withdrawn at the latest by October 2011.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN 13566-4:2002.

According to the CEN/CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and the United Kingdom.

#### **Endorsement notice**

The text of ISO 11296-4:2009 has been approved by CEN as a EN ISO 11296-4:2011 without any modification.

This is a free page sample. Access the full version online.

I.S. EN ISO 11296-4:2011

This page is intentionally left BLANK.

This is a free page sample. Access the full version online.

## I.S. EN ISO 11296-4:2011 INTERNATIONAL STANDARD

ISO 11296-4

First edition 2009-11-01

Corrected version 2010-06-01

# Plastics piping systems for renovation of underground non-pressure drainage and sewerage networks —

## Part 4: Lining with cured-in-place pipes

Systèmes de canalisations en matières plastiques pour la rénovation des réseaux d'assainissement gravitaires enterrés —

Partie 4: Tubage continu par tubes polymérisés sur place



#### ISO 11296-4:2009(E)

#### PDF disclaimer

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below.



#### **COPYRIGHT PROTECTED DOCUMENT**

#### © ISO 2009

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Published in Switzerland

## **Contents**

## Page

Forewo	ord	<b>v</b>
Introdu	ıction	.vi
1	Scope	1
2	Normative references	1
3	Terms and definitions	
3.1 3.2	General terms Techniques	
4	Symbols and abbreviated terms	
4.1	Symbols	4
4.2	Abbreviated terms	
5 5.1	Pipes at the "M" stage	
5.2	General characteristics	7
5.3 5.4	Material characteristicsGeometric characteristics	
5.5	Mechanical characteristics	8
5.6 5.7	Physical characteristics	
5.8	Marking	
6	Fittings at the "M" stage	
6.1 6.2	Materials General characteristics	
6.3	Material characteristics	9
6.4 6.5	Geometric characteristics	
6.6	Physical characteristics	10
6.7 6.8	JointingMarking	
7	Ancillary components	
8	Fitness for purpose of the installed lining system at the "I" stage	
8.1	Materials	
8.2 8.3	General characteristics	
8.4	Geometric characteristics	
8.5 8.6	Mechanical characteristicsPhysical characteristics	
8.7	Additional characteristics	
8.8	Sampling	13
9	Installation practice	
9.1 9.2	Preparatory work  Storage, handling and transport of pipe components	
9.3	Equipment	14
9.4 9.5	Installation  Process-related inspection and testing	
9.6	Lining termination	16
9.7 9.8	Reconnecting to existing manholes and laterals  Final inspection and testing	

## ISO 11296-4:2009(E)

9.9	Documentation	16
Annex	A (informative) CIPP components and their functions	17
Annex	B (normative) Cured-in-place pipes — Modifications to ISO 178 for flexural testing	18
Annex	C (normative) Cured-in-place pipes — Test method for the determination of long-term flexural modulus under wet conditions	25
Annex	D (normative) Cured-in-place pipes — Determination of the creep factor under dry conditions from a three-point flexural test	29
Bibliog	ıraphy	32

#### **Foreword**

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

ISO 11296-4 was prepared by Technical Committee ISO/TC 138, *Plastics pipes, fittings and valves for the transport of fluids*.

ISO 11296 consists of the following parts, under the general title *Plastics piping systems for renovation of underground non-pressure drainage and sewerage networks*:

- Part 1: General
- Part 3: Lining with close-fit pipes
- Part 4: Lining with cured-in-place pipes

Lining with continuous pipes is to form the subject of a part 2, lining with discrete pipes is to form the subject of a part 5 and lining with spirally-wound pipes is to form the subject of a part 7.

This corrected version of ISO 11296-4:2009 incorporates the replacement of "ISO 178" with "ISO 178 as modified by Annex B" in the fourth row and fifth column of Table 5.

ISO 11296-4:2009(E)

#### Introduction

The System Standard, of which this is part 4, specifies the requirements for plastics piping systems of various materials used for renovation of existing pipelines in a specified application area. System Standards for renovation specify procedures for the following applications:

- plastics piping systems for renovation of underground non-pressure drainage and sewerage networks;
- plastics piping systems for renovation of underground drainage and sewerage networks under pressure;
- plastics piping systems for renovation of underground water supply networks;
- plastics piping systems for renovation of underground gas supply networks.

These System Standards are distinguished from those for conventionally installed plastics piping systems because they set requirements for certain characteristics in the as-installed condition, after site processing. This is in addition to specifying requirements for plastics piping system components, as manufactured.

Each of the System Standards comprises a part 1 (general) and all applicable renovation technique family-related parts from the following:

- part 2: lining with continuous pipes;
- part 3: lining with close-fit pipes;
- part 4: lining with cured-in-place pipes;
- part 5: lining with discrete pipes;
- part 7: lining with spirally-wound pipes.

The requirements for any given renovation technique family are given in part 1, applied in conjunction with the other relevant part. For example, parts 1 and 2 specify the requirements relating to lining with continuous pipes. For complementary information, see ISO 11295. Not all technique families are applicable to every area of application and this is reflected in the part numbers included in each System Standard.

A consistent structure of clause headings has been adopted for all parts to facilitate direct comparisons across renovation technique families.

Figure 1 gives the common structure and the relationship between ISO 11296 and the System Standards for other application areas.




Figure 1 — Format of the renovation System Standards

This is a free page sample. Access the full version online.

I.S. EN ISO 11296-4:2011



	This is a free preview.	Purchase the e	entire publication	at the link below:
--	-------------------------	----------------	--------------------	--------------------

**Product Page** 

- Dooking for additional Standards? Visit Intertek Inform Infostore
- Dearn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation