



NSAI
Standards

Irish Standard
I.S. EN ISO 17261:2012

Intelligent transport systems - Automatic vehicle and equipment identification - Intermodal goods transport architecture and terminology (ISO 17261:2012)

I.S. EN ISO 17261:2012

Incorporating amendments/corrigenda/National Annexes issued since publication:

The National Standards Authority of Ireland (NSAI) produces the following categories of formal documents:

I.S. xxx: Irish Standard – national specification based on the consensus of an expert panel and subject to public consultation.

S.R. xxx: Standard Recommendation - recommendation based on the consensus of an expert panel and subject to public consultation.

SWIFT xxx: A rapidly developed recommendatory document based on the consensus of the participants of an NSAI workshop.

This document replaces:
CEN ISO/TS 17261:2005

This document is based on: EN ISO 17261:2012
Published: 20 September, 2012

This document was published under the authority of the NSAI and comes into effect on:
20 September, 2012

ICS number:

03.220.01
35.240.60

NSAI
1 Swift Square,
Northwood, Santry
Dublin 9

T +353 1 807 3800
F +353 1 807 3838
E standards@nsai.ie
W NSAI.ie

Sales:
T +353 1 857 6730
F +353 1 857 6729
W standards.ie

Údarás um Chaighdeáin Náisiúnta na hÉireann

English Version

**Intelligent transport systems - Automatic vehicle and equipment
identification - Intermodal goods transport architecture and
terminology (ISO 17261:2012)**

Systemes intelligents de transport - Identification
automatique des véhicules et des équipements -
Architecture et terminologie du transport intermodal des
marchandises (ISO 17261:2012)

Intelligente Transportsysteme - Automatische Fahrzeug-
und Ausstattungsidentifizierung - Intermodaler
Gütertransport Architektur und Begriffsbestimmung (ISO
17261:2012)

This European Standard was approved by CEN on 31 August 2012.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: Avenue Marnix 17, B-1000 Brussels

Contents

Page

Foreword.....3

Foreword

This document (EN ISO 17261:2012) has been prepared by Technical Committee CEN/TC 278 "Road transport and traffic telematics", the secretariat of which is held by NEN, in collaboration with Technical Committee ISO/TC 204 "Intelligent transport systems".

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by March 2013, and conflicting national standards shall be withdrawn at the latest by March 2013.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

This document supersedes CEN ISO/TS 17261:2005.

According to the CEN/CENELEC Internal Regulations, the national standards organisations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

Endorsement notice

The text of ISO 17261:2012 has been approved by CEN as a EN ISO 17261:2012 without any modification.

This page is intentionally left BLANK.

I.S. EN ISO 17261:2012
**INTERNATIONAL
STANDARD**

**ISO
17261**

First edition
2012-09-01

**Intelligent transport systems —
Automatic vehicle and equipment
identification — Intermodal goods
transport architecture and terminology**

*Systèmes intelligents de transport — Identification automatique des
véhicules et des équipements — Architecture et terminologie du
transport intermodal des marchandises*



Reference number
ISO 17261:2012(E)

© ISO 2012



COPYRIGHT PROTECTED DOCUMENT

© ISO 2012

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Published in Switzerland

| Contents | Page |
|---|-------------|
| Foreword | iv |
| Introduction | v |
| 1 Scope | 1 |
| 2 Normative references | 1 |
| 3 Terms and definitions | 2 |
| 4 Requirements | 8 |
| 4.1 General requirements | 8 |
| 4.2 Conceptual architecture | 9 |
| 4.3 Logical definition | 13 |
| 4.4 Functional architecture | 15 |
| 4.5 Application architecture | 15 |
| 4.6 Information architecture | 18 |
| 4.7 Object interactions | 19 |
| 4.8 System security architecture | 20 |
| 4.9 Resilience issues | 20 |
| 4.10 Performance issues | 21 |
| 4.11 Disaster recovery | 21 |
| 4.12 Migration issues | 21 |
| 4.13 System specification | 21 |
| 4.14 Implementation architecture | 21 |
| Annex A (informative) Architectural views of logistic and distribution systems | 22 |
| Bibliography | 30 |

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

ISO 17261 was prepared by Technical Committee ISO/TC 204, *Intelligent transport systems*, in collaboration with Technical Committee CEN/TC 278, *Road transport and traffic telematics*.

This first edition of ISO 17261 cancels and replaces the first edition of ISO/TS 17261:2005, including ISO/TS 17261:2005/Cor. 1:2005, which has been technically revised.

Introduction

This International Standard prescribes the overall parameters within which subsidiary International Standards are constructed. The architecture description defined in this International Standard is a consistent extension to ISO 14814 (AVI reference architectures and terminology).

ISO 14814 provides an architecture context for AVI/AEI for road transport. This International Standard extends this architecture context to include intermodal and multimodal movements.

This International Standard is part of a series of International Standards defining AVI/AEI in the Intelligent Transport Systems/Road Transport and Traffic Telematics (ITS/RTTT) environment. The following documents have been issued from ISO TC 204 to form a family of International Standards for the sector:

| | |
|-----------|---|
| ISO 14814 | AVI/AEI Reference architectures and terminology; |
| ISO 14816 | AVI/AEI Numbering and data structures; |
| ISO 14815 | AVI/AEI System specification; |
| ISO 17261 | AVI/AEI Intermodal goods transport reference architectures and terminology; |
| ISO 17262 | AVI/AEI Intermodal goods transport: Numbering and data structures; |
| ISO 17263 | AVI/AEI Intermodal goods transport: System parameters; |
| ISO 17264 | AVI/AEI Intermodal goods transport: Interface requirements; |

An AVI/AEI interaction in an ITS/RTTT environment comprises an identification of On-Board Equipment (OBE) by a reader/interrogator and can transfer additional data.

The data component in an ITS/RTTT environment provides the basis for unambiguous identification of the OBE, and may also share a medium for a bi-directional interactive exchange of data between the host and OBE and to other equipment (such as smart cards etc.).

The principles of data presentation determined in ISO 17262 have been adopted to provide an interoperable architecture within an International Standard framework. The use of Abstract Syntax Notation One (ASN.1) PER is therefore an integral part of the data architecture determined in this International Standard.

The numbering and data structure are capable of operation both by read/write devices, and by read only devices where there is no requirement (and sometimes no possibility) to write to the OBE.

A key feature of the structure is to provide interoperability of data constructs.

Within the ITS/RTTT sector, applications can range from simple vehicle and equipment identification to complex international systems.

The reference architecture model and the data construct schemes described in this family of International Standards/Technical Specifications extend the approved AVI conceptual architecture to provide a comprehensive conceptual and logical system architecture to describe the relationships and functionality for a wide range of media so that the currency of the International Standard remains good for both existing and future technologies. This International Standard recognises that there are existing AVI/AEI applications and provides a means of supporting such data constructs within this International Standard.

In many cases it is necessary or desirable to use one air carrier frequency and protocol, but this is not always possible or even desirable in all situations.

In accordance with the resolutions of ISO TC 204 and CEN TC 278 the use of Abstract Syntax Notation One (ASN.1) from ISO 8824 as a data definition structure is adopted. Its usage provides maximum interoperability and conformance to existing ITS/RTTT and related International Standards and Technical Specifications.

Intelligent transport systems — Automatic vehicle and equipment identification — Intermodal goods transport architecture and terminology

1 Scope

This International Standard describes the conceptual and logical architecture for automatic vehicle and equipment identification (AVI/AEI) and supporting services in an intermodal/multimodal environment.

It presents a high level view of AEI intermodal and multimodal system architecture, and describes the key sub systems, their associated interfaces and interactions and how they fit into system wide functions such as management, security and information flow.

This International Standard identifies the context of intermodal/multimodal AEI within the overall AVI/AEI context and key external inter-dependencies and interfaces to the intermodal/multimodal sector IT infrastructure. These include interfaces to the external and internal users of the intermodal/multimodal system services and their associated IT systems, interfaces to intermodal/multimodal management systems, existing intermodal/multimodal networks and system operations, and specifically interfaces to item identification and the domain of JTC 1/SC 31, item logistics International Standards. As an architecture it is designed to be complementary and interlocking to that domain.

This International Standard is intended to be complementary and consistent with the work of ISO/TC 104, Freight containers.

It extends the conceptual and communication AVI architecture determined in ISO 14814 and is neither frequency nor air interface protocol specific. It provides maximum interoperability, has a high population capability, and provides the possibility of upwards migration to more capable systems.

It does not include the air interface nor any implementation aspect, only the reference architectures. Subsequent International Standards define data structures for general AVI/AEI and for specific sectors of application.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO/IEC 8824-1, *Information technology — Abstract Syntax Notation One (ASN.1): Specification of basic notation*

ISO/IEC 8824-2, *Information technology — Abstract Syntax Notation One (ASN.1): Information object specification*

ISO/IEC 8824-3, *Information technology — Abstract Syntax Notation One (ASN.1): Constraint specification*

ISO/IEC 8824-4, *Information technology — Abstract Syntax Notation One (ASN.1): Parameterization of ASN.1 specifications*

ISO/IEC 8825-2:1996, *Information technology — ASN.1 encoding rules: Specification of Packed Encoding Rules (PER)*

ISO 14813-6, *Intelligent transport systems — Reference model architecture(s) for the ITS sector — Part 6: Data presentation in ASN.1*

ISO 14816, *Road transport and traffic telematics — Automatic vehicle and equipment identification — Numbering and data structure*

ISO 17261:2012(E)

ISO 17262, *Intelligent transport systems — Automatic vehicle and equipment identification — Numbering and data structures*

ISO 17263, *Intelligent transport systems — Automatic vehicle and equipment identification — System parameters*

ISO 14817, *Transport information and control systems — Requirements for an ITS/TICS central Data Registry and ITS/TICS Data Dictionaries*

3 Terms and definitions

For the purposes of this document, the terms and definitions given in ISO 8824-1, ISO 8824-2, ISO 8824-3, ISO 8824-4, ISO 14816 and the following apply.

3.1

address

data element designating the originating source or destination of data being transmitted

3.2

Automatic Equipment Identification

AEI

process of identifying equipment or entities that uses the surface transportation infrastructures by means of OBE's combined with the unambiguous data structure defined in these International Standards

NOTE Within this series of International Standards, "Equipment" indicates large equipment that is carried in, or forms an integral part of, a trailer or trailer mounted unit.

3.3

air interface

conductor-free medium between an OBE and the reader/interrogator through which the linking of the OBE to the reader /interrogator is achieved by means of electro-magnetic signals

3.4

application identifier

one item of a data element construct (usually the first octet) that uniquely identifies the domain of an ITS/RTTT information exchange at an explicitly defined reference point, usually at reference points "Alpha", "Beta" or "Zeta"

NOTE 1 This octet identifies that the message is a specific RTTT message.

NOTE 2 See Figure 5.

3.5

ASN.1

Abstract Syntax Notation One

International Standard for representing data types and structures

NOTE The encoding rules for this abstract syntax notation are defined in ISO 8825-2.

3.6

Automatic Vehicle Identification

AVI

process of identifying vehicles using OBE combined with the unambiguous data structure defined in these International Standards

3.7

AVI/AEI system operator

commercial operator of an AVI/AEI/RTTT system that uses OBE(s) for the purposes defined in this International Standard

3.8

bi-directional dialogue

two way communications between fixed equipment and OBE(s)

3.9

bill of lading

document which evidences a contract of the carriage and the taking over or loading of the goods by the carrier, and by which the carrier undertakes to deliver the goods against surrender of the document

NOTE A provision in the document that the goods are to be delivered to the order of a named person, or to order, or to bearer, constitutes such an undertaking. The document has the following functions:

- a receipt for goods, signed by a duly authorised person on behalf of the carriers;
- a document of title to the goods described therein;
- evidence of the terms and conditions of carriage agreed upon between the two parties.

3.10

communication control

fixed equipment function to control the communication between fixed equipment and OBE

3.11

compatibility

capability of two or more items or components of equipment or material to exist and/or function in the same system or environment without modification, adaptation or mutual interference

3.12

consignment

separately identifiable amount of goods (available to be) transported from one consignor to one consignee via one or more than one modes of transport and specified in one single transport document

3.13

consignor

goods provider

party that provides goods to another party

NOTE A consignor can be a manufacturer, trader, agent, or individual.

3.14

container

receptacle for the transport of goods, especially one readily transferable from one form of transport to another

NOTE See also non-ISO Container.

3.15

Dedicated Short Range Communication DSRC

means of effecting local (short range) transactions between fixed equipment and OBE(s) using an "air interface" comprising inductive or propagated signals between the fixed equipment and OBE(s)

3.16

data element structure

framework comprising a number of data elements in a prescribed form

NOTE Also known as a "message".

3.17

Electronic Data Interchange

EDI

passing of a data message, or series of messages, between computers and/or between different software systems

NOTE Within this context an EDI message is normally compatible with the form specified in ISO 9897. EDI is an instance of an EDT transaction.

This is a free preview. Purchase the entire publication at the link below:

[Product Page](#)

-
- [Looking for additional Standards? Visit Intertek Inform Infostore](#)
 - [Learn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation](#)
-