



NSAI
Standards

Irish Standard
I.S. EN 50463-2:2017

Railway applications - Energy measurement on board trains - Part 2: Energy measuring

I.S. EN 50463-2:2017

Incorporating amendments/corrigenda/National Annexes issued since publication:

The National Standards Authority of Ireland (NSAI) produces the following categories of formal documents:

I.S. xxx: Irish Standard — national specification based on the consensus of an expert panel and subject to public consultation.

S.R. xxx: Standard Recommendation — recommendation based on the consensus of an expert panel and subject to public consultation.

SWIFT xxx: A rapidly developed recommendatory document based on the consensus of the participants of an NSAI workshop.

This document replaces/revises/consolidates the NSAI adoption of the document(s) indicated on the CEN/CENELEC cover/Foreword and the following National document(s):

NOTE: The date of any NSAI previous adoption may not match the date of its original CEN/CENELEC document.

This document is based on:

EN 50463-2:2017

Published:

2017-10-06

This document was published under the authority of the NSAI and comes into effect on:

2017-10-24

ICS number:

45.060.10

NOTE: If blank see CEN/CENELEC cover page

NSAI
1 Swift Square,
Northwood, Santry
Dublin 9

T +353 1 807 3800
F +353 1 807 3838
E standards@nsai.ie
W NSAI.ie

Sales:
T +353 1 857 6730
F +353 1 857 6729
W standards.ie

Údarás um Chaighdeáin Náisiúnta na hÉireann

National Foreword

I.S. EN 50463-2:2017 is the adopted Irish version of the European Document EN 50463-2:2017, Railway applications - Energy measurement on board trains - Part 2: Energy measuring

This document does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

For relationships with other publications refer to the NSAI web store.

Compliance with this document does not of itself confer immunity from legal obligations.

In line with international standards practice the decimal point is shown as a comma (,) throughout this document.

This page is intentionally left blank

EUROPEAN STANDARD
NORME EUROPÉENNE
EUROPÄISCHE NORM

EN 50463-2

October 2017

ICS 45.060.10

Supersedes EN 50463-2:2012

English Version

**Railway applications - Energy measurement on board trains -
Part 2: Energy measuring**

Applications ferroviaires - Mesure d'énergie à bord des
trains - Partie 2 : Mesure d'énergie

Bahnanwendungen - Energiemessung auf Bahnfahrzeugen
- Teil 2: Energiemessung

This European Standard was approved by CENELEC on 2017-05-08. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.



European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

Contents

	Page
European foreword.....	7
Introduction.....	8
1 Scope.....	11
2 Normative references.....	12
3 Terms, definitions, abbreviations and symbols.....	13
3.1 Terms and definitions	13
3.2 Abbreviations	16
3.3 Symbols	17
4 Requirements	17
4.1 General.....	17
4.2 Energy Measurement Function (EMF)	18
4.2.1 General	18
4.2.2 Electrical requirements	18
4.2.3 Accuracy requirements.....	19
4.2.4 Traction system change	21
4.2.5 Re-verification.....	21
4.3 Sensors	21
4.3.1 General	21
4.3.2 General requirements	22
4.3.3 Voltage sensors	23
4.3.4 Current sensors	28
4.4 Energy Calculation Function (ECF)	34
4.4.1 General	34
4.4.2 General requirements	34
4.4.3 Electrical requirements.....	36
4.4.4 Accuracy requirements.....	37
4.4.5 Effect of temperature on error limits	38
4.4.6 Limits of additional error due to influence quantities.....	41
4.4.7 Electromagnetic compatibility	43
4.4.8 Data transfer from ECF to DHS	44
5 Conformity assessment.....	45
5.1 General.....	45
5.1.1 Introduction.....	45
5.1.2 Applicability	45
5.1.3 Methodology	45
5.2 Testing framework.....	46
5.2.1 General	46

5.2.2 Reporting.....	46
5.3 Design review.....	47
5.3.1 General	47
5.3.2 Device design review	47
5.3.3 EMF design review	48
5.4 Type testing.....	48
5.4.1 General	48
5.4.2 Common type testing	48
5.4.3 Sensor type test.....	52
5.4.4 ECF type test.....	59
5.5 Routine test.....	70
5.5.1 General	70
5.5.2 Visual Inspection	70
5.5.3 Insulation test	70
5.5.4 Accuracy tests.....	71
Annex A (normative) Test with magnetic induction of external origin	73
A.1 General.....	73
A.2 Test method 1.....	73
A.3 Test method 2.....	73
Annex B (normative) EMF Configurations	75
B.1 Background.....	75
B.2 General.....	75
B.3 EMF with several CMF's in parallel.....	75
B.4 EMF with several VMF's connected to one ECF	76
B.5 EMF with several pairs of VMF and CMF.....	76
B.6 Several EMF's in parallel.....	77
B.7 One VMF or CMF connected to several ECFs.....	77
B.8 EMF without VMF	78
Annex C (informative) Expressing EMF accuracy	79
C.1 Summary.....	79
C.2 Error limits or uncertainty.....	79
C.3 Presentation of error limits	79
C.4 Uncertainty calculations	80
C.4.1 AC active power.....	80
C.4.2 Primary values	81
C.4.3 Uncertainty in the measurement of active power (Watts)	81
C.4.4 Relative uncertainty	82
C.4.5 Uncertainty in the measurement of reactive power (var)	83
C.4.6 Relative uncertainty	84
Annex D (informative) Recommendations for re-verification and defining of its regime.....	85
D.1 Re-verification	85
D.1.1 Introduction and background.....	85

D.1.2 Approaches to re-verification.....	85
D.2 Recommendations for defining the re-verification regime	86
D.2.1 General approach	86
D.2.2 Testing regime	87
Annex E (informative) Durability test.....	88
E.1 General.....	88
E.2 Initial measurements	88
E.3 Conditioning.....	88
E.4 Intermediate measurements	89
E.5 Final temperature ramp	90
E.6 Final measurements and acceptance criteria.....	90
E.7 Information to be given in the test report	90

Annex ZZ (informative) Relationship between this European Standard and the Essential Requirements of Directive 2008/57/EC	92
--	-----------

Bibliography.....	93
--------------------------	-----------

Figures

Figure 1 — EMS functional structure and dataflow diagram	10
Figure 2 — EMF functional block diagram.....	11
Figure 3 — Example of energy index value	14
Figure 4 — Example of maximum percentage error for a VMF of class 0,5 R and a VMF of class 1,0 R with input signal in the range $U_{\min 1} \leq U \leq U_{\max 2}$.....	26
Figure 5 — Example of maximum percentage error for a CMF class 1,0 R AC with input signals in the range 10 % $I_n \leq I \leq 120 \% I_n$, 5 % $I_n \leq I < 10 \% I_n$ and 1 % $I_n \leq I < 5 \% I_n$	32
Figure 6 — Primary current and voltage ranges	38
Figure 7 — Example of maximum percentage error for an ECF of class 0,5 R and an ECF of class 1,0 R with input signals in Area 1 and Area 2.....	40
Figure 8 — Test point matrix for ECF accuracy tests (type test)	61
Figure 9 — Test point matrix for tests of ambient temperature variation and influence quantities	62
Figure 10 — Test circuit diagram for determining the influence on accuracy of odd harmonics or sub-harmonics in the current circuit	65
Figure 11 — Phase-fired waveform (shown for 50 Hz)	65
Figure 12 — Analysis of harmonic content of phase-fired waveform (shown for 50 Hz)	66
Figure 13 — Burst fire waveform (shown for 50 Hz).....	66
Figure 14 — Analysis of harmonics (shown for 50 Hz)	67
Figure 15 — Test point matrix for ECF Accuracy Tests (type test).....	72

Figure A.1 — Test configuration for test method 1	73
Figure A.2 — Test configuration for test method 2	74
Figure B.1 — EMF with several CMF's in parallel	75
Figure B.2 — EMF with several VMF's connected to one ECF	76
Figure B.3 — EMF with several pairs of VMF and CMF	77
Figure B.4 — EMF with several ECF's.....	77
Figure B.5 — One VMF connected to two ECF's.....	78
Figure B.6 — EMF without VMF	78

Tables

Table 1 — Nominal traction system voltages	19
Table 2 — Reference conditions	20
Table 3 — EMF percentage error limits.....	21
Table 4 — Percentage error limits - VMF	25
Table 5 — Maximum percentage error for a VMF including ambient temperature variation.....	26
Table 6 — Temperature coefficient for VMF	27
Table 7 — Influence quantities for voltage sensors	28
Table 8 — Percentage error limits — AC CMF	30
Table 9 — Percentage error limits – DC CMF	30
Table 10 — Maximum percentage error for a CMF including ambient temperature variation	31
Table 11 — Temperature coefficient for CMF	32
Table 12 — Percentage error limits with harmonics — AC current sensor	33
Table 13 — Influence quantities for current sensors	33
Table 14 — Variations due to short-time overcurrents	37
Table 15 — Variations due to self-heating	37
Table 16 — ECF percentage error limits for active energy	38
Table 17 — Maximum percentage error for an ECF including ambient temperature variation....	39
Table 18 — Temperature coefficient for the ECF	40
Table 19 — Influence quantities for the ECF	42

EN 50463-2:2017 (E)

Table 20 — Test current for harmonics.....54

Table ZZ.1 — Correspondence between this European Standard, the TSI “Locomotives and Passenger Rolling Stock” (REGULATION (EU) No 1302/2014 of 18 November 2014) and Directive 2008/57/EC amended by Directive 2011/18/EU.....92

European foreword

This document (EN 50463-2:2017) has been prepared by CLC/TC 9X “Electrical and electronic applications for railways”.

The following dates are fixed:

- latest date by which this document has to be implemented at national level by publication of an identical national standard or by endorsement (dop) 2018-04-06
- latest date by which the national standards conflicting with this document have to be withdrawn (dow) 2020-10-06

This document supersedes EN 50463-2:2012.

EN 50463-2:2017 includes the following significant technical changes with respect to EN 50463-2:2012:

- updated requirements for events, quality codes, flags and logs (Clause 4);
- updated for consistency between Table 16 and Figure 6 regarding “Area 2” (Clause 4).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC shall not be held responsible for identifying any or all such patent rights.

This document has been prepared under a mandate given to CENELEC by the European Commission and the European Free Trade Association, and supports essential requirements of EU Directive(s).

For the relationship with EU Directive(s) see informative Annex ZZ, which is an integral part of this document.

This document is Part 2 of the EN 50463 series which consists of the following parts, under the common title *Railway applications — Energy measurement on board trains*:

- *Part 1: General;*
- *Part 2: Energy measuring;*
- *Part 3: Data handling;*
- *Part 4: Communication;*
- *Part 5: Conformity assessment.*

This series of European Standards follows the functional guidelines description in EN ISO/IEC 17000:2004, Annex A “Principles of conformity assessment”, tailored to the Energy Measurement System (EMS).

The requirements for Energy Measurement Systems in the relevant Technical Specifications for Interoperability are supported by this series of European Standards.

EN 50463-2:2017 (E)

Introduction

The Energy Measurement System provides measurement and data suitable for billing and may also be used for energy management, e.g. energy saving.

This series of European Standards uses the functional approach to describe the Energy Measurement System and on-ground Data Collecting System. These functions are implemented in one or more physical devices. The user of this series of standards is free to choose the physical implementation arrangements.

a) Structure and main contents of the EN 50463 series:

This series of European Standards is divided into five parts. The titles and brief descriptions of each part are given below:

1) EN 50463-1 — General:

The scope of EN 50463-1 is the Energy Measurement System (EMS).

EN 50463-1 provides system level requirements for the complete EMS and common requirements for all devices implementing one or more functions of the EMS.

2) EN 50463-2 — Energy measuring:

The scope of EN 50463-2 is the Energy Measurement Function (EMF).

The EMF provides measurement of the consumed and regenerated active energy of a traction unit. If the traction unit is designed for use on AC traction systems, the EMF also provides measurement of reactive energy. The EMF provides the measured quantities via an interface to the Data Handling System.

The EMF consists of the three functions: Voltage Measurement Function, Current Measurement Function and Energy Calculation Function. For each of these functions, accuracy classes are specified and associated reference conditions are defined. This part also defines all specific requirements for all functions of the EMF.

The Voltage Measurement Function measures the voltage of the Contact Line system and the Current Measurement Function measures the current taken from and returned to the Contact Line system. These functions provide signal inputs to the Energy Calculation Function.

The Energy Calculation Function inputs the signals from the Current and Voltage Measurement Functions and calculates a set of values representing the consumed and regenerated energies. These values are transferred to the Data Handling System and are used in the creation of Compiled Energy Billing Data (CEBD).

The standard has been developed taking into account that in some applications, the EMF may be subjected to legal metrological control. All relevant metrological aspects are covered in this part of EN 50463.

EN 50463-2 also defines the conformity assessment of the EMF.

3) EN 50463-3 — Data handling:

The scope of EN 50463-3 is the Data Handling System (DHS) and the associated requirements of Data Collecting System (DCS).

The on board DHS receives, produces and stores data, ready for transmission to any authorized receiver of data on board or on ground. The main goal of the DHS is to produce Compiled Energy Billing Data and transfer it on an interoperable basis to an on-ground Data Collecting System (DCS). The DHS can support other functionality on board or on-ground with data, as long as this does not conflict with the main goal.

The DCS on-ground receives Compiled Energy Billing Data and transfer it to settlement system.

EN 50463-3 also defines the conformity assessment of the DHS and for the transfer of CEBD to an on-ground Data Collecting System (DCS).

4) EN 50463-4 — Communication:

The scope of EN 50463-4 is the communication services.

This part of EN 50463 gives requirements and guidance regarding the data communication between the functions implemented within EMS as well as between such functions and other on board units where data are exchanged using a communications protocol stack over a dedicated physical interface or a shared network.

It includes the reference to the on board to ground communication service and covers the requirements necessary to support data transfer between DHS and DCS including the transfer of CEBD on an interoperable basis.

EN 50463-4 also defines the conformity assessment of the communications services.

5) EN 50463-5 — Conformity assessment:

The scope of EN 50463-5 is the conformity assessment procedures for the EMS.

EN 50463-5 also covers re-verification procedures and conformity assessment in the event of the replacement of a device of the EMS.

b) EMS functional structure and dataflow:

Figure 1 illustrates the functional structure of the EMS, the main sub-functions and the structure of the dataflow and is informative only. Only the main interfaces required by this standard are displayed by arrows.

Since the communication function is distributed throughout the EMS, it has been widely omitted for clarity, except for the train to ground communication. Not all interfaces are shown.

EN 50463-2:2017 (E)




Figure 1 — EMS functional structure and dataflow diagram

1 Scope

This European Standard covers the requirements applicable to the Energy Measurement Function (EMF) of an Energy Measurement System (EMS) for use on board traction units for measurement of energy supplied directly from/to the Contact Line system.

This European Standard also gives requirements for the Current Measurement Function (e.g. current sensor), the Voltage Measurement Function (e.g. voltage sensor) and the Energy Calculation Function (e.g. energy meter).

The Conformity Assessment arrangements for the Voltage Measurement Function, Current Measurement Function, the Energy Calculation Function and a complete Energy Measurement Function are also specified in this document.

The standard has been developed taking into account that in some applications the EMF can be subjected to legal metrological control. All relevant metrological aspects are covered in this part.

Figure 2 shows the flow between the functional blocks of the EMF. Only connections between the functional blocks required by this standard are displayed.




Figure 2 — EMF functional block diagram



This is a free preview. Purchase the entire publication at the link below:

[Product Page](#)

- Looking for additional Standards? Visit Intertek Inform Infostore
- Learn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation