



NSAI
Standards

Irish Standard
I.S. EN 1459-2:2015

Rough-terrain trucks - Safety requirements and verification - Part 2: Slewing variable-reach trucks

I.S. EN 1459-2:2015

Incorporating amendments/corrigenda/National Annexes issued since publication:

The National Standards Authority of Ireland (NSAI) produces the following categories of formal documents:

I.S. xxx: Irish Standard — national specification based on the consensus of an expert panel and subject to public consultation.

S.R. xxx: Standard Recommendation — recommendation based on the consensus of an expert panel and subject to public consultation.

SWiFT xxx: A rapidly developed recommendatory document based on the consensus of the participants of an NSAI workshop.

This document replaces/revises/consolidates the NSAI adoption of the document(s) indicated on the CEN/CENELEC cover/Foreword and the following National document(s):

NOTE: The date of any NSAI previous adoption may not match the date of its original CEN/CENELEC document.

This document is based on:

EN 1459-2:2015

Published:

2015-09-16

This document was published under the authority of the NSAI and comes into effect on:

2015-10-05

ICS number:

53.060

NOTE: If blank see CEN/CENELEC cover page

NSAI
1 Swift Square,
Northwood, Santry
Dublin 9

T +353 1 807 3800
F +353 1 807 3838
E standards@nsai.ie
W NSAI.ie

Sales:
T +353 1 857 6730
F +353 1 857 6729
W standards.ie

Údarás um Chaighdeáin Náisiúnta na hÉireann

National Foreword

I.S. EN 1459-2:2015 is the adopted Irish version of the European Document EN 1459-2:2015, Rough-terrain trucks - Safety requirements and verification - Part 2: Slewing variable-reach trucks

This document does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

Compliance with this document does not of itself confer immunity from legal obligations.

In line with international standards practice the decimal point is shown as a comma (,) throughout this document.

This page is intentionally left blank

EUROPEAN STANDARD

EN 1459-2

NORME EUROPÉENNE

EUROPÄISCHE NORM

September 2015

ICS 53.060

English Version

Rough-terrain trucks - Safety requirements and verification - Part 2: Slewing variable-reach trucks

Chariots tout-terrain - Prescriptions de sécurité et vérification - Partie 2 : Chariots à portée variable rotatifs

Geländegängige Stapler - Sicherheitstechnische Anforderungen und Verifizierung - Teil 2: Schwenkbare Stapler mit veränderlicher Reichweite

This European Standard was approved by CEN on 17 July 2015.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

Contents	Page
European foreword	4
Introduction	5
1 Scope	6
2 Normative references	7
3 Terms and definitions	9
4 Safety requirements and/or protective measures	14
4.1 General	14
4.2 Starting/moving	15
4.3 Brakes	16
4.4 Electrical and electronic systems	16
4.5 Controls	17
4.6 Power systems and accessories	23
4.7 Stabilizing devices	24
4.8 Design requirements for maintenance purposes	26
4.9 Systems for lifting, tilting, reaching and slewing	27
4.10 Operator's station	29
4.11 Operator access	35
4.12 Protective measures and devices	36
4.13 Stability requirements	38
4.14 Visibility	38
4.15 Lighting	38
4.16 Fire protection	38
4.17 Retrieval, transportation and lifting	38
4.18 Noise	39
4.19 Electromagnetic compatibility	40
4.20 Elastic and rigid body stability / Structural and stability calculations	40
5 Verification of requirements and safety measures	43
5.1 General	43
5.2 Functional verification	43
5.3 Structural verification	44
5.4 Load holding verification	45
5.5 Maximum load lowering speed verification	45
6 Information for use	45
6.1 Signals and warning	45
6.2 Instruction handbook	47
6.3 Marking	51
6.4 Load chart	51
Annex A (informative) List of significant hazards	54
Annex B (informative) Consistency of motions	60
Annex C (normative) Rules for the construction and layout of pedals	61
C.1 Definitions	61
C.2 Requirements	61

C.3	Design and manufacture	62
Annex D	(informative) Regular and occasional loads	64
D.1	General	64
D.2	Regular loads.....	64
D.3	Occasional loads.....	64
Annex ZA	(informative) Relationship between this European Standard and the Essential Requirements of EU Directive 2006/42/EC	66
Bibliography	67

EN 1459-2:2015 (E)**European foreword**

This document (EN 1459-2:2015) has been prepared by Technical Committee CEN/TC 150 “Industrial trucks - Safety”, the secretariat of which is held by BSI.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by March 2016, and conflicting national standards shall be withdrawn at the latest by March 2016.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

This document has been prepared under a mandate given to CEN by the European Commission and the European Free Trade Association, and supports essential requirements of EU Directive(s).

For relationship with EU Directive, see informative Annex ZA, which is an integral part of this document.

EN 1459, *Rough-terrain trucks — Safety requirements and verification*, consists of the following parts:

- *Part 1: Variable-reach trucks*
- *Part 2: Slewing variable-reach trucks*
- *Part 3: Interface between the variable-reach truck and the work platform*
- *Part 4: Additional requirements for variable reach trucks handling suspended loads*
- *Part 5: Additional requirements for attachments and attachment interface*
- *Part 6: Risk assessment methodology and control system performance level determination (CEN/TR)*
- *Part 7: Test method and determination of noise emission (in development)*

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

Introduction

This European Standard covers general safety requirements and the means for verification of these requirements for slewing rough-terrain variable-reach trucks.

For the purpose of this European Standard, slewing rough-terrain variable-reach trucks are primarily designed to transport and place loads to elevated work areas and can be driven on unimproved terrain.

Trucks may also be equipped with a variety of attachments, e.g., mower, sweeper.

All quantities are in SI units, and this includes metric units.

Acknowledging that, at the time of publication, the requirements included in this European Standard do not represent the state of the art, a transition period of 18 months is permitted after the date of publication, such that manufacturers can develop their products sufficiently to meet the requirements of this European Standard.

This document is a type C standard as stated in EN ISO 12100.

The machinery concerned and the extent to which hazards, hazardous situations and hazardous events are covered are indicated in the scope of this document.

When provisions of this type C standard are different from those which are stated in type A or B standards, the provisions of this type C standard take precedence over the provisions of the other standards, for machines that have been designed and built according to the provisions of this type C standard.

EN 1459-2:2015 (E)

1 Scope

This European Standard specifies the general safety requirements of slewing variable-reach rough-terrain trucks (here-after referred to as trucks), consisting of a lower chassis with a slewing upper structure equipped with a telescopic lifting means (pivoted boom), on which a load handling device (e.g. carriage and fork arms) is typically fitted.

Fork arms are covered by this European Standard and considered to be parts of the truck.

This European Standard deals with all significant hazards, hazardous situations and events relevant to the trucks when they are used as intended and under conditions of misuse which are reasonably foreseeable by the manufacturer (see Annex A).

This European Standard does not apply to:

- variable-reach rough terrain trucks covered by prEN 1459-1 (non-slewing);
- industrial variable-reach trucks (covered by prEN ISO 3691-2);
- lorry-mounted variable-reach trucks;
- variable reach trucks fitted with tilting or elevating operator position;
- mobile cranes (covered by EN 13000);
- machines designed primarily for earth moving, such as loaders and dozers, even if their buckets and blades are replaced with forks (see EN 474 series);
- trucks designed primarily with variable length load suspension elements (e.g., chain, ropes) from which the load may swing freely in all directions;
- trucks designed primarily for container handling;
- trucks on tracks;
- attachments (prEN 1459-5).

This European Standard does not address hazards linked to:

- hybrid power systems;
- gas power system;
- trucks equipped with gasoline engine;
- battery power system;
- tractor specific devices (e.g. PTO).

This European Standard does not address hazards which may occur when:

- a) handling suspended loads which may swing freely (additional requirements are given in prEN 1459-4);
- b) using trucks on public roads;
- c) operating in potentially explosive atmospheres;

- d) operating underground;
- e) when towing trailers;
- f) fitted with a personnel work platform (additional requirements are given in EN 1459-3).

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 842:1996+A1:2008, *Safety of machinery – Visual danger signals – General requirements, design and testing*

EN 1175-2:1998+A1:2010, *Safety of industrial trucks – Electrical requirements – Part 2: General requirements of internal combustion engine powered trucks*

EN 12053:2001+A1:2008, *Safety of industrial trucks – Test methods for measuring noise emissions*

EN 12895:2015, *Industrial trucks – Electromagnetic compatibility*

EN 13059:2001+A1:2008, *Safety of industrial trucks – Test methods for measuring vibration*

EN 13309:2010, *Construction machinery – Electromagnetic compatibility of machines with internal power supply*

EN 60529:1991, *Degrees of protection provided by enclosures (IP Code) (IEC 60529)*

EN 62061:2005, *Safety of machinery – Functional safety of safety-related electrical, electronic and programmable electronic control systems (IEC 62061:2003)*

EN ISO 2860:2008, *Earth-moving machinery – Minimum access dimensions (ISO 2860:1992)*

EN ISO 2867:2011, *Earth-moving machinery – Access systems (ISO 2867:2011)*

EN ISO 3164:2013, *Earth-moving machinery – Laboratory evaluations of protective structures – Specifications for deflection-limiting volume (ISO 3164:2013)*

EN ISO 3411:2007, *Earth-moving machinery – Physical dimensions of operators and minimum operator space envelope (ISO 3411:2007)*

EN ISO 3449:2008, *Earth-moving machinery – Falling-object protective structures – Laboratory tests and performance requirements (ISO 3449:2005)*

EN ISO 3457:2008, *Earth-moving machinery – Guards – Definitions and requirements (ISO 3457:2003)*

EN ISO 3471:2008, *Earth-moving machinery – Roll-over protective structures – Laboratory tests and performance requirements (ISO 3471:2008)*

EN ISO 4413:2010, *Hydraulic fluid power – General rules and safety requirements for systems and their components (ISO 4413:2010)*

EN ISO 4414:2010, *Pneumatic fluid power – General rules and safety requirements for systems and their components (ISO 4414:2010)*

This is a free preview. Purchase the entire publication at the link below:

[Product Page](#)

-
- [Looking for additional Standards? Visit Intertek Inform Infostore](#)
 - [Learn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation](#)
-