

Irish Standard I.S. EN IEC 63078:2020

Installations for electroheating and electromagnetic processing - Test methods for induction through-heating installations

 $\ensuremath{\mathbb{C}}$ CENELEC 2020 $\hfill No copying without NSAI permission except as permitted by copyright law.$

I.S. EN IEC 63078:2020

Incorporating amendments/corrigenda/National Annexes issued since publication:

The National Standards Authority of Ireland (NSAI) produces the following categories of formal documents:

I.S. xxx: Irish Standard – national specification based on the consensus of an expert panel and subject to public consultation.

S.R. xxx: Standard Recommendation — recommendation based on the consensus of an expert panel and subject to public consultation.

SWIFT xxx: A rapidly developed recommendatory document based on the consensus of the participants of an NSAI workshop.

This document replaces/revises/consolidates the NSAI adoption of the document(s) indicated on the CEN/CENELEC cover/Foreword and the following National document(s):

NOTE: The date of any NSAI previous adoption may not match the date of its original CEN/CENELEC document.

This document is based on: EN IEC 63078:2020 *Published:* 2020-02-21

This document was published ICS number: under the authority of the NSAI and comes into effect on: 2020-03-09 NOTE: If blank see CEN/CENELEC cover page NSAI T +353 1 807 3800 Sales: 1 Swift Square, F +353 1 807 3838 T +353 1 857 6730 Northwood, Santry E standards@nsai.ie F +353 1 857 6729 Dublin 9 W NSAI.ie W standards.ie Údarás um Chaighdeáin Náisiúnta na hÉireann

National Foreword

I.S. EN IEC 63078:2020 is the adopted Irish version of the European Document EN IEC 63078:2020, Installations for electroheating and electromagnetic processing - Test methods for induction throughheating installations

This document does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

For relationships with other publications refer to the NSAI web store.

Compliance with this document does not of itself confer immunity from legal obligations.

In line with international standards practice the decimal point is shown as a comma (,) throughout this document.

This is a free page sample. Access the full version online.

This page is intentionally left blank

EUROPEAN STANDARD

EN IEC 63078

NORME EUROPÉENNE

EUROPÄISCHE NORM

February 2020

ICS 25.180.10

English Version

Installations for electroheating and electromagnetic processing -Test methods for induction through-heating installations (IEC 63078:2019)

Installations pour traitement électrothermique et électromagnétique - Méthodes d'essai pour les installations de chauffage par induction (IEC 63078:2019) Elektrowärmeanlagen und Anlagen für elektromagnetische Bearbeitungsprozesse - Prüfverfahren für induktive Durcherwärmungsanlagen (IEC 63078:2019)

This European Standard was approved by CENELEC on 2019-12-27. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.



European Committee for Electrotechnical Standardization Comité Européen de Normalisation Electrotechnique Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

© 2020 CENELEC All rights of exploitation in any form and by any means reserved worldwide for CENELEC Members.

This is a free page sample. Access the full version online. I.S. EN IEC 63078:2020

EN IEC 63078:2020 (E)

European foreword

The text of document 27/1118/FDIS, future edition 1 of IEC 63078, prepared by IEC/TC 27 "Industrial electroheating and electromagnetic processing" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN IEC 63078:2020.

The following dates are fixed:

•	latest date by which the document has to be implemented at national	(dop)	2020-09-27
	level by publication of an identical national standard or by endorsement		

• latest date by which the national standards conflicting with the (dow) 2022-12-27 document have to be withdrawn

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC shall not be held responsible for identifying any or all such patent rights.

Endorsement notice

The text of the International Standard IEC 63078:2019 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following notes have to be added for the standards indicated:

IEC 62076:2006	NOTE	Harmonized as EN 62076:2006 (not modified)
IEC 60683:2011	NOTE	Harmonized as EN 60683:2012 (not modified)

Annex ZA

(normative)

Normative references to international publications with their corresponding European publications

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE 1 Where an International Publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

NOTE 2 Up-to-date information on the latest versions of the European Standards listed in this annex is available here: www.cenelec.eu.

Clause 2 of IEC 60398:2015 is applicable with the following additions:

Publication IEC 60398	<u>Year</u> 2015	<u>Title</u> Installations for electroheating and electromagnetic processing - General	<u>EN/HD</u> EN 60398	<u>Year</u> 2015
IEC 60519-1	1	Safety in installations for electroheating and electromagnetic processing - Part 1: General requirements	EN IEC 60519-1	2
IEC 60519-3	2005	Safety in electroheat installations - Part 3: Particular requirements for induction and conduction heating and induction melting installations	EN 60519-3	2005

¹ Under preparation. Stage at time of publication: IEC BPUB 60519-1:2020.

² Under preparation. Stage at time of publication: FprEN IEC 60519-1:2019.

This is a free page sample. Access the full version online.

This page is intentionally left blank



IEC 63078

Edition 1.0 2019-11

INTERNATIONAL STANDARD

NORME INTERNATIONALE

Installations for electroheating and electromagnetic processing – Test methods for induction through-heating installations

Installations pour traitement électrothermique et électromagnétique – Méthodes d'essai pour les installations de chauffage par induction





THIS PUBLICATION IS COPYRIGHT PROTECTED Copyright © 2019 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de l'IEC ou du Comité national de l'IEC du pays du demandeur. Si vous avez des questions sur le copyright de l'IEC ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de l'IEC de votre pays de résidence.

IEC Central Office 3, rue de Varembé CH-1211 Geneva 20 Switzerland Tel.: +41 22 919 02 11 info@iec.ch www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

IEC publications search - webstore.iec.ch/advsearchform

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

Electropedia - www.electropedia.org

The world's leading online dictionary on electrotechnology, containing more than 22 000 terminological entries in English and French, with equivalent terms in 16 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

IEC Glossary - std.iec.ch/glossary

67 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

A propos de l'IEC

La Commission Electrotechnique Internationale (IEC) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

A propos des publications IEC

Le contenu technique des publications IEC est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

Recherche de publications IEC -

webstore.iec.ch/advsearchform

La recherche avancée permet de trouver des publications IEC en utilisant différents critères (numéro de référence, texte, comité d'études,...). Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

IEC Just Published - webstore.iec.ch/justpublished

Restez informé sur les nouvelles publications IEC. Just Published détaille les nouvelles publications parues. Disponible en ligne et une fois par mois par email.

Service Clients - webstore.iec.ch/csc

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: sales@iec.ch.

Electropedia - www.electropedia.org

Le premier dictionnaire d'électrotechnologie en ligne au monde, avec plus de 22 000 articles terminologiques en anglais et en français, ainsi que les termes équivalents dans 16 langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (IEV) en ligne.

Glossaire IEC - std.iec.ch/glossary

67 000 entrées terminologiques électrotechniques, en anglais et en français, extraites des articles Termes et Définitions des publications IEC parues depuis 2002. Plus certaines entrées antérieures extraites des publications des CE 37, 77, 86 et CISPR de l'IEC.



IEC 63078

Edition 1.0 2019-11

INTERNATIONAL STANDARD

NORME INTERNATIONALE

Installations for electroheating and electromagnetic processing – Test methods for induction through-heating installations

Installations pour traitement électrothermique et électromagnétique – Méthodes d'essai pour les installations de chauffage par induction

INTERNATIONAL ELECTROTECHNICAL COMMISSION

COMMISSION ELECTROTECHNIQUE INTERNATIONALE

ICS 25.180.10

ISBN 978-2-8322-7583-2

Warning! Make sure that you obtained this publication from an authorized distributor. Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.

 Registered trademark of the International Electrotechnical Commission Marque déposée de la Commission Electrotechnique Internationale

CONTENTS

FOR	REWORD	3
INTE	RODUCTION	5
1	Scope	6
2	Normative references	6
3	Terms and definitions	7
4	Basic provisions for testing and test conditions	.11
5	Comparing equipment or installations	13
6	Measurements and workloads	13
7	Numerical modelling	14
8	List of tests	14
9	Technical tests and efficiency of the installation	15
Ann	ex A (informative) Energy efficiency assessment	19
Ann	ex B (informative) Visual display of energy efficiency related information	20
Ann	ex C (informative) Estimating energy use	21
Ann	ex D (informative) Energy recoverability	22
Ann pow	ex AA (normative) Explanatory diagrams for symbols and definitions relating to the er circuit of induction through-heating equipment	.23
Ann	ex BB (informative) List of symbols used in this document	27
Ann	ex CC (normative) Determination of billet temperature homogeneity $\Delta heta_{\sf b}$	29
Ann	ex DD (informative) Methods for safety tests	34
Bibli	iography	35
Figu	re AA.1 – Basic power circuit of the induction through-heating equipment	23
Figu recti com	re AA.2 – Power circuit of the induction through-heating equipment having one ifier transformer as well as several semiconductor frequency converters and pensated circuits/loads	24
Figu recti com	ire AA.3 – Power circuit of the induction through-heating equipment having one ifier transformer, one rectifier as well as several series type inverters and pensated circuits/loads	.25
Figu	Ire AA.4 – Examples of compensated circuits	26
Ŭ		
Tabl	le CC.1 – Arrangement of temperature measuring points of the billets	.31

IEC 63078:2019 © IEC 2019

- 3 -

INTERNATIONAL ELECTROTECHNICAL COMMISSION

INSTALLATIONS FOR ELECTROHEATING AND ELECTROMAGNETIC PROCESSING – TEST METHODS FOR INDUCTION THROUGH-HEATING INSTALLATIONS

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 63078 has been prepared by IEC technical committee 27: Industrial electroheating and electromagnetic processing.

The text of this International Standard is based on the following documents:

FDIS	Report on voting
27/1118/FDIS	27/1119/RVD

Full information on the voting for the approval of this International Standard can be found in the report on voting indicated in the above table.

This document has been drafted in accordance with the ISO/IEC Directives, Part 2.

This International Standard is to be used in conjunction with IEC 60398:2015.

– 4 –

IEC 63078:2019 © IEC 2019

The clauses of this document supplement, modify or replace clauses of IEC 60398. When this document states "addition", "modification" or "replacement", the relevant text in IEC 60398 is to be adapted accordingly.

Subclauses which are additional to those in IEC 60398 are numbered starting from 101. Additional annexes are numbered AA, BB, etc.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC web site under "http://webstore.iec.ch" in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

IEC 63078:2019 © IEC 2019

- 5 -

INTRODUCTION

Induction through-heating and induction melting are very important applications of induction heating. However, an induction through-heating installation is more complex than an induction melting furnace, as it includes more heating manners, varieties and sizes. In addition, some performance tests which are very useful to users, for example the determination of temperature homogeneity of billets and energy efficiency of the installation, are not easy to carry out.

Induction through-heating installations are widely used in many industries for example machine building and metallurgy, for heating billets or workpieces of alloy steel, copper, aluminum, etc. before their subsequent hot forming (e.g. forging, extruding and rolling), with clean and fast heating, easy temperature control and automation as well as a high degree of energy-saving.

This document was prepared on the basis of IEC 60398:2015, with some references made to IEC 62076:2006 and "Induction Heating – Industrial Applications" published by UIE in 1992.

- 6 -

IEC 63078:2019 © IEC 2019

INSTALLATIONS FOR ELECTROHEATING AND ELECTROMAGNETIC PROCESSING – TEST METHODS FOR INDUCTION THROUGH-HEATING INSTALLATIONS

1 Scope

This clause of IEC 60398:2015 is replaced by the following.

This document specifies the test procedures, conditions and methods for determining the main performance parameters and operational characteristics of induction through-heating installations.

Measurements and tests that are solely used for the verification of safety requirements of the installations are outside the scope of this document and are covered by IEC 60519-1 and IEC 60519-3.

This document is applicable to the induction heating installations which through-heat the whole or part of metal billet or workpiece for its subsequent hot forming (e.g. forging, extruding and rolling), using low, mains or medium frequencies. It is possible to use it as a reference for other induction heating installations for heat-treatment and other purposes as well as superconducting DC induction through-heating installations.

This document includes the concept and material on energy efficiency dealing with the electrical and processing parts of the installations, as well as the overall performance.

2 Normative references

This clause of IEC 60398:2015 is applicable except as follows.

Replacement:

The following standards are referred to in the text in such a way that some or all of their contents constitutes requirements of this standard. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced standard (including any amendments) applies.

Modification:

Delete footnotes

Additions:

IEC 60398:2015, Installations for electroheating and electromagnetic processing – General performance test methods

IEC 60519-1:—1, Safety in installations for electroheating and electromagnetic processing – *Part 1: General requirements*

¹ Sixth edition under preparation. Stage at the time of publication: IEC PRVC 60519-1:2019.

IEC 63078:2019 © IEC 2019

IEC 60519-3:2005, Safety in electroheat installations – Part 3: Particular requirements for induction and conduction heating and induction melting installations

3 Terms and definitions

This clause of IEC 60398:2015 is applicable except as follows.

Replacement:

For the purposes of this document, the terms and definitions given in IEC 60398:2015 and the following apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- IEC Electropedia: available at http://www.electropedia.org/
- ISO Online browsing platform: available at http://www.iso.org/obp

Additions:

NOTE 101 For the following definitions of terms related to some parts and electrical parameters of power circuit of induction through-heating equipment, see also the explanatory diagrams in Annex AA. The symbols are also listed in Annex BB.

3.101

induction through-heating installation

installation comprising induction through-heating equipment and the electrical and mechanical auxiliaries necessary for the operation and utilization of the equipment

Note 1 to entry: The electrical auxiliaries comprise all electrical components in the power circuit of induction through-heating equipment, power supply for mechanical auxiliaries and control system; and the mechanical auxiliaries comprise billet handling mechanism and its mechanical power as well as water cooling system, etc.

3.102

induction through-heating equipment

equipment consisting of one or more heating inductors, supporting frames (cabinets) and the connections for cooling water and electricity, etc., for induction heating and holding of billet

3.103

batch heating

repetitive static heating manner, which involves placing an individual billet into a heating inductor for heating and holding, and then extracting it

[SOURCE: IEC 62076:2006, 3.39, modified – The differences between induction throughheating and induction melting in workload name and technological process have been considered.]

3.104

stage heating

heating manner having two or more heating inductors, in which, for a two heating inductor equipment for example, the billet is firstly placed into a heating inductor for heating, secondly moved to another heating inductor for holding and then extracted

3.105

continuous heating

heating manner, in which the billets progress continuously or rhythmically through one or more heating inductors for heating and holding - 8 -

IEC 63078:2019 © IEC 2019

[SOURCE: IEC 62076:2006, 3.40, modified – The differences between induction throughheating and induction melting in workload name and technological process have been considered.]

3.106

lining

<heating inductor> part of inductor, which is placed between the induction coil and heated billet as a thermal insulation, and usually consists of a refractory layer and a temperature holding layer or is directly formed by ramming or pouring refractory materials

3.107

power circuit of induction through-heating equipment

circuit consisting of the power source(s) and compensated circuit(s) of the induction throughheating equipment, including the conductors connecting both

3.108

power source

equipment for the supply of power to the compensated circuit of induction through-heating equipment, being mains frequency single phase or three phases power supply or semiconductor frequency converter and having the following main specified characteristics:

- frequency f_2 or frequency band f_{21} f_{22}
- voltage U_2 (RMS value)
- current *I*₂ (RMS value)
- active power P₂

[SOURCE: IEC 62076:2006, 3.13, modified – The types of power source used have been specified and supplemented, see Annex AA.]

3.109

compensated circuit of induction through-heating equipment

electric circuit comprising one or more inductors, a compensating capacitor bank and a loadmatching transformer (if applicable)

Note 1 to entry: See Annex AA.

3.110

mass of test billets

G_{test}

out of the through-heated billets, total mass of those qualified used for the determination of specific energy consumption and productivity

3.111

dimensions of billet

maximum dimensions of the overall billets with any transport or protection means, which the induction through-heating equipment is designed for and is marked on the rating plate, expressed in diameter × length or width × thickness × length

3.112

billet temperature

 θ_{b}

temperature of the billet at a given time of the through-heating cycle

3.113

starting temperature of billet

 $\theta_{\texttt{bs}}$

temperature of the billet at the beginning of the through-heating cycle

IEC 63078:2019 © IEC 2019

- 9 -

3.114 final temperature of billet

 $\theta_{\rm bf}$ temperature of the billet attained at the end of the holding period of the through-heating cycle

3.115

rated temperature of billet

 $\theta_{\sf br}$

temperature to be requested by through-heating technology for the billet of a given material, which the induction through-heating equipment is designed for and which is marked on the rating plate

3.116

temperature homogeneity of billet

 $\Delta \theta_{\rm h}$

homogeneous degree of billet temperature when it is extracted after heating and holding, which is expressed as the maximum and minimum deviations of the temperatures measured at the temperature measuring points with the rated temperature of the billet (they may be positive or negative), or expressed as the transverse (radial) temperature difference and the longitudinal temperature difference of the billet for the long billets with a circular or rectangular, etc. uniform cross section

Note 1 to entry: Requirements and measuring conditions for the determination of billet temperature homogeneity are specified in Annex CC.

3.117

transverse temperature difference of billet

radial temperature difference of billet

 $\Delta \theta_{\rm bt(r)}$

maximum and minimum temperature differences which may be positive or negative, between periphery and centre on the cross section of a long billet with a uniform cross section when it is extracted after its heating and holding

Note 1 to entry: Usually, the temperature at the centre of a billet cross section is lower.

Note 2 to entry: The radial temperature difference $\Delta \theta_{br}$ applies for a billet with a circular cross section.

3.118

longitudinal temperature difference of billet

 $\Delta \theta_{\mathsf{bl}}$

difference between the maximum temperature and the minimum temperature along the longitudinal direction of a long billet with a uniform cross section when it is extracted after its heating and holding

Note 1 to entry: Usually, the temperature at two ends of a billet is lower.

3.119

inlet temperature of cooling water

 $\theta_{\sf wi}$

temperature of the cooling water when entering the cooling water circuit of the heating inductor

[SOURCE: IEC 62076:2006, 3.33, modified – The term and its symbol have been changed, the words "coolant" and "inductor assembly" have been replaced by "cooling water" and "heating inductor".]

3.120

outlet temperature of cooling water

 θ_{wo}

temperature of the cooling water when leaving the cooling water circuit of the heating inductor, with the induction through-heating equipment operating at rated conditions

- 10 -

IEC 63078:2019 © IEC 2019

[SOURCE: IEC 62076:2006, 3.34, modified – The term and its symbol have been changed, the words "coolant", "inductor assembly" and "furnace" have been replaced respectively by "cooling water", "heating inductor" and "induction through-heating equipment".]

3.121

equipment duty at rated conditions rated equipment duty

induction through-heating equipment operation with specified dimensions of lining and billet, specified billet quantity, rated power and rated frequency range without exceeding the maximum voltage and current defined by the supplier

3.122

thermal steady state

<equipment> thermal state in which the whole energy input into the induction through-heating equipment is used for the compensation of its thermal losses

Note 1 to entry: In thermal steady state, the temperatures of all constructional components of induction throughheating equipment and all the outlet temperatures of the cooling water are relatively stable and do not rise.

[SOURCE: IEC 62076:2006, 3.36, modified – The "furnace" has been replaced by "induction through-heating equipment" and the note added.]

3.123

hot state

<equipment> thermal steady state of the induction through-heating equipment when the billet is at its final temperature

[SOURCE: IEC 60683:2011, 3.13, modified – The definition suitable for induction throughheating equipment has been given with the ambiguous term "thermal condition" replaced by "thermal steady state" and "furnace" by "induction through-heating equipment".]

3.124

cold state

<equipment> thermal state in which the induction through-heating equipment is not energized and the temperature of the whole equipment is at ambient temperature

[SOURCE: IEC 60683:2011, 3.4, modified – The definition suitable for induction throughheating equipment has been given.]

3.125

holding power

 P_{h}

<equipment> active power supplied to the power circuit of induction through-heating equipment, in order to maintain the specified billet at a specified temperature for its temperature homogeneity

[SOURCE: IEC 60398:2015, 3.3.2, modified – The original definition including its two notes, has been simplified according to induction through-heating equipment.]

3.126

electrical energy consumption of the equipment

electrical energy supplied to the power circuit of induction through-heating equipment during the defined time period

Note 1 to entry: E_{ae} is the active electrical energy consumption.

Note 2 to entry: E_{re} is the reactive electrical energy consumption.



This is a free preview. Purchase the entire publication at the link below:

Product Page

S Looking for additional Standards? Visit Intertek Inform Infostore

> Learn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation