This is a free page sample. Access the full version online.

NSAI Standards

Irish Standard
I.S. EN 50559:2013&A1:2020

Electric room heating, underfloor heating, characteristics of performance - Definitions, method of testing, sizing and formula symbols

© CENELEC 2020 No copying without NSAI permission except as permitted by copyright law.

This is a free page sample. Access the full version online.

I.S. EN 50559:2013&A1:2020

Incorporating amendments/corrigenda/National Annexes issued since publication:

EN 50559:2013/A1:2020

The National Standards Authority of Ireland (NSAI) produces the following categories of formal documents:

I.S. xxx: Irish Standard — national specification based on the consensus of an expert panel and subject to public consultation.

S.R. xxx: Standard Recommendation — recommendation based on the consensus of an expert panel and subject to public consultation.

SWiFT xxx: A rapidly developed recommendatory document based on the consensus of the participants of an NSAI workshop.

This document replaces/revises/consolidates the NSAI adoption of the document(s) indicated on the CEN/CENELEC cover/Foreword and the following National document(s):

NOTE: The date of any NSAI previous adoption may not match the date of its original CEN/CENELEC document.

This document is based on:	*Published:*
EN 50559:2013	2013-05-03

This document was published under the authority of the NSAI and comes into effect on:	ICS number:
2020-05-11	97.100.10
	NOTE: If blank see CEN/CENELEC cover page

NSAI	T +353 1 807 3800	Sales:
1 Swift Square,	F +353 1 807 3838	T +353 1 857 6730
Northwood, Santry	E standards@nsai.ie	F +353 1 857 6729
Dublin 9	W NSAI.ie	W standards.ie

Údarás um Chaighdeáin Náisiúnta na hÉireann

This is a free page sample. Access the full version online.

National Foreword

I.S. EN 50559:2013&A1:2020 is the adopted Irish version of the European Document EN 50559:2013, Electric room heating, underfloor heating, characteristics of performance - Definitions, method of testing, sizing and formula symbols

This document does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

Compliance with this document does not of itself confer immunity from legal obligations.

In line with international standards practice the decimal point is shown as a comma (,) throughout this document.

This is a free page sample. Access the full version online.

This page is intentionally left blank

This is a free page sample. Access the full version online.

EUROPEAN STANDARD

NORME EUROPÉENNE

EUROPÄISCHE NORM

EN 50559:2013/A1

April 2020

ICS 97.100.10

English Version

Electric room heating, underfloor heating, characteristic of performance - Definitions, method of testing, sizing and formula symbols

Chauffage électrique de locaux, chauffage par le sol, caractéristiques de performance - Définitions, méthode d'essai, calibrage et symboles de formule

Elektrische Raumheizung, Fußbodenheizung, Charakteristika der Gebrauchstauglichkeit - Definitionen, Testmethoden, Dimensionierung und Formelsymbole

This amendment A1 modifies the European Standard EN 50559:2013; it was approved by CENELEC on 2020-03-18. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this amendment the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This amendment exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

© 2020 CENELEC All rights of exploitation in any form and by any means reserved worldwide for CENELEC Members.

Ref. No. EN 50559:2013/A1:2020 E

This is a free page sample. Access the full version online.

Contents Page

European foreword 3
1 Modification to the Introduction 4
2 Addition of Annexes D, E and ZZ 4
3 Modifications to the Bibliography 14

This is a free page sample. Access the full version online.

European foreword

This document (EN 50559:2013/A1:2020) has been prepared by CLC/TC 59X “Performance of household and similar electrical appliances”.

The following dates are fixed:

• latest date by which this document has to be implemented at national level by publication of an identical national standard or by endorsement	(dop)	2021-03-18
• latest date by which the national standards conflicting with this document have to be withdrawn	(dow)	2023-03-18

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC shall not be held responsible for identifying any or all such patent rights.

This document has been prepared under a mandate given to CENELEC by the European Commission and the European Free Trade Association, and supports essential requirements of EU Directive 2015/1188.

For the relationship with EU Directive 2015/1188 see informative Annex ZZ, which is an integral part of this document.

This is a free page sample. Access the full version online.

EUROPEAN STANDARD

NORME EUROPÉENNE

EUROPÄISCHE NORM

EN 50559

May 2013

ICS 97.100.10

English version

Electric room heating, underfloor heating, characteristics of performance - Definitions, method of testing, sizing and formula symbols

Chauffage électrique de locaux - Chauffage par le sol - Caractéristiques de performance - Définitions, méthode d'essai, calibrage et symboles de formule

Elektrische Raumheizung, Fußbodenheizung, Charakteristika der Gebrauchstauglichkeit - Definitionen, Testmethoden, Dimensionierung und Formelsymbole

This European Standard was approved by CENELEC on 2012-12-24. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

CENELEC

European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

Management Centre: Avenue Marnix 17, B - 1000 Brussels

© 2013 CENELEC - All rights of exploitation in any form and by any means reserved worldwide for CENELEC members.

Ref. No. EN 50559:2013 E

This is a free page sample. Access the full version online.

Contents

Page

Foreword 6
Introduction 7
1 Scope 8
2 Normative references 8
3 Terms and definitions 8
4 Method of testing for the determination of characteristics of performance 16
4.1 General 16
4.2 Standard heating load per unit area 16
4.3 Maximum power rating per unit area 16
4.4 Maximum surface temperature 16
4.5 Maximum floor surface temperature for underfloor storage heating 18
4.6 Room air temperature 19
4.7 Internal surface temperatures on the surrounding surfaces of the room 19
4.8 Thermal pre-conditioning of the room to be tested 19
4.9 Floor temperature in the case of continuous local hot spots 20
4.10 Floor temperature of underfloor storage heating through failure of a switching, controlling or regulation apparatus 22
4.11 Floor temperature of controlled underfloor heating and underfloor direct heating through failure of a switching, controlling or regulation apparatus 22
4.12 Regulation of room temperature using peripheral areas for underfloor storage heating 22
4.13 Regulation of room temperature using controlled underfloor heating and underfloor direct heating 22
4.14 Regulation of room temperature using underfloor warming 23
4.15 Relationship of coefficients of heat transfer 23
4.16 Insulating layers 23
4.17 Edging insulation strips 24
4.18 Damp-proofing 24
4.19 Electrical auxiliary heating 24
4.20 Load distribution layer in electrical underfloor heating 25
4.21 Bedding in or under heating screed or directly below floor covering 25
4.22 Dry laying of electrical heating elements 25
4.23 Heating element 25
4.24 Heating cable and laminar heating element 25
4.24.1 Heating cable for bedding in or under screeding or directly below floor covering 25
4.24.2 Heating cable for dry Laying 25
4.24.3 Laminar heating elements for installation below or in screeding 25
4.25 Characteristics of heating cables 25
4.26 Characteristics of laminar heating elements 26
4.27 Cold tails 26
4.28 Point of connection 26

This is a free page sample. Access the full version online.

4.29 Bending radius of the heating cable 26
4.30 Heating element labelling 26
4.31 Pulsation factor 26
4.32 Installation of heating elements for underfloor direct heating 26
4.33 Adhesive and fixing material 26
4.34 Permanent installation areas 26
4.35 Pre-heating of screeding 27
4.36 Floor coverings 27
4.37 Control and regulation equipment 27
4.38 Control and regulation equipment for underfloor storage heating 27
4.39 Control and regulation equipment for controlled underfloor heating and underfloor direct heating 27
4.40 Floor temperature measurement 27
4.41 Auxiliary supply period 27
4.42 Period of room use 27
4.43 Insulation and dielectric resistance of the heating element 28
4.44 Instructions for construction workers 28
4.44.1 Protective Measures when Pouring Flooring Screed. 28
4.44.2 Pouring the Screed 28
4.45 Data for owner and user of the building 28
4.46 Report of testing 29
Annex A (informative) Sizing Procedure — Range of application and purpose 30
A.1 General 30
A.2 Basic principles — Basic parameters of the room to be heated 30
A.2.1 General 30
A.2.2 Standard heat load of an underfloor heated room 30
A.2.3 Standard heating load per unit area 30
A.2.4 Effective heat storage capacity of the room to be heated 31
A.2.5 Peripheral conditions and limiting values 31
A.3 Sizing an underfloor heating system 32
A.3.1 Storage layer depth of an underfloor heating system 32
A.3.2 Heat Load Coverage for the underfloor heated room 32
Annex B (informative) Sizing procedure — Examples of sizing procedure of an underfloor storage heating system — Example for a living area 45
B.1 General 45
B.2 Standard heat load of an underfloor heated room $\dot{Q}_{\mathrm{N}}^{*}$ 45
B.3 Standard heat load per unit area $\dot{q}_{\mathrm{N}}^{*}$ 45
B.4 Storage mass per unit external area of the room $m/\Sigma A_{\mathrm{a}}$ 45
B.5 Thickness of storage layer δ 46
B.6 Relation of coefficients of conductivity 46

This is a free page sample. Access the full version online.

B.7 Maximum rating per unit area P'_F 47
B.8 Limited rating per unit area P'_{FE} 47
B.9 Heating floor area A_F 47
B.10 Permissible rating P_{ZUL} 47
B.11 Rating of the room P 47
B.12 Rating per unit area P'_{IN} 47
B.13 Mean heating capacity $\dot{Q}_F$ 47
B.14 Auxiliary heating capacity $\dot{Q}_Z$ 48
B.15 Auxiliary heat rating 48
Annex C (informative) Sizing procedure — Example of sizing procedure of an underfloor direct heating system — Example for a living area 49
C.1 General 49
C.2 Design heating capacity $\dot{Q}^*_H$ of a room with underfloor direct heating 49
C.3 Design heating capacity per unit area $\dot{q}^*_H$ 49
C.4 Depth of the heating screed 50
C.5 Relation of coefficients of conductivity 50
C.6 Maximum rating per unit area P'_F 51
C.7 Limited rating per unit area P'_{FE} 51
C.8 Heating floor area A_F 51
C.9 Permissible rating P_{ZUL} 51
C.10 Rating of the room P 51
C.11 Rating per unit area P'_{IN} 51
C.12 Mean heating capacity $\dot{Q}_F$ 51
C.13 Auxiliary heating capacity $\dot{Q}_Z$ 52
Formula symbols and units 53
Bibliography 55

Figure 1 — Layout diagram of an underfloor heating system 12
Figure 2 — Construction „A“, Cross-section A – B 13
Figure 3 — Construction “B“, Cross-section A – B 13
Figure 4 — Construction “C” Cross-section A – B 14
Figure 5 — Examples for the effect of floor excess temperature TE 16
Figure 6 — Basic circuit diagram of underfloor storage heating 17
Figure 7 — Underfloor direct heating, controlled underfloor heating and warming — Example of a circuit for individual room regulation. Rooms have one heating circuit each 19
Figure 8 — Construction of model 20

This is a free page sample. Access the full version online.

Figure A.1 — Monogram for determining the storage layer depth 30
Figure A.2 — Electric underfloor storage heating, sizing chart 32
Figure A.3 — Electric underfloor direct and controlled heating, sizing chart 33
Figure A.4 — Plan of basement 39
Figure A.5 — Plan of ground floor 40
Figure A.6 — Plan of upper floor 41
Figure A.8 — Cross section C – D 43
Figure B.1 — Ceiling construction 44
Figure C.1 — Ceiling construction 48

Table 1 — Minimum coefficient of heat transfer and minimum resistance to thermal conductivity of construction elements 23
Table A.1 — $\vartheta_1 - \vartheta'_1 = 0\text{K}$ 34
Table A.2 — $\vartheta_1 - \vartheta'_1 = 5\text{K}$ 34
Table A.3 — $\vartheta_1 - \vartheta'_1 = 10\text{K}$ 34
Table A.4 — $\vartheta_1 - \vartheta'_1 = 15\text{K}$ 34
Table A.5 — $\vartheta_1 - \vartheta'_1 = 20\text{K}$ 35
Table A.6 — $\vartheta_1 - \vartheta'_1 = 30\text{K}$ 35
Table A.7 — $\vartheta_1 - \vartheta'_1 = 35\text{K}$ 35
Table A.8 — $\vartheta_1 - \vartheta'_1 = 38\text{K}$ 35
Table A.9 — Factor of limitation C in relation to standard heat load per unit area $\dot{q}_N^*$ 36
Table B.1 — Determination of heat conductivity coefficient Uo 45
Table B.2 — Determination of heat conductivity coefficient Uu 45
Table C.1 — Determination of heat conductivity coefficient Uo 49
Table C.2 — Determination of heat conductivity coefficient Uu 49

This is a free page sample. Access the full version online.

Foreword

This document (EN 50559:2013) has been prepared by CLC/TC 59X "Performance of household and similar electrical appliances".

The following dates are fixed:

• latest date by which this document has to be implemented at national level by publication of an identical national standard or by endorsement	(dop)	2013-12-24
• latest date by which the national standards conflicting with this document have to be withdrawn	(dow)	2015-12-24

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC [and/or CEN] shall not be held responsible for identifying any or all such patent rights.

This is a free page sample. Access the full version online.

Introduction

No draft of this present preliminary standard has been published.

A preliminary standard is the result of standardisation work which, due to certain reservations about the contents or due to a compilation process deviating from a standard, has not yet been published by DIN.

The national working body UK 513.4 „Raumheizgeräte“ (Room Heating) of the DKE Deutsche Kommission Elektrotechnik Elektronik Informationstechnik im DIN und VDE (http://www.dke.de) is responsible for this preliminary standard.

In cases of a dated reference in the normative text, the reference is always applied to the issue being referred to.

The correlation between the quoted standard and the relevant German Standard is given in so far as a correlation exists, fundamentally by means of the number of the relevant IEC-Publication.

Example: IEC 60068 has been taken over by CENELEC as EN 60068, and incorporated into the German Standards as DIN EN 60068.

This is a free page sample. Access the full version online.

1 Scope

This European Standard applies to electrical underfloor heating of dwellings and all other buildings whose use corresponds to dwellings or is at least similar, having a maximum load bearing in use of 4 kN/m².

This European Standard defines the main characteristics of electrical underfloor heating and establishes the method of testing of these characteristics as information for the user.

This European Standard does not deal with:

- installation and safety requirements;
- DIN VDE 0100-723.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 1264-1, *Water based surface embedded heating and cooling systems — Part 1: Definitions and symbols*

EN 1264-2, *Water based surface embedded heating and cooling systems — Part 2: Floor heating: Prove methods for the determination of the thermal output using calculation and test methods*

EN 1264-3, *Water based surface embedded heating and cooling systems — Part 3: Dimensioning*

EN 1264-4, *Water based surface embedded heating and cooling systems — Part 4: Installation*

EN 1264-5, *Water based surface embedded heating and cooling systems — Part 5: Heating and cooling surfaces embedded in floors, ceilings and walls — Determination of the thermal output*

EN 12831, *Heating systems in buildings — Method for calculation of the design heat load*

EN 60335-2-96, *Household and similar electrical appliances — Safety — Part 2-96: Particular requirements for flexible sheet heating elements for room heating (IEC 60335-2-96)*

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

3.1
electrical underfloor heating system
electrical underfloor heating, the switching, control and regulation appliances and the electrical installation

3.1.1
underfloor heating
in situ flooring constructed as a heating system

Note 1 to entry: It is generally laid on a dry, level, load-bearing substructure.

3.1.2
underfloor direct heating
underfloor direct heating, by which the heat generated from electrical energy is transferred with the least possible time lag to the room to be heated mainly via the surface of the floor

Note 1 to entry: There is no restriction on the amount of time electrical energy can be converted into heat.

SAI GLOBAL

This is a free preview. Purchase the entire publication at the link below:

Product Page

Looking for additional Standards? Visit Intertek Inform Infostore

Learn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation