

Irish Standard Recommendation S.R. CLC/TS 50654-2:2020

HVDC Grid Systems and connected Converter Stations - Guideline and Parameter Lists for Functional Specifications - Part 2: Parameter Lists

© CENELEC 2020 No copying without NSAI permission except as permitted by copyright law.

#### S.R. CLC/TS 50654-2:2020

Incorporating amendments/corrigenda/National Annexes issued since publication:

The National Standards Authority of Ireland (NSAI) produces the following categories of formal documents:

I.S. xxx: Irish Standard — national specification based on the consensus of an expert panel and subject to public consultation.

S.R.~xxx: Standard~Recommendation-recommendation~based~on~the~consensus~of~an~expert~panel~and~subject~to~public~consultation.

SWiFT xxx: A rapidly developed recommendatory document based on the consensus of the participants of an NSAI workshop.

This document replaces/revises/consolidates the NSAI adoption of the document(s) indicated on the CEN/CENELEC cover/Foreword and the following National document(s):

NOTE: The date of any NSAI previous adoption may not match the date of its original CEN/CENELEC document.

This document is based on:

Published:

CLC/TS 50654-2:2020

2020-06-19

This document was published under the authority of the NSAI

ICS number:

and comes into effect on:

29.240.01

2020-07-06

NOTE: If blank see CEN/CENELEC cover page

Sales:

NSAI T +353 1 807 3800

 1 Swift Square,
 F +353 1 807 3838
 T +353 1 857 6730

 Northwood, Santry
 E standards@nsai.ie
 F +353 1 857 6729

 Dublin 9
 W NSAI.ie
 W standards.ie

Údarás um Chaighdeáin Náisiúnta na hÉireann

This is a free page sample. Access the full version online.

#### National Foreword

S.R. CLC/TS 50654-2:2020 is the adopted Irish version of the European Document CLC/TS 50654-2:2020, HVDC Grid Systems and connected Converter Stations - Guideline and Parameter Lists for Functional Specifications - Part 2: Parameter Lists

This document does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

For relationships with other publications refer to the NSAI web store.

Compliance with this document does not of itself confer immunity from legal obligations.

In line with international standards practice the decimal point is shown as a comma (,) throughout this document.

This is a free page sample. Access the full version online.

This page is intentionally left blank

This is a free page sample. Access the full version online. S.R. CLC/TS 50654-2:2020

TECHNICAL SPECIFICATION

**CLC/TS 50654-2** 

SPÉCIFICATION TECHNIQUE

TECHNISCHE SPEZIFIKATION

June 2020

ICS 29.240.01

Supersedes CLC/TS 50654-2:2018

#### **English Version**

## HVDC Grid Systems and connected Converter Stations -Guideline and Parameter Lists for Functional Specifications -Part 2: Parameter Lists

Réseaux CCHT et stations de conversion connectées -Lignes directrices et listes de paramètres pour les spécifications fonctionnelles - Partie 2: Listes de paramètres Hochspannungsgleichstrom-Netzsysteme - Leitfaden und Parameter-Listen für funktionale Spezifikationen - Teil 2: Parameter-Listen

This Technical Specification was approved by CENELEC on 2020-04-13.

CENELEC members are required to announce the existence of this TS in the same way as for an EN and to make the TS available promptly at national level in an appropriate form. It is permissible to keep conflicting national standards in force.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.



European Committee for Electrotechnical Standardization Comité Européen de Normalisation Electrotechnique Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

© 2020 CENELEC

All rights of exploitation in any form and by any means reserved worldwide for CENELEC Members.

Ref. No. CLC/TS 50654-2:2020 E

Con	tents	Page
Europ	pean foreword	6
Introd	uction	7
1	Scope	8
1.1	General	8
1.2	About the present release	8
2	Normative references	9
3	Terms, definitions and abbreviations	10
3.1	Terms and definitions	10
3.2	Abbreviations	12
4	Coordination of HVDC Grid System and AC Systems	13
4.1	General	13
4.2	Purpose of the HVDC Grid System and Power Network Diagram	13
4.3	AC/DC Power Flow Optimisation	13
4.4	Converter Operational Functions	17
4.4.1	Basic Operation Functions – Converter Normal Operation State	17
4.4.2	Basic Operation Functions – Converter Abnormal Operation State	18
4.4.3	Ancillary Services	21
5	HVDC Grid System Characteristics	25
5.1	HVDC Circuit Topologies	25
5.1.1	Availability and Reliability	25
5.1.2	Basic Characteristics and Nomenclature	26
5.1.3	Attributes of HVDC Grid Systems or HVDC Grid Sub-Systems	26
5.1.4	Attributes of a Station	26
5.2	Connection Modes	27
5.3	Grid Operating States	27
5.3.1	General	27
5.3.2	Normal State	27
5.3.3	Alert State	27
5.3.4	Emergency State	28
5.3.5	Blackout State	28
5.3.6	Restoration	28
5.4	DC Voltages	28
5.4.1	General	28
5.4.2	Nominal DC System Voltage	29
5.4.3	Steady-State DC Voltage	30
5.4.4	Temporary DC Voltage	30
5.4.5	Neutral Bus Voltages	31
5.5	Insulation Coordination	31
5.6	Short-Circuit Characteristics	31
5.6.1	Calculation of Short-Circuit Currents in HVDC Grid Systems	31

5.6.2	Short-Circuit Current Design Requirements	33
5.7	Steady-State Voltage and Current Distortions	33
5.7.1	Voltage and Current Distortion Limits	33
5.7.2	Frequency Dependent DC System Impedance	34
5.8	DC System Restoration	34
5.8.1	General	34
5.8.2	Post DC Fault Recovery	34
5.8.3	Restoration from Blackout	34
6	HVDC Grid System Control	35
6.1	Closed-Loop Control Functions	35
6.1.1	General	35
6.1.2	Core Control Functions	35
6.1.3	Coordinating Control Functions	35
6.2	Controller Hierarchy	35
6.2.1	General	35
6.2.2	Internal Converter Control	35
6.2.3	DC Node Voltage Control	35
6.2.4	Coordinated HVDC Grid System Control	35
6.2.5	AC/DC Grid Control	37
6.3	Propagation of Information	38
6.4	Open-Loop Controls	41
6.4.1	Coordination of Connection Modes between Stations and their PoC-DCs	41
6.4.2	Operating Sequences for HVDC Grid System Installations	41
6.4.3	Post DC Fault Recovery	43
7	HVDC Grid System Protection	43
7.1	General	43
7.2	DC Fault Separation	43
7.3	Protection System Related Installations and Equipment	43
7.3.1	AC/DC Converter Station	43
7.3.2	HVDC Grid System Topology and Equipment	43
7.4	HVDC Grid System Protection Zones	43
7.4.1	General	43
7.4.2	Permanent Stop P	45
7.4.3	Permanent Stop PQ	46
7.4.4	Temporary Stop P	46
7.4.5	Temporary Stop PQ	
7.4.6	Continued Operation	
7.4.7	Example of a Protection Zone Matrix	
7.5	DC Protection	
7.5.1	General	
7.5.2	DC Converter Protections	
7.5.3	HVDC Grid System Protections	
7.5.4	DC Grid Protection Communication	
8	AC/DC Converter Stations	47
8.1	Introduction	

8.2	AC/DC Converter Station Types	.47
8.3	Overall Requirements	.47
8.3.1	Robustness of AC/DC Converter Stations	.47
8.3.2	Availability and Reliability	.47
8.3.3	Active Power Reversal	.48
8.4	Main Circuit Design	.48
8.4.1	General Characteristics	.48
8.4.2	DC Side	.49
8.4.3	AC Side	.54
8.5	Controls	.54
8.5.1	General	.54
8.5.2	Automated vs. Manual Operation	.54
8.5.3	Control Modes & Support of Coordination	.55
8.5.4	Limitation Strategies	.56
8.5.5	Operating Sequences for AC/DC Converter Station	.56
8.5.6	Dynamic Behaviour	.56
8.6	Protection	.57
8.6.1	General	.57
8.6.2	Configuration Requirements	.57
8.6.3	Function Requirements	.57
8.6.4	DC Grid Interface	.57
8.6.5	Fault Separation Strategy for Faults inside the AC/DC Converter Station	.57
8.6.6	Coordination of the DC Protection with the HVDC Grid System	.57
8.6.7	Example for Coordination of the DC Protection with the HVDC Grid System	.57
9	HVDC Grid System Installations	.57
9.1	General	.57
9.2	DC Switching Station	.58
9.2.1	Overall Requirements	.58
9.2.2	Main Circuit Design	.58
9.2.3	Controls	.64
9.2.4	Protection	.68
10	Models and Validation	.69
10.1	Introduction	.69
10.2	HVDC Grid System Studies	.69
10.2.1		
4000	Type of Studies	.69
10.2.2	••	
10.2.2	· · · · · · · · · · · · · · · · · · ·	.69
_	Tools and Methods	.69 .69
10.3	Tools and Methods  Model General Specifications  Model Capability	.69 .69
10.3 10.3.1	Tools and Methods  Model General Specifications  Model Capability  Model Format and Data Type	.69 .69 .69
10.3 10.3.1 10.3.2	Tools and Methods  Model General Specifications  Model Capability  Model Format and Data Type	.69 .69 .69
10.3 10.3.1 10.3.2 10.3.3	Tools and Methods  Model General Specifications  Model Capability  Model Format and Data Type  Model Aggregation  Model Specific Recommendations	.69 .69 .69 .69
10.3 10.3.1 10.3.2 10.3.3 10.4	Tools and Methods  Model General Specifications  Model Capability  Model Format and Data Type  Model Aggregation  Model Specific Recommendations  Load Flow Models	.69 .69 .69 .69
10.3 10.3.1 10.3.2 10.3.3 10.4 10.4.1	Tools and Methods  Model General Specifications  Model Capability  Model Format and Data Type  Model Aggregation  Model Specific Recommendations  Load Flow Models  Short-Circuit Models	.69 .69 .69 .69 .70

# This is a free page sample. Access the full version online. S.R. CLC/TS 50654-2:2020

10.4.5 Electromechanical Transient Models	.71
10.4.6 Electromagnetic Transient Models	.72
10.4.7 Power Quality Models	.78
10.5 Model Validation	78
10.6 Compliance Simulation	.79
10.7 Outputs/Results	79
10.7.1 Model Data	79
10.7.2 Model Documentation	.79
10.7.3 Model Example	79
10.7.4 Model Compliance Documentation	.80
10.7.5 Model Validation Documentation – Model Final Version	.80
10.7.6 Model Guarantee	.80
11 HVDC Grid System Integration Tests	.80
11.1 Off-Site Testing of the HVDC Control and Protection System	.80
11.2 Dynamic Performance Study/Tests (DPS) Performed with Offline Models	.80
11.2.1 DPS Simulations in a Multi-Vendor Environment	.80
11.2.2 DPS Simulations Scenarios	.80
11.3 Factory Tests	81
11.3.1 General	81
11.3.2 Factory Test Scenarios	.81
11.3.3 Factory Tests when Existing System C&P Replicas are Available	.81
11.3.4 Factory Tests when Existing System C&P Replicas are not Available	.81
11.4 On Site Testing	.82
Bibliography	83

# **European foreword**

This document (CLC/TS 50654-2:2020) has been prepared by CLC/TC8X "System aspects of electrical energy supply".

This document supersedes CLC/TS 50654-2:2018.

CLC/TS 50654-2:2020 includes the following significant technical changes with respect to CLC/TS 50654-2:2018:

- new content concerning AC/DC converter stations;
- new content concerning HVDC Grid System installations, including DC switching stations;
- new content concerning HVDC Grid System integration tests.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC shall not be held responsible for identifying any or all such patent rights.

### Introduction

HVDC Grid Systems are a new field of technology. There are very few systems with a small number of converter stations in operation; some more are in execution or in detailed planning.

The Guidelines and Parameter Lists to Functional Specifications are presented featuring planning, specification and execution of multi-vendor HVDC Grid Systems in Europe. Being elaborated by a team of experts from leading manufacturers of HVDC technology, Transmission System Operators (TSO's), Academia and Institutions in Europe, the present document provides a commonly agreed basis for an open market of compatible equipment and solutions for HVDC Grid Systems. Executing such systems and gaining operational experience is seen an important prerequisite for developing corresponding technical standards in the future.

By elaborating this document, special care has been taken to as far as possible describe the requirements in a technologically independent way. In order to achieve that, a function of interest is described by a comprehensive set of parameters. The parameters are selected based on a systematic analysis of physical phenomena relevant to achieve the requested functionality. The physical phenomena are categorized in order to show the mutual dependence of the individual parameters and ensure completeness of the physical aspects to be considered. Based on a clearly defined common language describing the functionalities requested, existing technologies can be applied, or new dedicated technical solutions can be developed.

Reflecting the early stage of technology, these Guidelines and Parameter Lists to Functional Specifications need comprehensive explanations and background information for the technical parameters. This dual character of the content will be represented by two corresponding parts:

- Part I "Guidelines" containing the explanations and the background information in context with the Parameter Lists.
- Part II "Parameter Lists" containing the essential lists of parameters and values describing properties of the AC respectively DC system (operating conditions) and parameters describing the performance of the newly installed component (performance requirements).

### 1 Scope

#### 1.1 General

These Guidelines and Parameter Lists to Functional Specifications describe specific functional requirements for HVDC Grid Systems. The terminology "HVDC Grid Systems" is used here describing HVDC systems for power transmission having more than two converter stations connected to a common DC circuit.

While this document focuses on requirements, that are specific for HVDC Grid Systems, some requirements are considered applicable to all HVDC systems in general, i.e. including point-to-point HVDC systems. Existing IEC, Cigré or other documents relevant have been used for reference as far as possible.

Corresponding to electric power transmission applications, this document is applicable to high voltage systems, i.e. only nominal DC voltages equal or higher than 50 kV with respect to earth are considered in this document.

NOTE While the physical principles of DC networks are basically voltage independent, the technical options for designing equipment get much wider with lower DC voltage levels, e.g. in case of converters or switchgear.

Both parts have the same outline and headlines to aid the reader.

#### 1.2 About the present release

The present release of the Guidelines and Parameter Lists for Functional Specifications describes technical guidelines and specifications for HVDC Grid Systems which are characterized by having exactly one single connection between two converter stations, often referred to as radial systems. When developing the requirements for radial systems, care is taken not to build up potential showstoppers for meshed systems. Meshed HVDC Grid Systems can be included into this specification at a later point in time.

The Guidelines and Parameter List to the Functional Specification of HVDC Grid Systems cover technical aspects of:

- coordination of HVDC grid and AC systems
- HVDC Grid System characteristics
- HVDC Grid System control
- HVDC Grid System protection
- AC/DC converter stations
- HVDC Grid System installations, including DC switching stations
- models and validation
- HVDC Grid System integration tests

Beyond the present scope, the following content is proposed for future work:

- transmission lines and transition stations
- DC/DC converter stations
- DC line power flow controllers



**Product Page** 

- Dooking for additional Standards? Visit Intertek Inform Infostore
- Dearn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation