



NSAI
Standards

Irish Standard
I.S. EN ISO 9170-1:2020

Terminal units for medical gas pipeline systems - Part 1: Terminal units for use with compressed medical gases and vacuum (ISO 9170-1:2017)

I.S. EN ISO 9170-1:2020

Incorporating amendments/corrigenda/National Annexes issued since publication:

The National Standards Authority of Ireland (NSAI) produces the following categories of formal documents:

I.S. xxx: Irish Standard — national specification based on the consensus of an expert panel and subject to public consultation.

S.R. xxx: Standard Recommendation — recommendation based on the consensus of an expert panel and subject to public consultation.

SWiFT xxx: A rapidly developed recommendatory document based on the consensus of the participants of an NSAI workshop.

This document replaces/revises/consolidates the NSAI adoption of the document(s) indicated on the CEN/CENELEC cover/Foreword and the following National document(s):

NOTE: The date of any NSAI previous adoption may not match the date of its original CEN/CENELEC document.

This document is based on:

EN ISO 9170-1:2020

Published:

2020-06-17

This document was published under the authority of the NSAI and comes into effect on:

2020-07-14

ICS number:

11.040.10

NOTE: If blank see CEN/CENELEC cover page

NSAI
1 Swift Square,
Northwood, Santry
Dublin 9

T +353 1 807 3800
F +353 1 807 3838
E standards@nsai.ie
W NSAI.ie

Sales:
T +353 1 857 6730
F +353 1 857 6729
W standards.ie

Údarás um Chaighdeáin Náisiúnta na hÉireann

National Foreword

I.S. EN ISO 9170-1:2020 is the adopted Irish version of the European Document EN ISO 9170-1:2020, Terminal units for medical gas pipeline systems - Part 1: Terminal units for use with compressed medical gases and vacuum (ISO 9170-1:2017)

This document does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

For relationships with other publications refer to the NSAI web store.

Compliance with this document does not of itself confer immunity from legal obligations.

In line with international standards practice the decimal point is shown as a comma (,) throughout this document.

This page is intentionally left blank

EUROPEAN STANDARD

EN ISO 9170-1

NORME EUROPÉENNE

EUROPÄISCHE NORM

June 2020

ICS 11.040.10

Supersedes EN ISO 9170-1:2008

English Version

**Terminal units for medical gas pipeline systems - Part 1:
Terminal units for use with compressed medical gases and
vacuum (ISO 9170-1:2017)**

Prises murales pour systèmes de distribution de gaz médicaux - Partie 1: Prises murales pour les gaz médicaux comprimés et le vide (ISO 9170-1:2017)

Entnahmestellen für Rohrleitungssysteme für medizinische Gase - Teil 1: Entnahmestellen für medizinische Druckgase und Vakuum (ISO 9170-1:2017)

This European Standard was approved by CEN on 15 April 2020.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

Contents	Page
European foreword.....	3

European foreword

This document (EN ISO 9170-1:2020) has been prepared by Technical Committee ISO/TC 121 "Anaesthetic and respiratory equipment" in collaboration with Technical Committee CEN/TC 215 "Respiratory and anaesthetic equipment" the secretariat of which is held by BSI.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by December 2020, and conflicting national standards shall be withdrawn at the latest by June 2023.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN ISO 9170-1:2008.

This document has been prepared under a mandate given to CEN by the European Commission and the European Free Trade Association.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

Endorsement notice

The text of ISO 9170-1:2017 has been approved by CEN as EN ISO 9170-1:2020 without any modification.

This page is intentionally left blank

**INTERNATIONAL
STANDARD**

**ISO
9170-1**

Third edition
2017-07

**Terminal units for medical gas
pipeline systems —**

Part 1:

**Terminal units for use with
compressed medical gases and vacuum**

Prises murales pour systèmes de distribution de gaz médicaux —

Partie 1: Prises murales pour les gaz médicaux comprimés et le vide



Reference number
ISO 9170-1:2017(E)

© ISO 2017

ISO 9170-1:2017(E)



COPYRIGHT PROTECTED DOCUMENT

© ISO 2017, Published in Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Ch. de Blandonnet 8 • CP 401
CH-1214 Vernier, Geneva, Switzerland
Tel. +41 22 749 01 11
Fax +41 22 749 09 47
copyright@iso.org
www.iso.org

Contents

	Page
Foreword	v
Introduction	vi
1 Scope	1
2 *Normative references	2
3 Terms and definitions	2
4 General requirements	7
4.1 Safety.....	7
4.2 *Alternative construction.....	7
4.3 Materials.....	7
5 Design requirements	8
5.1 Medical gas supply.....	8
5.2 Terminal units for different pressures.....	9
5.3 Retention of gas specificity.....	9
5.4 Gas-specific connection point.....	9
5.5 Terminal unit check valve.....	9
5.6 Terminal unit maintenance valve.....	9
5.7 Connection of terminal units to the pipeline (see also 9.2).....	10
5.8 Socket.....	10
5.9 Compliance.....	10
5.10 Endurance (connection/release).....	10
5.10.1 Socket.....	10
5.10.2 Probe.....	10
5.11 *Pressure drop.....	10
5.12 Connection force and torque.....	11
5.13 Disconnection force and torque.....	11
5.14 Mechanical strength.....	11
5.15 Leakage.....	12
5.16 Gas specificity.....	12
5.17 Effective connection of probes.....	12
5.18 Electrical requirements.....	12
6 Constructional requirements	12
6.1 Cleaning.....	12
6.2 Lubricants.....	12
7 Test methods	12
7.1 General.....	12
7.2 Test for endurance.....	13
7.3 Test for pressure drop.....	13
7.4 Test for connection force and torque.....	15
7.5 Test for disconnection force and torque.....	15
7.6 Test for mechanical strength.....	16
7.7 Test for leakage.....	16
7.8 Test for gas specificity.....	17
7.9 Test for effective connection of probe.....	17
7.10 Test for durability of markings and colour coding.....	17
8 Marking, colour coding and packaging	17
8.1 Marking.....	17
8.2 Colour coding.....	17
8.3 Packaging.....	18
9 Information to be supplied by the manufacturer	18
9.1 Technical description.....	18
9.2 Instructions.....	18

ISO 9170-1:2017(E)

Annex A (informative) Rationale	19
Annex B (informative) Environmental aspects	20
Annex C (informative) Special national and regional conditions for electrical installations	22
Bibliography	24

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see the following URL: www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 121, *Anaesthetic and respiratory equipment*, Subcommittee SC6, *Medical gas systems*.

This third edition cancels and replaces the second edition (ISO 9170-1:2008), which has been technically revised.

This edition includes the following significant changes with respect to the previous edition:

- a) oxygen 93, detailing marking and colour coding, was introduced;
- b) figures for test conditions were clarified.

A list of all parts in the ISO 9170 series can be found on the ISO website.

ISO 9170-1:2017(E)

Introduction

Terminal units are the points on a medical gas pipeline system where the operator makes connections and disconnections for the supply of specified medical gases to anaesthetic machines, lung ventilators or other items of medical equipment. Terminal units are also used for vacuum pipeline systems. A wrong connection can create a hazard to the patient or operator. It is important that terminal units and their components be designed, manufactured, installed and maintained in such a way as to meet the requirements specified in this document.

This document pays particular attention to

- suitability of materials,
- gas-specificity,
- cleanliness,
- testing,
- identification, and
- information supplied.

This document contains information for the installation and testing of terminal units prior to use. Testing of terminal units prior to use is critical to patient safety, and it is essential that terminal units are not used until full testing in accordance with ISO 7396-1 has been completed.

[Annex A](#) contains rationale statements for some of the requirements of this document. The clauses and subclauses marked with an asterisk (*) after their number have corresponding rationale contained in [Annex A](#), included to provide additional insight into the reasoning that led to the requirements and recommendations that have been incorporated in this document. It is considered that knowledge of the reasons for the requirements will not only facilitate the proper application of this document, but will also expedite any subsequent revisions.

[Annex B](#) contains environmental aspects that should be considered.

Terminal units for medical gas pipeline systems —

Part 1:

Terminal units for use with compressed medical gases and vacuum

1 Scope

This document is intended especially to ensure the gas-specific assembly, mechanical resistance, flow, leakage and pressure drop of terminal units and to prevent their interchange between different gases and services and applies to terminal units:

- a) intended for use in medical gas pipeline systems in accordance with ISO 7396-1;
- b) used as pressure outlets on pressure regulators in accordance with ISO 10524-1;
- c) used as pressure outlets on pressure regulators integrated with cylinder valves (VIPR) in accordance with ISO 10524-3.

This document applies to terminal units for use with the following gases for administration to patients or for medical uses (A):

- oxygen (A);
- nitrous oxide (A);
- medical air (A);
- carbon dioxide (A);
- oxygen/nitrous oxide mixture (A);
- helium/oxygen mixtures (A);
- oxygen 93 (A);
- gases and gas mixtures classified as medical device (A);
- gases delivered to medical devices or intended for medical purposes (A);
- gases and gas mixtures for medicinal use not specified above (A).

This document applies to terminal units for use with the following gases (B):

- air for driving surgical tools (B);
- nitrogen for driving surgical tools (B).

This document applies to terminal units for use with vacuum systems (C).

NOTE The requirements of this document can be used as guidelines for terminal units for other gases. These other gases will be considered for inclusion in this document when they come into general use.

This document specifies requirements for terminal units for supply and disposal of nitrogen and air for driving surgical tools.

This is a free preview. Purchase the entire publication at the link below:

[Product Page](#)

-
- [Looking for additional Standards? Visit Intertek Inform Infostore](#)
 - [Learn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation](#)
-