

Irish Standard I.S. EN IEC 62351-8:2020

Power systems management and associated information exchange - Data and communications security - Part 8: Role-based access control for power system management

 $\ensuremath{\mathbb{C}}$ CENELEC 2020 $\hfill No copying without NSAI permission except as permitted by copyright law.$

I.S. EN IEC 62351-8:2020

Incorporating amendments/corrigenda/National Annexes issued since publication:

The National Standards Authority of Ireland (NSAI) produces the following categories of formal documents:

I.S. xxx: Irish Standard – national specification based on the consensus of an expert panel and subject to public consultation.

S.R. xxx: Standard Recommendation – recommendation based on the consensus of an expert panel and subject to public consultation.

SWIFT xxx: A rapidly developed recommendatory document based on the consensus of the participants of an NSAI workshop.

This document replaces/revises/consolidates the NSAI adoption of the document(s) indicated on the CEN/CENELEC cover/Foreword and the following National document(s):

NOTE: The date of any NSAI previous adoption may not match the date of its original CEN/CENELEC document.

This document is based on: EN IEC 62351-8:2020 *Published:* 2020-06-26

This document was published under the authority of the NSAI and comes into effect on:

2020-07-28

ICS number:

NOTE: If blank see CEN/CENELEC cover page

NSAI	T +353 1 807 3800	Sales:
1 Swift Square,	F +353 1 807 3838	T +353 1 857 6730
Northwood, Santry	E standards@nsai.ie	F +353 1 857 6729
Dublin 9	W NSAI.ie	W standards.ie

Údarás um Chaighdeáin Náisiúnta na hÉireann

National Foreword

I.S. EN IEC 62351-8:2020 is the adopted Irish version of the European Document EN IEC 62351-8:2020, Power systems management and associated information exchange - Data and communications security - Part 8: Role-based access control for power system management

This document does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

For relationships with other publications refer to the NSAI web store.

Compliance with this document does not of itself confer immunity from legal obligations.

In line with international standards practice the decimal point is shown as a comma (,) throughout this document.

This is a free page sample. Access the full version online.

This page is intentionally left blank

EUROPEAN STANDARD NORME EUROPÉENNE

EN IEC 62351-8

EUROPÄISCHE NORM

June 2020

ICS 33.200

English Version

Power systems management and associated information exchange - Data and communications security - Part 8: Rolebased access control for power system management (IEC 62351-8:2020)

Gestion des systèmes de puissance et échanges d'informations associés - Sécurité des communications et des données - Partie 8: Contrôle d'accès basé sur les rôles pour la gestion de systèmes de puissance (IEC 62351-8:2020) Energiemanagementsysteme und zugehöriger Datenaustausch - IT-Sicherheit für Daten und Kommunikation - Teil 8: Rollenbasierte Zugriffskontrolle für Energiemanagementsysteme (IEC 62351-8:2020)

This European Standard was approved by CENELEC on 2020-06-02. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.



European Committee for Electrotechnical Standardization Comité Européen de Normalisation Electrotechnique Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

© 2020 CENELEC All rights of exploitation in any form and by any means reserved worldwide for CENELEC Members.

EN IEC 62351-8:2020 (E)

European foreword

The text of document 57/2180/FDIS, future edition 1 of IEC 62351-8, prepared by IEC/TC 57 "Power systems management and associated information exchange" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN IEC 62351-8:2020.

The following dates are fixed:

•	latest date by which the document has to be implemented at national	(dop)	2021-03-02
	level by publication of an identical national standard or by endorsement		

• latest date by which the national standards conflicting with the (dow) 2023-06-02 document have to be withdrawn

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC shall not be held responsible for identifying any or all such patent rights.

Endorsement notice

The text of the International Standard IEC 62351-8:2020 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following notes have to be added for the standards indicated:

IEC 60870-5-104	NOTE	Harmonized as EN 60870-5-104
IEC 61784 (series)	NOTE	Harmonized as EN IEC 61784 (series)
IEC 61850-8-1	NOTE	Harmonized as EN 61850-8-1
IEC 61850-8-2	NOTE	Harmonized as EN IEC 61850-8-2
IEC 61968 (series)	NOTE	Harmonized as EN 61968 (series)
IEC 61970 (series)	NOTE	Harmonized as EN 61970 (series)
IEC 62351-7:2017	NOTE	Harmonized as EN 62351-7:2017 (not modified)
IEC 62351-9	NOTE	Harmonized as EN 62351-9
IEC 62351-14	NOTE	Harmonized as EN IEC 62351-141
IEC 62443 (series)	NOTE	Harmonized as EN IEC 62443 (series)

¹ To be published. Stage at the time of publication: prEN IEC 62351-14:2019.

Annex ZA

(normative)

Normative references to international publications with their corresponding European publications

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE 1 Where an International Publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

NOTE 2 Up-to-date information on the latest versions of the European Standards listed in this annex is available here: www.cenelec.eu.

Publication	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	Year
IEC 61850-7-2	-	Communication networks and systems for power utility automation - Part 7-2: Basic information and communication structure - Abstract communication service interface (ACSI)	EN 61850-7-2	-
IEC/TS 62351-2	-	Power systems management and associated information exchange - Data and communications security - Part 2: Glossary of terms	-	-
IEC 62351-3	2014	Power systems management and associated information exchange - Data and communications security - Part 3: Communication network and system security - Profiles including TCP/IP	EN 62351-3	2014
+ A2	2020		+ A2	2020
IEC 62351-4	-	Power systems management and associated information exchange - Data and communications security - Part 4: Profiles including MMS and derivatives	EN IEC 62351-4	-
IEC/TS 62351-8	2011	Power systems management and associated information exchange - Data and communications security - Part 8: Role-based access control	-	-
RFC 2865	-	Remote Authentication Dial In User Service (RADIUS)	-	-
RFC 5246	-	The Transport Layer Security (TLS) Protocol Version 1.2	-	-

This is a free page sample. Access the full version online. $I.S.\ EN\ IEC\ 62351-8:2020$

EN IEC 62351-8:2020 (E)

RFC 5288	-	AES Galois Counter Mode (GCM) Cipher Suites for TLS)	-	-
RFC 5289	-	TLS Elliptic Curve Cipher Suites with SHA- 256/384 and AES Galois Counter Mode (GCM)	-	-
RFC 5755	-	An Internet Attribute Certificate Profile for Authorization	-	-
RFC 5878	-	Transport Layer Security (TLS) Authorization Extensions	-	-
RFC 6749	-	The OAuth 2.0 Authorization Framework	-	-
RFC 7519	-	JSON Web Token (JWT)	-	-
XACML-RBAC	2014	XACML v3.0 Core and Hierarchical Role Based Access Control (RBAC) Profile Version 1.0, October 2014.	-	-



IEC 62351-8

Edition 1.0 2020-04

INTERNATIONAL STANDARD

NORME INTERNATIONALE



Power systems management and associated information exchange – Data and communications security – Part 8: Role-based access control for power system management

Gestion des systèmes de puissance et échanges d'informations associés – Sécurité des communications et des données –

Partie 8: Contrôle d'accès basé sur les rôles pour la gestion de systèmes de puissance





THIS PUBLICATION IS COPYRIGHT PROTECTED Copyright © 2020 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de l'IEC ou du Comité national de l'IEC du pays du demandeur. Si vous avez des questions sur le copyright de l'IEC ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de l'IEC de votre pays de résidence.

IEC Central Office 3, rue de Varembé CH-1211 Geneva 20 Switzerland Tel.: +41 22 919 02 11 info@iec.ch www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

IEC publications search - webstore.iec.ch/advsearchform

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

Electropedia - www.electropedia.org

The world's leading online dictionary on electrotechnology, containing more than 22 000 terminological entries in English and French, with equivalent terms in 16 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

IEC Glossary - std.iec.ch/glossary

67 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

A propos de l'IEC

La Commission Electrotechnique Internationale (IEC) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

A propos des publications IEC

Le contenu technique des publications IEC est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

Recherche de publications IEC -

webstore.iec.ch/advsearchform

La recherche avancée permet de trouver des publications IEC en utilisant différents critères (numéro de référence, texte, comité d'études,...). Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

IEC Just Published - webstore.iec.ch/justpublished

Restez informé sur les nouvelles publications IEC. Just Published détaille les nouvelles publications parues. Disponible en ligne et une fois par mois par email.

Service Clients - webstore.iec.ch/csc

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: sales@iec.ch.

Electropedia - www.electropedia.org

Le premier dictionnaire d'électrotechnologie en ligne au monde, avec plus de 22 000 articles terminologiques en anglais et en français, ainsi que les termes équivalents dans 16 langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (IEV) en ligne.

Glossaire IEC - std.iec.ch/glossary

67 000 entrées terminologiques électrotechniques, en anglais et en français, extraites des articles Termes et Définitions des publications IEC parues depuis 2002. Plus certaines entrées antérieures extraites des publications des CE 37, 77, 86 et CISPR de l'IEC.



IEC 62351-8

Edition 1.0 2020-04

INTERNATIONAL STANDARD

NORME INTERNATIONALE



Power systems management and associated information exchange – Data and communications security –

Part 8: Role-based access control for power system management

Gestion des systèmes de puissance et échanges d'informations associés – Sécurité des communications et des données –

Partie 8: Contrôle d'accès basé sur les rôles pour la gestion de systèmes de puissance

INTERNATIONAL ELECTROTECHNICAL COMMISSION

COMMISSION ELECTROTECHNIQUE INTERNATIONALE

ICS 33.200

ISBN 978-2-8322-8072-0

Warning! Make sure that you obtained this publication from an authorized distributor. Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.

 Registered trademark of the International Electrotechnical Commission Marque déposée de la Commission Electrotechnique Internationale

CONTENTS

FC	DREWO	RD	6
IN	TRODU	CTION	8
1	Scop	e	9
2	Norm	ative references	. 10
3	Term	s and definitions	. 11
4	Abbr	eviated terms	. 13
5	RBA	C process model	. 14
	5 1	Overview of RBAC process model	14
	5.2	Generic RBAC concepts	. 15
	5.3	Separation of subjects, roles, and permissions	.16
	5.3.1	RBAC model	. 16
	5.3.2	Subject assignment (subject-to-role mapping)	. 18
	5.3.3	Role assignment (role-to-permission mapping)	. 18
	5.3.4	Permission assignment (mapping of actions to objects)	. 19
	5.4	Criteria for defining roles	. 19
	5.4.1	Policies	. 19
	5.4.2	Subjects, roles, and permissions	. 19
	5.4.3	Introducing roles reduces complexity	. 19
6	Defin	ition of roles	.20
	6.1	Role-to-permission assignment inside the entity in general	.20
	6.1.1	General	.20
	6.1.2	Number of supported permissions by a role	.20
	6.1.3	Number of supported roles	.20
	6.1.4	Flexibility of role-to-permission mapping	.20
	6.2	Role-to-permission assignment with respect to power systems	.20
	6.2.1	Mandatory roles and permissions for IED access control	.20
	6.2.2	Power utility automation using IEC 61850	.23
	6.3	Role to permission assignment for specific roles	.25
	6.3.1	General	.25
	6.3.2	Encoding specific roles	.25
	6.3.3	Evaluation context	. 29
	6.4	Role-to-permission assignment with respect to other non-power system	30
7	RBA	C credential distribution using the PUSH model	. 30
'	7 1	General	30
	7.1	Secure access to an LDAP-enabled repository	31
	73	Secure access to an identity provider for retrieval of a IWT	31
8	RBA	C credential distribution using the PULL model	.32
Ŭ	8 1	General	32
	0.1 8.2	Secure access to an LDAP-enabled repository	. JZ 33
	821	General	. 33
	822	PULL model with I DAP	. 33
	823	I DAP Directory organization	. 34
	8.3	Secure access to the RADIUS-enabled repository	35
	8.3.1	General	.35
	8.3.2	PULL model with RADIUS	.35
			-

IEC 6235	1-8:2020 © IEC 2020 – 3 –	
8.3.3	RADIUS security applying transparent TLS protection	
8.4	Secure access to the JWT provider	
9 Gen	eral application of RBAC access token (informative)	
Q 1	General	30
0.1	Session-based approach	40
9.2	Mossage based approach	40
9.5 10 Dofi	nition of access tokons	
10.1		
10.2	Supported profiles	
10.3	Identification of access token	
10.4	General structure of the access tokens	
10.4	.1 Mandatory fields in the access tokens	
10.4	.2 Mandatory profile-specific fields	
10.4	.3 Optional fields in the access tokens	43
10.4	.4 Definition of specific fields	
10.5	Specific structure of the access tokens	
10.5	.1 Profile A: X.509 Public key certificate	47
10.5	.2 Profile B: X.509 Attribute certificate	
10.5	.3 Profile C: JSON Web Token – JWT	52
10.5	.4 Profile D: RADIUS token	54
11 Tran	sport profiles	56
11.1	Usage in TCP-based protocols	
11.2	Usage in non-Ethernet based protocols	
12 Verif	ication of access tokens	57
12.1	General	57
12.2	Multiple access token existence	57
12.3	Subject authentication	57
12.0	Access token availability	58
12.1	Validity period	58
12.6	Access token integrity	58
12.0	lesuer	58
12.7		58
12.0	Revision number	59
12.0	Area of responsibility	
12.10	Role definition	
12.11	Povocation state	
12.12		
12.13		
12.14	Sequence number	
12.15	Revocation methods	60
12.1	5.1 General	60
12.1	5.2 Supported methods	60
13 Cont	ormity	61
13.1	General	61
13.2	Notation	61
13.3	Conformance to access token format	61
13.4	Conformance to access token content	61
13.5	Access token distribution	61
13.6	Role information exchange	62

- 4 - IEC 62351-8:2020 © IEC 2020

13.7 Mapping to existing authorization mechanisms 62 13.8 Security events 62 14 Repository interaction for the defined RBAC profiles 62 Annex A (informative) Informative example for specific role definition 64 A.1 Scope of annex 64 A.2 Use case description 64 A.3 XACML definition example 64 A.4 Role description 65 A.5 Permission group description 66 A.6 Permission description 67 A.7 Request syntax for PDP 70 Bibliography 72 72 Figure 1 - Generic framework for access control 15 Figure 2 - Diagram of RBAC with static and dynamic separation of duty (enhanced version of [ANSI INCITS 359-2004]) 16 Figure 3 - Subjects, roles, permissions, and operations 18 Figure 4 - XACML structure 26 Figure 5 - Schematic view of authorization mechanism based on RBAC 33 Figure 8 - RBAC PULL model using CADP 34 Figure 9 - RBAC model using OAUt2.0 and JWT 39 Figure 9 - RBAC model using OAUt2.0 and JWT 39 <		
13.8 Security events. 62 14 Repository interaction for the defined RBAC profiles 62 14 Repository interaction for the defined RBAC profiles 62 14 Repository interaction for the defined RBAC profiles 62 14 Scope of annex. 64 A.1 Scope of annex. 64 A.2 Use case description 64 A.3 XACML definition example 64 A.4 Role description 65 A.5 Permission group description 66 A.6 Permission description 70 Bibliography 72 Figure 1 – Generic framework for access control 15 Figure 2 – Diagram of RBAC with static and dynamic separation of duty (enhanced version of [ANSI INCITS 359-2004]). 16 Figure 3 – Subjects, roles, permissions, and operations. 18 Figure 4 – XACML structure 26 Figure 5 – Schematic view of authorization mechanism based on RBAC 33 Figure 7 – RBAC PULL model using DAP 34 Figure 8 – RBAC PULL model using RADIUS 36 Figure 9 – RBAC model using OAuth2.0 and JWT 39	13.7 Mapping to existing authorization mechanisms	62
14 Repository interaction for the defined RBAC profiles 62 Annex A (informative) Informative example for specific role definition 64 A.1 Scope of annex 64 A.2 Use case description 64 A.3 XACML definition example 64 A.4 Role description 65 A.5 Permission group description 66 A.6 Permission description 67 A.7 Request syntax for PDP 70 Bibliography 72 Figure 1 – Generic framework for access control 15 Figure 2 – Diagram of RBAC with static and dynamic separation of duty (enhanced version of [ANSI INCITS 359-2004]) 16 Figure 5 – Schematic view of authorization mechanism based on RBAC 31 Figure 6 – Schematic view of authorization mechanism based on RBAC 33 Figure 7 – RBAC PULL model using DAP 34 Figure 8 – RBAC PULL model using CAIP 34 Figure 9 – Session based RBAC approach (simplified IEC 62351-4 end-to-end security) 41 Table 1 – List of mandatory pre-defined permissions 21 Table 2 – Pre-defined roles 22 Table 4 – LISTOBJECTS permission and associated AC	13.8 Security events	62
Annex A (informative) Informative example for specific role definition 64 A.1 Scope of annex	14 Repository interaction for the defined RBAC profiles	62
A.1 Scope of annex 64 A.2 Use case description 64 A.3 XACML definition example 64 A.4 Role description 65 A.5 Permission group description 66 A.6 Permission description 67 A.7 Request syntax for PDP 70 Bibliography 72 Figure 1 – Generic framework for access control 15 Figure 2 – Diagram of RBAC with static and dynamic separation of duty (enhanced version of [ANS] INCITS 359-2004]) 16 Figure 3 – Subjects, roles, permissions, and operations 18 Figure 4 – XACML structure 26 Figure 5 – Schematic view of authorization mechanism based on RBAC 31 Figure 5 – Schematic view of authorization mechanism based on RBAC 34 Figure 8 – RBAC PULL model using RADIUS 36 Figure 9 – RBAC model using ADMUS 36 Figure 9 – RBAC model using CAuth2.0 and JWT 39 Figure 10 – Session based RBAC approach (simplified IEC 62351-4 end-to-end security) 41 Table 1 – List of mandatory pre-defined permissions 21 Table 2 – Pre-defined roles 22 Table 3 – Ev	Annex A (informative) Informative example for specific role definition	64
A.2 Use case description 64 A.3 XACML definition example 64 A.4 Role description 65 A.5 Permission group description 67 A.7 Request syntax for PDP 70 Bibliography 72 Figure 1 – Generic framework for access control 15 Figure 2 – Diagram of RBAC with static and dynamic separation of duty (enhanced version of [ANSI INCITS 359-2004]) 16 Figure 3 – Subjects, roles, permissions, and operations 18 Figure 4 – XACML structure 26 Figure 5 – Schematic view of authorization mechanism based on RBAC 31 Figure 6 – Schematic view of authorization mechanism based on RBAC PULL model 33 Figure 7 – RBAC PULL model using LDAP 34 Figure 8 – RBAC PULL model using RADIUS. 36 Figure 9 – RBAC model using OAuth2.0 and JWT 39 Figure 9 – RBAC model using OAuth2.0 and JWT 39 Figure 9 – Pre-defined roles 22 Table 1 – List of mandatory pre-defined permissions 21 Table 2 – Pre-defined roles-opermission assignment 23 Table 3 – List of pre-defined role-to-permission assignment 23	A.1 Scope of annex	64
A.3 XACML definition example 64 A.4 Role description 65 A.5 Permission group description 66 A.6 Permission description 67 A.7 Request syntax for PDP. 70 Bibliography 72 Figure 1 – Generic framework for access control 15 Figure 2 – Diagram of RBAC with static and dynamic separation of duty (enhanced version of [ANSI INCITS 359-2004]). 16 Figure 3 – Subjects, roles, permissions, and operations. 18 Figure 4 – XACML structure 26 Figure 5 – Schematic view of authorization mechanism based on RBAC 31 Figure 6 – Schematic view of authorization mechanism based on RBAC PULL model. 33 Figure 7 – RBAC PULL model using LDAP 34 Figure 8 – RBAC PULL model using RADIUS. 36 Figure 9 – RBAC model using OAuth2.0 and JWT 39 Figure 10 – Session based RBAC approach (simplified IEC 62351-4 end-to-end security). 41 Table 1 – List of mandatory pre-defined permissions 21 Table 2 – Pre-defined roles 22 Table 3 – List of pre-defined role-to-permission assignment. 23 Table 4 – LISTOBJECTS permission and associated ACSI ser	A.2 Use case description	64
A.4 Role description 65 A.5 Permission group description 66 A.6 Permission description 67 A.7 Request syntax for PDP 70 Bibliography 72 Figure 1 – Generic framework for access control 15 Figure 2 – Diagram of RBAC with static and dynamic separation of duty (enhanced version of [ANSI INCITS 359-2004]) 16 Figure 3 – Subjects, roles, permissions, and operations 18 Figure 4 – XACML structure 26 Figure 5 – Schematic view of authorization mechanism based on RBAC 31 Figure 6 – Schematic view of authorization mechanism based on RBAC PULL model 33 Figure 7 – RBAC PULL model using DAP 34 Figure 8 – RBAC PULL model using QAuth2.0 and JWT 39 Figure 9 – Session based RBAC approach (simplified IEC 62351-4 end-to-end security) 41 Table 1 – List of mandatory pre-defined permission assignment 23 Table 2 – Pre-defined roles 22 Table 2 – Evaluation Context 29 Table 4 – LISTOBJECTS permission and associated ACSI services 24 Table 7 – Mandatory general access token components 43 Table 7 – Mandatory general access token components	A.3 XACML definition example	64
A.6 Permission fuely description 66 A.7 Request syntax for PDP 70 Bibliography 72 Figure 1 – Generic framework for access control 15 Figure 2 – Diagram of RBAC with static and dynamic separation of duty (enhanced version of [ANSI INCITS 359-2004]) 16 Figure 3 – Subjects, roles, permissions, and operations 18 Figure 4 – XACML structure 26 Figure 5 – Schematic view of authorization mechanism based on RBAC 31 Figure 6 – Schematic view of authorization mechanism based on RBAC PULL model 33 Figure 7 – RBAC PULL model using CADP 34 Figure 9 – RBAC model using OAuth2.0 and JWT 39 Figure 10 – Session based RBAC approach (simplified IEC 62351-4 end-to-end security) 41 Table 1 – List of mandatory pre-defined permissions 21 Table 2 – Pre-defined roles 22 Table 3 – List of pre-defined role-to-permission assignment 23 Table 4 – LISTOBJECTS permission and associated ACSI services 24 Table 5 – Evaluation Context 29 Table 6 – Cipher suites combinations in the context of this document 37 Table 7 – Mandatory perelific access token components 43 Table 7 – M	A.4 Role description	
A.7 Request syntax for PDP 70 Bibliography 72 Figure 1 – Generic framework for access control 15 Figure 2 – Diagram of RBAC with static and dynamic separation of duty (enhanced version of [ANSI INCITS 359-2004]) 16 Figure 3 – Subjects, roles, permissions, and operations 18 Figure 4 – XACML structure 26 Figure 5 – Schematic view of authorization mechanism based on RBAC 31 Figure 6 – Schematic view of authorization mechanism based on RBAC PULL model 33 Figure 7 – RBAC PULL model using LDAP 34 Figure 9 – RBAC model using OAuth2.0 and JWT 39 Figure 10 – Session based RBAC approach (simplified IEC 62351-4 end-to-end security) 41 Table 1 – List of mandatory pre-defined permissions 21 Table 2 – Pre-defined roles 22 Table 3 – List of pre-defined role-to-permission assignment 23 Table 4 – LISTOBJECTS permission and associated ACSI services 24 Table 5 – Evaluation Context 29 Table 6 – Cipher suites combinations in the context of this document 37 Table 7 – Mandatory general access token components 43 Table 8 – Mandatory profile specific access token components 43	A.5 Permission group description	
Figure 1 – Generic framework for access control 72 Figure 2 – Diagram of RBAC with static and dynamic separation of duty (enhanced version of [ANSI INCITS 359-2004]). 16 Figure 3 – Subjects, roles, permissions, and operations. 18 Figure 4 – XACML structure. 26 Figure 5 – Schematic view of authorization mechanism based on RBAC 31 Figure 6 – Schematic view of authorization mechanism based on RBAC PULL model 33 Figure 7 – RBAC PULL model using LDAP 34 Figure 9 – RBAC model using OAuth2.0 and JWT 39 Figure 10 – Session based RBAC approach (simplified IEC 62351-4 end-to-end security) 41 Table 1 – List of mandatory pre-defined permissions 21 Table 2 – Pre-defined roles 22 Table 3 – List of pre-defined role-to-permission assignment 23 Table 4 – LISTOBJECTS permission and associated ACSI services 24 Table 5 – Evaluation Context 29 Table 6 – Cipher suites combinations in the context of this document 37 Table 7 – Mandatory precific access token components 43 Table 8 – Mandatory profile specific access token components 43 Table 7 – Mandatory perel access token components 43 Table 8 – Optional access token components	A.0 Permission description	
Figure 1 – Generic framework for access control 15 Figure 2 – Diagram of RBAC with static and dynamic separation of duty (enhanced version of [ANSI INCITS 359-2004]). 16 Figure 3 – Subjects, roles, permissions, and operations. 18 Figure 4 – XACML structure. 26 Figure 5 – Schematic view of authorization mechanism based on RBAC 31 Figure 6 – Schematic view of authorization mechanism based on RBAC PULL model 33 Figure 7 – RBAC PULL model using LDAP 34 Figure 9 – RBAC model using OAuth2.0 and JWT 39 Figure 10 – Session based RBAC approach (simplified IEC 62351-4 end-to-end security) 41 Table 1 – List of mandatory pre-defined permissions 21 Table 2 – Pre-defined roles 22 Table 3 – List of pre-defined role-to-permission assignment 23 Table 4 – LISTOBJECTS permission and associated ACSI services 24 Table 5 – Evaluation Context 29 Table 6 – Cipher suites combinations in the context of this document 37 Table 7 – Mandatory profile specific access token components 43 Table 8 – Mandatory profile specific access token components 43 Table 9 – Optional access token components 43 Table 9 – Optional access token format <t< td=""><td>Bibliography</td><td></td></t<>	Bibliography	
Figure 1 – Generic framework for access control 15 Figure 2 – Diagram of RBAC with static and dynamic separation of duty (enhanced version of [ANSI INCITS 359-2004]). 16 Figure 3 – Subjects, roles, permissions, and operations. 18 Figure 4 – XACML structure 26 Figure 5 – Schematic view of authorization mechanism based on RBAC 31 Figure 6 – Schematic view of authorization mechanism based on RBAC PULL model. 33 Figure 7 – RBAC PULL model using LDAP 34 Figure 9 – RBAC model using OAuth2.0 and JWT. 39 Figure 10 – Session based RBAC approach (simplified IEC 62351-4 end-to-end security) 41 Table 1 – List of mandatory pre-defined permissions 21 Table 2 – Pre-defined roles 22 Table 3 – List of pre-defined role-to-permission assignment 23 Table 4 – LISTOBJECTS permission and associated ACSI services 24 Table 5 – Evaluation Context 29 Table 6 – Cipher suites combinations in the context of this document 37 Table 7 – Mandatory general access token components 43 Table 8 – Mandatory profile specific access token components 43 Table 6 – Cipher suites combinations in the context of this document 37 Table 7 – Mandatory general access		
Figure 2 – Diagram of RBAC with static and dynamic separation of duty (enhanced version of [ANSI INCITS 359-2004])	Figure 1 – Generic framework for access control	15
Figure 3 – Subjects, roles, permissions, and operations. 18 Figure 4 – XACML structure 26 Figure 5 – Schematic view of authorization mechanism based on RBAC 31 Figure 6 – Schematic view of authorization mechanism based on RBAC PULL model 33 Figure 7 – RBAC PULL model using LDAP 34 Figure 8 – RBAC PULL model using RADIUS. 36 Figure 9 – RBAC model using OAuth2.0 and JWT 39 Figure 10 – Session based RBAC approach (simplified IEC 62351-4 end-to-end security) 41 Table 1 – List of mandatory pre-defined permissions 21 Table 2 – Pre-defined roles 22 Table 3 – List of pre-defined role-to-permission assignment 23 Table 4 – LISTOBJECTS permission and associated ACSI services 24 Table 5 – Evaluation Context 29 Table 6 – Cipher suites combinations in the context of this document 37 Table 7 – Mandatory perofile specific access token components 43 Table 9 – Optional access token components 43 Table 10 – AoR fields and format 46 Table 11 – Mapping between ID and Attribute Certificate 52 Table 12 – Conformance to access token format 61 Table 13 – Conformance to access token distributi	Figure 2 – Diagram of RBAC with static and dynamic separation of duty (enhanced version of [ANSI INCITS 359-2004])	16
Figure 4 – XACML structure 26 Figure 5 – Schematic view of authorization mechanism based on RBAC 31 Figure 6 – Schematic view of authorization mechanism based on RBAC PULL model 33 Figure 7 – RBAC PULL model using LDAP 34 Figure 8 – RBAC PULL model using OAuth2.0 and JWT 39 Figure 10 – Session based RBAC approach (simplified IEC 62351-4 end-to-end security) 41 Table 1 – List of mandatory pre-defined permissions 21 Table 2 – Pre-defined roles 22 Table 3 – List of pre-defined role-to-permission assignment 23 Table 4 – LISTOBJECTS permission and associated ACSI services 24 Table 5 – Evaluation Context 29 Table 6 – Cipher suites combinations in the context of this document 37 Table 8 – Mandatory profile specific access token components 43 Table 9 – Optional access token components 43 Table 10 – AoR fields and format 46 Table 11 – Mapping between ID and Attribute Certificate 52 Table 12 – Conformance to access token format 61 Table 13 – Conformance to access token distribution 62 Table 14 – Profile comparison 63	Figure 3 – Subjects, roles, permissions, and operations	
Figure 5 – Schematic view of authorization mechanism based on RBAC 31 Figure 6 – Schematic view of authorization mechanism based on RBAC PULL model 33 Figure 7 – RBAC PULL model using LDAP 34 Figure 8 – RBAC PULL model using RADIUS 36 Figure 9 – RBAC model using OAuth2.0 and JWT 39 Figure 10 – Session based RBAC approach (simplified IEC 62351-4 end-to-end security) 41 Table 1 – List of mandatory pre-defined permissions 21 Table 2 – Pre-defined roles 22 Table 3 – List of pre-defined role-to-permission assignment 23 Table 4 – LISTOBJECTS permission and associated ACSI services 24 Table 5 – Evaluation Context 29 Table 6 – Cipher suites combinations in the context of this document 37 Table 7 – Mandatory profile specific access token components 43 Table 9 – Optional access token components 43 Table 10 – AoR fields and format 46 Table 11 – Mapping between ID and Attribute Certificate 52 Table 12 – Conformance to access token format 61 Table 13 – Conformance to access token distribution 62 Table 14 – Profile comparison 63	Figure 4 – XACML structure	26
Figure 6 – Schematic view of authorization mechanism based on RBAC PULL model 33 Figure 7 – RBAC PULL model using LDAP 34 Figure 8 – RBAC PULL model using RADIUS 36 Figure 9 – RBAC model using OAuth2.0 and JWT 39 Figure 10 – Session based RBAC approach (simplified IEC 62351-4 end-to-end security) 41 Table 1 – List of mandatory pre-defined permissions 21 Table 2 – Pre-defined roles 22 Table 3 – List of pre-defined role-to-permission assignment 23 Table 4 – LISTOBJECTS permission and associated ACSI services 24 Table 5 – Evaluation Context 29 Table 7 – Mandatory pre-file specific access token components 43 Table 8 – Mandatory profile specific access token components 43 Table 9 – Optional access token components 43 Table 10 – AoR fields and format 46 Table 11 – Mapping between ID and Attribute Certificate 52 Table 12 – Conformance to access token format 61 Table 13 – Conformance to access token distribution 62 Table 14 – Profile comparison 63	Figure 5 – Schematic view of authorization mechanism based on RBAC	
Figure 7 – RBAC PULL model using LDAP 34 Figure 8 – RBAC PULL model using RADIUS. 36 Figure 9 – RBAC model using OAuth2.0 and JWT. 39 Figure 10 – Session based RBAC approach (simplified IEC 62351-4 end-to-end security). 41 Table 1 – List of mandatory pre-defined permissions 21 Table 2 – Pre-defined roles. 22 Table 3 – List of pre-defined role-to-permission assignment. 23 Table 4 – LISTOBJECTS permission and associated ACSI services 24 Table 5 – Evaluation Context 29 Table 6 – Cipher suites combinations in the context of this document 37 Table 8 – Mandatory profile specific access token components 43 Table 9 – Optional access token components 43 Table 10 – AoR fields and format 46 Table 11 – Mapping between ID and Attribute Certificate 52 Table 12 – Conformance to access token format 61 Table 13 – Conformance to access token distribution 62 Table 14 – Profile comparison 63	Figure 6 – Schematic view of authorization mechanism based on RBAC PULL mode	əl 33
Figure 8 – RBAC PULL model using RADIUS. 36 Figure 9 – RBAC model using OAuth2.0 and JWT. 39 Figure 10 – Session based RBAC approach (simplified IEC 62351-4 end-to-end security). 41 Table 1 – List of mandatory pre-defined permissions 21 Table 2 – Pre-defined roles 22 Table 3 – List of pre-defined role-to-permission assignment. 23 Table 4 – LISTOBJECTS permission and associated ACSI services 24 Table 5 – Evaluation Context 29 Table 6 – Cipher suites combinations in the context of this document 37 Table 8 – Mandatory profile specific access token components 43 Table 9 – Optional access token components 43 Table 10 – AoR fields and format 46 Table 11 – Mapping between ID and Attribute Certificate 52 Table 12 – Conformance to access token format 61 Table 13 – Conformance to access token distribution 62 Table 14 – Profile comparison 63	Figure 7 – RBAC PULL model using LDAP	
Figure 9 – RBAC model using OAuth2.0 and JWT. 39 Figure 10 – Session based RBAC approach (simplified IEC 62351-4 end-to-end security). 41 Table 1 – List of mandatory pre-defined permissions 21 Table 2 – Pre-defined roles 22 Table 3 – List of pre-defined role-to-permission assignment. 23 Table 4 – LISTOBJECTS permission and associated ACSI services 24 Table 5 – Evaluation Context 29 Table 6 – Cipher suites combinations in the context of this document 37 Table 7 – Mandatory profile specific access token components 43 Table 9 – Optional access token components 43 Table 10 – AoR fields and format 46 Table 11 – Mapping between ID and Attribute Certificate 52 Table 12 – Conformance to access token distribution 62 Table 13 – Conformance to access token distribution 62 Table 14 – Profile comparison 63	Figure 8 – RBAC PULL model using RADIUS	
Figure 10 – Session based RBAC approach (simplified IEC 62351-4 end-to-end security). 41 Table 1 – List of mandatory pre-defined permissions 21 Table 2 – Pre-defined roles. 22 Table 3 – List of pre-defined role-to-permission assignment. 23 Table 4 – LISTOBJECTS permission and associated ACSI services 24 Table 5 – Evaluation Context 29 Table 6 – Cipher suites combinations in the context of this document 37 Table 7 – Mandatory profile specific access token components 43 Table 9 – Optional access token components 43 Table 10 – AoR fields and format 46 Table 11 – Mapping between ID and Attribute Certificate 52 Table 12 – Conformance to access token distribution 62 Table 13 – Conformance to access token distribution 62 Table 14 – Profile comparison 63	Figure 9 – RBAC model using OAuth2.0 and JWT	
Table 1 – List of mandatory pre-defined permissions21Table 2 – Pre-defined roles22Table 3 – List of pre-defined role-to-permission assignment23Table 4 – LISTOBJECTS permission and associated ACSI services24Table 5 – Evaluation Context29Table 6 – Cipher suites combinations in the context of this document37Table 7 – Mandatory general access token components43Table 8 – Mandatory profile specific access token components43Table 10 – AoR fields and format46Table 11 – Mapping between ID and Attribute Certificate52Table 13 – Conformance to access token distribution62Table 14 – Profile comparison63	Figure 10 – Session based RBAC approach (simplified IEC 62351-4 end-to-end security)	41
Table 2 - Pre-defined roles22Table 3 - List of pre-defined role-to-permission assignment23Table 4 - LISTOBJECTS permission and associated ACSI services24Table 5 - Evaluation Context29Table 6 - Cipher suites combinations in the context of this document37Table 7 - Mandatory general access token components43Table 8 - Mandatory profile specific access token components43Table 9 - Optional access token components43Table 10 - AoR fields and format46Table 11 - Mapping between ID and Attribute Certificate52Table 12 - Conformance to access token format61Table 13 - Conformance to access token distribution62Table 14 - Profile comparison63	Table 1 – List of mandatory pre-defined permissions	21
Table 3 – List of pre-defined role-to-permission assignment.23Table 4 – LISTOBJECTS permission and associated ACSI services24Table 5 – Evaluation Context29Table 6 – Cipher suites combinations in the context of this document37Table 7 – Mandatory general access token components43Table 8 – Mandatory profile specific access token components43Table 9 – Optional access token components43Table 10 – AoR fields and format46Table 11 – Mapping between ID and Attribute Certificate52Table 12 – Conformance to access token format61Table 13 – Conformance to access token distribution62Table 14 – Profile comparison63	Table 2 – Pre-defined roles	22
Table 4 - LISTOBJECTS permission and associated ACSI services24Table 5 - Evaluation Context29Table 6 - Cipher suites combinations in the context of this document37Table 7 - Mandatory general access token components43Table 8 - Mandatory profile specific access token components43Table 9 - Optional access token components43Table 10 - AoR fields and format46Table 11 - Mapping between ID and Attribute Certificate52Table 12 - Conformance to access token distribution61Table 13 - Conformance to access token distribution62Table 14 - Profile comparison63	Table 3 – List of pre-defined role-to-permission assignment	23
Table 5 – Evaluation Context29Table 6 – Cipher suites combinations in the context of this document37Table 7 – Mandatory general access token components43Table 8 – Mandatory profile specific access token components43Table 9 – Optional access token components43Table 10 – AoR fields and format46Table 11 – Mapping between ID and Attribute Certificate52Table 12 – Conformance to access token format61Table 13 – Conformance to access token distribution62Table 14 – Profile comparison63	Table 4 – LISTOBJECTS permission and associated ACSI services	24
Table 6 – Cipher suites combinations in the context of this document37Table 7 – Mandatory general access token components43Table 8 – Mandatory profile specific access token components43Table 9 – Optional access token components43Table 10 – AoR fields and format46Table 11 – Mapping between ID and Attribute Certificate52Table 12 – Conformance to access token format61Table 13 – Conformance to access token distribution62Table 14 – Profile comparison63	Table 5 – Evaluation Context	
Table 7 – Mandatory general access token components43Table 8 – Mandatory profile specific access token components43Table 9 – Optional access token components43Table 10 – AoR fields and format46Table 11 – Mapping between ID and Attribute Certificate52Table 12 – Conformance to access token format61Table 13 – Conformance to access token distribution62Table 14 – Profile comparison63	Table 6 – Cipher suites combinations in the context of this document	
Table 8 – Mandatory profile specific access token components43Table 9 – Optional access token components43Table 10 – AoR fields and format46Table 11 – Mapping between ID and Attribute Certificate52Table 12 – Conformance to access token format61Table 13 – Conformance to access token distribution62Table 14 – Profile comparison63	Table 7 – Mandatory general access token components	43
Table 9 – Optional access token components43Table 10 – AoR fields and format46Table 11 – Mapping between ID and Attribute Certificate52Table 12 – Conformance to access token format61Table 13 – Conformance to access token distribution62Table 14 – Profile comparison63	Table 8 – Mandatory profile specific access token components	43
Table 10 – AoR fields and format46Table 11 – Mapping between ID and Attribute Certificate52Table 12 – Conformance to access token format61Table 13 – Conformance to access token distribution62Table 14 – Profile comparison63	Table 9 – Optional access token components	43
Table 11 – Mapping between ID and Attribute Certificate52Table 12 – Conformance to access token format61Table 13 – Conformance to access token distribution62Table 14 – Profile comparison63	Table 10 – AoR fields and format	46
Table 12 – Conformance to access token format	Table 11 – Mapping between ID and Attribute Certificate	52
Table 13 – Conformance to access token distribution 62 Table 14 – Profile comparison 63	Table 12 – Conformance to access token format	61
Table 14 – Profile comparison	Table 13 – Conformance to access token distribution	62
· · · · · · · · · · · · · · · · · · ·	Table 14 – Profile comparison	63

IEC 62351-8:2020 © IEC 2020

- 5 -

Document history

Any person intervening in the present document is invited to complete the table below before sending the document elsewhere. The purpose is to allow all actors to see all changes introduced and the intervening persons.

Any important message to IEC editors should also be included in the table below.

Name of	Document received		Brief description of the	Document sent	
person	From	Date	changes introduced	То	Date
Steffen Fries	WG15	2017-03-01	Initial Version		
Steffen Fries	WG15	2017-05-30	Enhancement of OID, More details regarding the RADIUS profile. Clarification of relationship to PULL and PUSH models, which led to a re- write of the current describtion focussing solely on LDAP		
Steffen Fries	WG15	2017-07-28	Enhancement of the area of responsibility section. Standard of profile specific parameters in the access token.		
Frances Cleveland	Steffen Fries	2017-08-31	Editorial updates		2017-9- 22
Steffen Fries	Frances Clevela	2017-09-22	Further Updates of the RADIUS profile with an index option to allow for multiple roles per user ith different AoR or Revision		
	iiu		Deperecation of Profile C		
Steffen Fries		2017-11-22	Further description of Profile D and application itegration examples. Deletion of exisiting Profile C		
Steffen Fries		2018-02-22	Update on RADIUS, Inclusion of custom based role definition		
Steffen Fries		2018-04-30	Refinement of custom based role definition using XACML as proposed in IEC 62351-90-1		
Steffen Fries		Aligned terminology of rights and permissions throughout the document, refinement of mandatory permissions, inclusion of JWT (based on the contribution of Arijit Bose) as Profile C. Introduction of security events (incidents and warnings) supporting IEC 62351- 14.			
Martina Braun	Steffen Fries	2018-06-28	CD doc for circulation	со	2018-06- 28
Steffen Fries		2018-11-28	Incorporation of comment resolution (57/2056/CC) after WG15 meeting in 10/2018	WG15	2018-11- 23
Steffen Fries		2018-01-17	Incorporation of final discussion of open issues after WG15 meeting in 01/2019	WG15	
Martina Braun	IEC	2019-05-17	Edited CDV to Project leader for next step	Steffen Fries	2019-05- 20
Steffen Fries		2019-05-17	Incorporation of comment resolution for CDV after final discussion wuring web meeting in WG15 on July 1th, 2019 and discussion with IETF RADEST WG (alignment of port number assignment)	IEC	
Martina Braun	Steffen Fries	2019-08-16	FDIS document upload to IEC for circulation	IEC CO	2019-0- 23

- 6 -

INTERNATIONAL ELECTROTECHNICAL COMMISSION

POWER SYSTEMS MANAGEMENT AND ASSOCIATED INFORMATION EXCHANGE - DATA AND COMMUNICATIONS SECURITY –

Part 8: Role-based access control for power system management

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject deall with may participate in this preparatory work. International, governmental and non-governmental organizations for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 62351-8 has been prepared by IEC technical committee 57: Power systems management and associated information exchange.

The text of this standard is based on the following documents:

Enquiry draft	Report on voting
57/2180/FDIS	57/2197/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

Recipients of this document are invited to submit, with their comments, notification of any relevant patent rights of which they are aware and to provide supporting documentation.

IEC 62351-8:2020 © IEC 2020

- 7 -

This document includes code components i.e components that are intended to be directlyprocessed by a computer. Such content is any text found between the markers <CODE BEGINS> and <CODE ENDS>, or otherwise is clearly labeled in this standard as a code component.

The purchase of this document carries a copyright license for the purchaser to sell software containing code components from this document directly to end users and to end users via distributors, subject to IEC software licensing conditions, which can be found at: http://www.iec.ch/CCv1.

In the case of any discrepancy between the document and the code components, the code components take precedence.

In this document, the following print types are used:

Encoding in ASN.1 or XACML: couriernew

A list of all the parts in the IEC 62351 series, published under the general title *Power systems management and associated information exchange,* can be found on the IEC website.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC web site under "http://webstore.iec.ch" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

– 8 –

IEC 62351-8:2020 © IEC 2020

INTRODUCTION

This document provides a standard for access control in power systems. The power system environment supported by this document is enterprise-wide and extends beyond traditional borders to include external providers, suppliers, and other energy partners. Driving factors are the liberalization of the energy sector to include many more stakeholders, the increasingly decentralized generation of energy, and the need to control access to sensitive data of resources and stakeholders. This document supports a distributed security environment in which security is also a distributed service.

The power system sector is continually improving the delivery of energy by leveraging technical advances in computer-based applications. Utility operators, energy brokers and end-users are increasingly accessing multiple applications to deliver, transmit and consume energy in a personalized way. These disparate applications are naturally connected to a common network infrastructure that typically supports protection equipment, substation automation protocols, inter-station protocols, remote access and business-to-business services. Consequently, secure access to these distributed and often loosely coupled applications is even more important than access to an application running on a stand-alone device.

Secure access to computer-based applications involves authentication of the user to the application. After authentication, the types of interactions which that user can perform with the application is then determined. The use of local mechanisms for authorization creates a patchwork of approaches difficult to uniformly administer across the breadth of a power system enterprise. Each application decides with its own logic the authorization process. However, if applications can use a network to help manage access, a database can serve as a trusted source of user's group or role affiliation. Thus, the access to a shared user base can be controlled centrally. Each application can then examine the permissions listed for a subject and corresponding role and determine their level of authorization.

This document defines role-based access control (RBAC) for enterprise-wide use in power systems. It supports a distributed or service-oriented architecture where security is a distributed service and applications are consumers of distributed services.

In this document, the role of a user is transported in a container called an "access token" of that user to the object. Access tokens are created and administered by a (possibly federated) identity management tool. All access tokens have a lifetime and are subject to expiration. Prior to verification of the access token itself, the user transmitting the access token is authenticated by the object. The object trusts the management tool to issue access tokens with suitable lifetime. This enables local verification of the access token's validity at remote sites without the need to access a centralized repository (e.g. a centralized revocation list).

Four different access token formats are supported as four different profiles. Two of them are based on X.509 certificates and were already defined in IEC TS 62351-8. Two new profiles are defined as part of this document. The first new profile uses the JSON to encode the access token and the second new profile uses a vendor specific attribute in RADIUS to provide a migration option for environments already utilizing a RADIUS server to support access control. These access tokens may be bound to a specific transport or to a specific application. Common to all access token formats is the information contained, to allow a migration from one profile to another.

IEC 62351-8:2020 © IEC 2020

POWER SYSTEMS MANAGEMENT AND ASSOCIATED INFORMATION EXCHANGE - DATA AND COMMUNICATIONS SECURITY –

Part 8: Role-based access control for power system management

1 Scope

The scope of this part of IEC 62351 is to facilitate role-based access control (RBAC) for power system management. RBAC assigns human users, automated systems, and software applications (collectively called "subjects" in this document) to specified "roles", and restricts their access to only those resources, which the security policies identify as necessary for their roles.

As electric power systems become more automated and cyber security concerns become more prominent, it is becoming increasingly critical to ensure that access to data (read, write, control, etc.) is restricted. As in many aspects of security, RBAC is not just a technology; it is a way of running a business. RBAC is not a new concept; in fact, it is used by many operating systems to control access to system resources. Specifically, RBAC provides an alternative to the all-or-nothing super-user model in which all subjects have access to all data, including control commands.

RBAC is a primary method to meet the security principle of least privilege, which states that no subject should be authorized more permissions than necessary for performing that subject's task. With RBAC, authorization is separated from authentication. RBAC enables an organization to subdivide super-user capabilities and package them into special user accounts termed roles for assignment to specific individuals according to their associated duties. This subdivision enables security policies to determine who or what systems are permitted access to which data in other systems. RBAC provides thus a means of reallocating system controls as defined by the organization policy. In particular, RBAC can protect sensitive system operations from inadvertent (or deliberate) actions by unauthorized users. Clearly RBAC is not confined to human users though; it applies equally well to automated systems and software applications, i.e., software parts operating independent of user interactions.

The following interactions are in scope:

- local (direct wired) access to the object by a human user, a local and automated computer agent, or a built-in HMI or panel;
- remote (via dial-up or wireless media) access to the object by a human user;
- remote (via dial-up or wireless media) access to the object by a remote automated computer agent, e.g. another object at another substation, a distributed energy resource at an enduser's facility, or a control centre application.

While this document defines a set of mandatory roles to be supported, the exchange format for defined specific or custom roles is also in scope of this document.

Out of scope for this document are all topics which are not directly related to the definition of roles and access tokens for local and remote access, especially administrative or organizational tasks, such as:

- user names and password definitions/policies;
- management of keys and/or key exchange;
- engineering process of roles;
- assignment of roles;
- selection of trusted certificate authorities issuing credentials (access tokens);



This is a free preview. Purchase the entire publication at the link below:

Product Page

S Looking for additional Standards? Visit Intertek Inform Infostore

> Learn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation