



NSAI
Standards

Irish Standard Recommendation
S.R. CEN/TR 17544:2020

Automotive fuels - Report on studies done on cold soak filter blocking tendency (CS-FBT) on fatty acid methyl ester (FAME) as blend component for diesel fuel, and of diesel fuel containing up to 30 % (V/V) of FAME

S.R. CEN/TR 17544:2020

Incorporating amendments/corrigenda/National Annexes issued since publication:

The National Standards Authority of Ireland (NSAI) produces the following categories of formal documents:

I.S. xxx: Irish Standard — national specification based on the consensus of an expert panel and subject to public consultation.

S.R. xxx: Standard Recommendation — recommendation based on the consensus of an expert panel and subject to public consultation.

SWiFT xxx: A rapidly developed recommendatory document based on the consensus of the participants of an NSAI workshop.

This document replaces/revises/consolidates the NSAI adoption of the document(s) indicated on the CEN/CENELEC cover/Foreword and the following National document(s):

NOTE: The date of any NSAI previous adoption may not match the date of its original CEN/CENELEC document.

This document is based on:

CEN/TR 17544:2020

Published:

2020-09-30

*This document was published
under the authority of the NSAI
and comes into effect on:*

2020-10-19

ICS number:

75.160.20

NOTE: If blank see CEN/CENELEC cover page

NSAI
1 Swift Square,
Northwood, Santry
Dublin 9

T +353 1 807 3800
F +353 1 807 3838
E standards@nsai.ie
W NSAI.ie

Sales:
T +353 1 857 6730
F +353 1 857 6729
W standards.ie

Údarás um Chaighdeáin Náisiúnta na hÉireann

National Foreword

S.R. CEN/TR 17544:2020 is the adopted Irish version of the European Document CEN/TR 17544:2020, Automotive fuels - Report on studies done on cold soak filter blocking tendency (CS-FBT) on fatty acid methyl ester (FAME) as blend component for diesel fuel, and of diesel fuel containing up to 30 % (V/V) of FAME

This document does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

For relationships with other publications refer to the NSAI web store.

Compliance with this document does not of itself confer immunity from legal obligations.

In line with international standards practice the decimal point is shown as a comma (,) throughout this document.

This page is intentionally left blank

TECHNICAL REPORT

CEN/TR 17544

RAPPORT TECHNIQUE

TECHNISCHER BERICHT

September 2020

ICS 75.160.20

English Version

Automotive fuels - Report on studies done on cold soak filter blocking tendency (CS-FBT) on fatty acid methyl ester (FAME) as blend component for diesel fuel, and of diesel fuel containing up to 30 % (V/V) of FAME

Carburants pour automobile - Rapport sur les études relatives à la tendance au colmatage de filtre après macération à froid d'ester méthylique d'acides gras (EMAG) comme composant pour le gazole et de gazole contenant jusqu'à 30 % (V/V) d'EMAG

Kraftstoffe - Bericht über Studien zur cold soak filter blocking tendency (CS-FBT) an Fettsäuremethylester (FAME) als Mischkomponente für Dieselmotorkraftstoff und Dieselmotorkraftstoff, der bis zu 30% (V / V) FAME enthält

This Technical Report was approved by CEN on 7 September 2020. It has been drawn up by the Technical Committee CEN/TC 19.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

Contents	Page
European foreword	2
Introduction.....	3
1 Scope	4
2 Normative references	4
3 Terms and definitions.....	4
4 Filter blocking tendency of diesel fuels and FAME.....	4
4.1 Evolution of diesel fuels and FAME composition	4
4.2 Detail of field issues	5
4.3 FBT test development	5
5 CS-FBT studies	5
5.1 General	5
5.2 Ruggedness studies – 2011 - 2013.....	6
5.3 Studies on parameter impacts	11
5.4 Comparison FAME data vs results with CS-FBT	14
6 Comparison of CS-FBT with C-FBT.....	16
6.1 General	16
6.2 Comparison study CS-FBT/C-FBT– 2017.....	16
7 Conclusion and perspectives on filter blocking tendency	18
Annex A (informative) Description of the different methods.....	19
Annex B (informative) Ruggedness study 2011– detailed results.....	20
B.1 Overview of mini ILS.....	20
B.2 Overview of the results set.....	21
B.3 Overview of the statistical analysis.....	21
Annex C (normative) Working draft	24
Annex D (informative) Ruggedness study 2013– detailed results.....	31
D.1 Preliminary works	31
D.2 Ruggedness study 2013.....	31
D.3 Results assessment	34
Annex E (informative) CS-FBT for FAME – detailed results.....	37
Bibliography	38

CEN/TR 17544:2020 (E)

European foreword

This document (CEN/TR 17544:2020) has been prepared by Technical Committee CEN/TC 19 “*Gaseous and liquid fuels, lubricants and related products of petroleum, synthetic and biological origin*”, the secretariat of which is held by NEN.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

Introduction

As reported in CEN/TR 16982^[1], during recent past winters, a wide range of vehicles has been affected in specific European countries and there are possible links with fatty acid methyl esters (FAME) composition, base diesel quality, cold flow additives and oxidation stability effects. In order to solve these issues, some countries have introduced new additional requirements in their national specifications or “best practice” market agreements.

In the UK, developments around the Filter Blocking Tendency test (FBT) has been engaged and in particular a variant of the IP 387^[2] with a Cold Soak step (CS-FBT). This work has been exchanged with CEN/TC19 and the CEN/TC19/WG31 has started several studies in order to evaluate the interest of using this method for neat FAME and diesel fuels containing up to 30 % (V/V) of FAME.

This document reports the content of these studies.

CEN/TR 17544:2020 (E)

1 Scope

This document describes the studies executed to develop a method to analyse the filter blocking tendency after a cold soak step of fatty acid methyl ester (FAME) as a blend component for diesel and of diesel fuel containing up to 30 % (V/V) of FAME, respectively.

NOTE For the purposes of this document, the term “% (V/V)” is used to represent the volume fraction, φ .

2 Normative references

There are no normative references in this document.

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at <http://www.iso.org/obp>
- IEC Electropedia: available at <https://www.electropedia.org/>

3.1 filter blocking tendency

FBT

dimensionless value that defines the filter blocking tendency of a fuel caused by particulates

Note 1 to entry: The value is calculated using the pressure or volume attained at the end of the test. Depending on the outcome of the test, two different equations are applied (see IP 387^[2], Clause 9 for the calculation of the FBT value).

[SOURCE: IP 387]

3.2 cold soak

CS

exposure of the test portion to a constant reduced temperature for a period of time

[SOURCE: IP PM-EA^[3]]

3.3 cold soak filter blocking tendency

CS-FBT

variant of an FBT determination which includes a cold soak step before testing the sample

4 Filter blocking tendency of diesel fuels and FAME

4.1 Evolution of diesel fuels and FAME composition

In recent years diesel fuels have become more complex as FAME, hydrotreated vegetable oils (HVO), Gas-To-Liquid (GTL), etc. have been increasingly introduced into diesel blends. FAME has evolved from its origins as RME (Rapeseed Methyl Ester) into a wide variety of sources including animal sourced (TME - Tallow Methyl Ester) and used cooking oil (UCOME – Used Cooking Oil Methyl Ester). These changes to fuel composition are considered to have a possible impact to the Filter Blocking Tendency of the fuel.

This is a free preview. Purchase the entire publication at the link below:

[Product Page](#)

-
- Looking for additional Standards? Visit Intertek Inform Infostore
 - Learn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation
-