

Irish Standard I.S. EN ISO 16486-3:2020&LC:2020

Plastics piping systems for the supply of gaseous fuels - Unplasticized polyamide (PA-U) piping systems with fusion jointing and mechanical jointing - Part 3: Fittings (ISO 16486-3:2020)

 $\ensuremath{\mathbb C}$  CEN 2020  $\hfill No copying without NSAI permission except as permitted by copyright law.$ 

#### I.S. EN ISO 16486-3:2020&LC:2020

Incorporating amendments/corrigenda/National Annexes issued since publication:

The National Standards Authority of Ireland (NSAI) produces the following categories of formal documents:

I.S. xxx: Irish Standard – national specification based on the consensus of an expert panel and subject to public consultation.

S.R. xxx: Standard Recommendation — recommendation based on the consensus of an expert panel and subject to public consultation.

SWiFT xxx: A rapidly developed recommendatory document based on the consensus of the participants of an NSAI workshop.

This document replaces/revises/consolidates the NSAI adoption of the document(s) indicated on the CEN/CENELEC cover/Foreword and the following National document(s):

*NOTE: The date of any NSAI previous adoption may not match the date of its original CEN/CENELEC document.* 

This document is based on:

Published:

This document was published under the authority of the NSAI and comes into effect on:

2020-12-08

NOTE: If blank see CEN/CENELEC cover page

ICS number:

75.200 83.140.30

NSAI	T +353 1 807 3800	Sales:	
1 Swift Square,	F +353 1 807 3838	T +353 1 857 6730	
Northwood, Santry	E standards@nsai.ie	F +353 1 857 6729	
Dublin 9	W NSAI.ie	W standards.ie	

Údarás um Chaighdeáin Náisiúnta na hÉireann

#### **National Foreword**

I.S. EN ISO 16486-3:2020&LC:2020 is the adopted Irish version of the European Document EN ISO 16486-3:2020, Plastics piping systems for the supply of gaseous fuels - Unplasticized polyamide (PA-U) piping systems with fusion jointing and mechanical jointing - Part 3: Fittings (ISO 16486-3:2020)

This document does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

For relationships with other publications refer to the NSAI web store.

#### Compliance with this document does not of itself confer immunity from legal obligations.

*In line with international standards practice the decimal point is shown as a comma (,) throughout this document.* 

This is a free page sample. Access the full version online.

This page is intentionally left blank



# **Correction Notice**

#### Reference: EN ISO 16486-3:2020

**Title:** Plastics piping systems for the supply of gaseous fuels - Unplasticized polyamide (PA-U) piping systems with fusion jointing and mechanical jointing - Part 3: Fittings (ISO 16486-3:2020)

Work Item: 00155938

Brussels, 2020-11-11

#### Please include the following minor editorial correction(s) in the document related to:

the following language version(s) :

☑ English
☑ French
☑ German
for the following procedure :
☑ PQ/UQ
☑ Enguipy

It has been brought to our attention that this document, issued on 2020-09-09, requires modification.

**Missing A-Deviation** 

Please find enclosed the updated English version.

We apologise for any inconvenience this may cause.

STD3/FO004 (November 2017)

Rue de la Science, 23 • 1040 Bruxelles Tel : +32 2 550 08 11 • Fax : +32 2 550 08 19 This page is intentionally left BLANK.

# EUROPEAN STANDARD NORME EUROPÉENNE

# EN ISO 16486-3

# **EUROPÄISCHE NORM**

September 2020

ICS 75.200; 83.140.30

**English Version** 

### Plastics piping systems for the supply of gaseous fuels -Unplasticized polyamide (PA-U) piping systems with fusion jointing and mechanical jointing - Part 3: Fittings (ISO 16486-3:2020)

Systèmes de canalisations en matières plastiques pour la distribution de combustibles gazeux - Systèmes de canalisations en polyamide non plastifié (PA-U) avec assemblages par soudage et assemblages mécaniques -Partie 3: Raccords (ISO 16486-3:2020) Kunststoff-Rohrleitungssysteme für die Gasversorgung - Rohrleitungssysteme aus weichmacherfreiem Polyamid (PA-U) mit Schweißverbindungen und mechanischen Verbindungen - Teil 3: Formstücke (ISO/FDIS 16486-3:2020)

This European Standard was approved by CEN on 21 September 2020.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION COMITÉ EUROPÉEN DE NORMALISATION EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

### 

### **European foreword**

This document (EN ISO 16486-3:2020) has been prepared by Technical Committee ISO/TC 138 "Plastics pipes, fittings and valves for the transport of fluids" in collaboration with Technical Committee CEN/TC 155 "Plastics piping systems and ducting systems" the secretariat of which is held by NEN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by March 2021, and conflicting national standards shall be withdrawn at the latest by March 2021.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

#### **Endorsement notice**

The text of ISO 16486-3:2020 has been approved by CEN as EN ISO 16486-3:2020 without any modification.

EN ISO 16486-3:2020 (E)

#### Annex (informative)

### **A-deviation**

**A-deviation**: National deviation due to regulations, the alteration of which is for the time being outside the competence of the CEN-CENELEC national member.

This European Standard does not fall under any Directive of the EU.

In the relevant CEN-CENELEC countries these A-deviations are valid instead of the provisions of the European Standard until they have been removed.

Country	Clause	Deviation
ITALY	§1 Scope	According to Italian legislation concerning the safety of gas installation
	1	- DM 16 April 2008 (DSO) prescribes that piping and components used in distribution system shall be in accordance with national standard UNI 9034 (pipes with MOP below 5 bar). In case of MOP greater than 5 bar DM 17 April 2008 shall be followed.
		(Official Journal Italian Republic GU n. 107 of 8 <sup>th</sup> May 2008 <u>https://www.gazzettaufficiale.it/eli/id/2008/05/08/08A02871/sg</u> )
		- DM 17 April 2008 (TSO) prescribes that piping and components used in transmission system shall be made of steel (art. 3.1 of Technical Annex A to Decree).
		(Official Journal Italian Republic GU n. 107 of 8 <sup>th</sup> May 2008 https://www.gazzettaufficiale.it/atto/serie_generale/caricaDettaglioAtto/originario?atto.dataPubblicazioneGazzetta=2008-05- 08&atto.codiceRedazionale=08A02872&elenco30giorni=false)

# INTERNATIONAL STANDARD

ISO 16486-3

Second edition 2020-09

### Plastics piping systems for the supply of gaseous fuels — Unplasticized polyamide (PA-U) piping systems with fusion jointing and mechanical jointing —

Part 3: Fittings

Systèmes de canalisations en matières plastiques pour la distribution de combustibles gazeux — Systèmes de canalisations en polyamide non plastifié (PA-U) avec assemblages par soudage et assemblages mécaniques —

Partie 3: Raccords



Reference number ISO 16486-3:2020(E) ISO 16486-3:2020(E)



### **COPYRIGHT PROTECTED DOCUMENT**

© ISO 2020

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office CP 401 • Ch. de Blandonnet 8 CH-1214 Vernier, Geneva Phone: +41 22 749 01 11 Email: copyright@iso.org Website: www.iso.org

Published in Switzerland

# Contents

Forew	/ord		v
Intro	luction		vii
1	Scope		1
2	Norm	ative references	
3	Term	s and definitions	2
3	Matar		ີ ບ
4	4.1	PA-U compound	<b>э</b> 
	4.2	Material for non-unplasticized polyamide parts	
		4.2.1 General	3
		4.2.2 Metal parts	
		4.2.3 Elastomers	
_	<b>C</b>		T
5	Gener		
	5.2	Design	
	5.3	Colour	
	5.4	Electrical characteristics for electrofusion fittings	4
	5.5	Appearance of factory-made fusion joints	5
	5.6	Fusion compatibility	5 E
	5.7		
6	Geom	etrical characteristics	<b>6</b>
	6.1 6.2	Dimensions of electrofusion sockets	0 6
	0.2	6.2.1 Diameters and lengths of electrofusion sockets	
		6.2.2 Wall thickness	6
	6.3	Dimensions of spigot end fittings	
	6.4	Dimensions of tapping tees	
	6.5	Dimensions of transition littings to other materials	
7	Mecha	anical characteristics	
	/.l 7.2	General	
	7.2	Mechanical requirements	
	7.4	Additional requirements for transition fittings	
8	Physic	cal characteristics	14
U	8.1	Conditioning	
	8.2	Requirements	
9	Chem	ical resistance of fittings in contact with chemicals	
10	Perfo	rmance requirements	14
10	Manla		
11	<b>Mark</b>	Ing. General	<b>15</b>
	11.1	Minimum required marking of fittings	
	11.3	Additional information required on fitting or label	
	11.4	Fusion system recognition	
12	Delive	ery conditions	
Annex	<b>x A</b> (info	ormative) Examples of typical terminal connections for electrofusion	
Annez	<b>x B</b> (noi	rmative) Short-term pressure test method	
Annes	<b>c</b> (nor	mative) <b>Tensile test fitting/nine assemblies</b>	21
	(1101	man of reserve to the man B/ Prpe assembled	

Bibliography
--------------

### Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see <a href="https://www.iso.org/directives">www.iso.org/directives</a>).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see <a href="https://www.iso.org/patents">www.iso.org/patents</a>).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see <a href="https://www.iso.org/iso/foreword.html">www.iso.org/iso/foreword.html</a>.

This document was prepared by Technical Committee ISO/TC 138, *Plastics pipes, fittings and valves for the transport of fluids*, Subcommittee SC 4, *Plastics pipes and fittings for the supply of gaseous fuels,* in collaboration with the European Committee for Standardization (CEN) Technical Committee CEN/TC 155, *Plastics piping systems and ducting systems,* in accordance with the Agreement on technical cooperation between ISO and CEN (Vienna Agreement).

This second edition cancels and replaces the first edition (ISO 16486-3:2012), which has been technically revised. It also incorporates ISO 16486-3:2012/Amd 1:2014.

The main changes compared to the previous edition are as follows:

- In subclause <u>5.7</u>, text concerning the exceptional use of flange adaptors is added;
- In <u>Table 1</u>, electro fusion socket length has been revised and the diameter range extended;
- <u>Tables 1</u> and <u>3</u> are extended with nominal outside diameters up to and including 630 mm;
- <u>Tables 3</u> to <u>5</u> have been reordered;
- An editorial mistake of 6 hours has been changed to 16 hours for conditioning before hydrostatic strength testing in <u>Table 4</u> and before internal pressure testing in <u>Table 5</u>;
- A NOTE to <u>Table 6</u> and a footnote in <u>Table 7</u> have been added to explain the limited use of MVR;
- For transition fittings, the reference to ISO 17885 has been introduced;
- For Fusion system recognition, reference is made to ISO 13950 and ISO 12176-4 and ISO 12176-5<sup>1</sup>);
- The title of <u>Clause 12</u> has changed from "Packaging" to "Delivery conditions".

A list of all parts in the ISO 16486 series can also be found on the ISO website.

<sup>1)</sup> Under preparation. Stage at the time of publication: ISO/FDIS 12176-5:2020.

#### ISO 16486-3:2020(E)

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at <u>www.iso.org/members.html</u>.

### Introduction

This document specifies the requirements for a piping system and its components made from unplasticized polyamide (PA-U), which is intended to be used for the supply of gaseous fuels.

Requirements and test methods for material and components, other than fittings of the piping system, are specified in ISO 16486-1, ISO 16486-2, and ISO 16486-4.

Characteristics for fitness for purpose of the system and generic fusion parameters are covered in ISO 16486-5.

Recommended practice for installation is given in ISO 16486-6, which will not be implemented as a European Standard under the Vienna Agreement.

Assessment of conformity of the system is to form the subject of future ISO/TS 16486-7<sup>2</sup>).

NOTE Recommended practice for installation is also given in CEN/TS 12007-6, which has been prepared by Technical Committee CEN/TC 234, *Gas infrastructure*.

Parts 1 to 7 of the ISO 16486 series have been prepared by ISO/TC 138/SC 4, with the exception of Part 4, which has been prepared by ISO/TC 138/SC 7.

<sup>2)</sup> Under preparation. Stage at the time of publication: ISO/WD TS 16486-7:2020.

#### INTERNATIONAL STANDARD

### Plastics piping systems for the supply of gaseous fuels — Unplasticized polyamide (PA-U) piping systems with fusion jointing and mechanical jointing —

### Part 3: **Fittings**

#### 1 Scope

This document specifies the physical and mechanical properties of fittings made from unplasticized polyamide (PA-U) in accordance with ISO 16486-1, intended to be buried and used for the supply of gaseous fuels.

It also specifies the test parameters for the test methods to which it refers.

The ISO 16486 series is applicable to PA-U piping systems, the components of which are connected by fusion jointing and/or mechanical jointing.

In addition, it lays down dimensional characteristics and requirements for the marking of fittings.

In conjunction with the other parts of the ISO 16486 series, this document is applicable to PA-U fittings, their joints, joints with components of PA-U and joints with mechanical fittings of other materials, and to the following fitting types:

— fusion fittings (electrofusion fittings and butt fusion fittings), and

— transition fittings.

#### 2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 291, Plastics — Standard atmospheres for conditioning and testing

ISO 307, Plastics — Polyamides — Determination of viscosity number

ISO 1133-2, Plastics — Determination of the melt mass-flow rate (MFR) and melt volume-flow rate (MVR) of thermoplastics — Part 2: Method for materials sensitive to time, temperature history and/or moisture

ISO 1167-1, Thermoplastics pipes, fittings and assemblies for the conveyance of fluids — Determination of the resistance to internal pressure — Part 1: General method

ISO 1167-4, Thermoplastics pipes, fittings and assemblies for the conveyance of fluids — Determination of the resistance to internal pressure — Part 4: Preparation of assemblies

ISO 3126, Plastics piping systems — Plastics components — Determination of dimensions

ISO 4433-1, Thermoplastics pipes — Resistance to liquid chemicals — Classification — Part 1: Immersion test method

ISO 11922-1, Thermoplastics pipes for the conveyance of fluids — Dimensions and tolerances — Part 1: Metric series



This is a free preview. Purchase the entire publication at the link below:

**Product Page** 

S Looking for additional Standards? Visit Intertek Inform Infostore

> Learn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation