



NSAI
Standards

Irish Standard
I.S. EN 2133:2020

Aerospace series - Cadmium plating of steels with specified tensile strength ≤ 1450 MPa, copper, copper alloys and nickel alloys

I.S. EN 2133:2020

Incorporating amendments/corrigenda/National Annexes issued since publication:

The National Standards Authority of Ireland (NSAI) produces the following categories of formal documents:

I.S. xxx: Irish Standard — national specification based on the consensus of an expert panel and subject to public consultation.

S.R. xxx: Standard Recommendation — recommendation based on the consensus of an expert panel and subject to public consultation.

SWiFT xxx: A rapidly developed recommendatory document based on the consensus of the participants of an NSAI workshop.

This document replaces/revises/consolidates the NSAI adoption of the document(s) indicated on the CEN/CENELEC cover/Foreword and the following National document(s):

NOTE: The date of any NSAI previous adoption may not match the date of its original CEN/CENELEC document.

This document is based on:

EN 2133:2020

Published:

2020-12-02

*This document was published
under the authority of the NSAI
and comes into effect on:*

2020-12-21

ICS number:

49.040

NOTE: If blank see CEN/CENELEC cover page

NSAI
1 Swift Square,
Northwood, Santry
Dublin 9

T +353 1 807 3800
F +353 1 807 3838
E standards@nsai.ie
W NSAI.ie

Sales:
T +353 1 857 6730
F +353 1 857 6729
W standards.ie

Údarás um Chaighdeáin Náisiúnta na hÉireann

National Foreword

I.S. EN 2133:2020 is the adopted Irish version of the European Document EN 2133:2020, Aerospace series - Cadmium plating of steels with specified tensile strength $\leq 1\,450$ MPa, copper, copper alloys and nickel alloys

This document does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

For relationships with other publications refer to the NSAI web store.

Compliance with this document does not of itself confer immunity from legal obligations.

In line with international standards practice the decimal point is shown as a comma (,) throughout this document.

This page is intentionally left blank

EUROPEAN STANDARD

EN 2133

NORME EUROPÉENNE

EUROPÄISCHE NORM

December 2020

ICS 49.040

Supersedes EN 2133:2010

English Version

**Aerospace series - Cadmium plating of steels with
specified tensile strength $\leq 1\,450$ MPa, copper, copper
alloys and nickel alloys**

Série aérospatiale - Cadmiage électrolytique des aciers
de résistance $\leq 1\,450$ MPa, du cuivre, des alliages de
cuivre et des alliages de nickel

Luft- und Raumfahrt - Kadmieren von Stählen mit einer
Zugfestigkeit $\leq 1\,450$ MPa, von Kupfer, von
Kupferlegierung und von Nickellegierungen

This European Standard was approved by CEN on 4 October 2020.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

EN 2133:2020 (E)

Contents	Page
European foreword	3
1 Scope.....	6
2 Normative references.....	6
3 Terms and definitions	7
4 Purpose of process	7
5 Limitations of process use	7
6 Coating thickness	7
7 Symbols	7
8 Information for the processor.....	8
9 Condition of parts prior to the treatment.....	8
10 Process schedule	8
11 Post treatment	9
12 Removal of the plating	10
13 Required characteristics	10
14 Test methods	11
15 Periodic tests	13
16 Quality assurance	13
17 Designation	15
Annex A (normative) Process flow	16
Annex B (informative) Standard evolution form.....	17

European foreword

This document (EN 2133:2020) has been prepared by the Aerospace and Defence Industries Association of Europe — Standardization (ASD-STAN).

After enquiries and votes carried out in accordance with the rules of this Association, this document has received the approval of the National Associations and the Official Services of the member countries of ASD, prior to its presentation to CEN.

This document shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by *month year of DOP*, and conflicting national standards shall be withdrawn at the latest by *month year of DOW*.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

The main changes with respect to the previous edition are listed in the following table.

prEN/EN number	Edition	Publication date	Modifications
prEN 2133	1	02/2010	-
	2	09/2020	<p><u>1 – Scope:</u> This document specifies the electrolytic cadmium plating of parts and fasteners (addition of "and fasteners").</p> <p><u>2 – Normative references:</u> EN 9100 is not a normative reference anymore. EN 9100 has been added in bibliography. The reason is that according to CEN/CENELEC Internal regulations Part 3 (February 2017) (see 33 – Aspects of conformity assessment) "no document containing requirements for products, processes, services, persons, systems and bodies shall make conformity dependent on a quality management systems standard, i.e. it shall not, for example, make normative reference to ISO 9001".</p> <p><u>3.1 – batch:</u> Addition of "Note 1 to entry: For mechanical parts, hydrogen embrittlement relieved at the same time".</p> <p><u>4 – Purpose of process:</u> Introduction of three types: - Type 1: as plated, - Type 2: with hexavalent chromium based post-treatment,</p>

EN 2133:2020 (E)

			<p>- Type 3: without hexavalent chromium.</p> <p><u>8 – Information for the processor:</u> "Requirements for finishing operations other than chromating, e.g. phosphating" has been replaced by "Requirements for finishing operations other than Type 2 or Type 3 post-treatment, e.g. phosphating".</p> <p><u>Table 1 – Stress relief heat treatment of steel parts:</u> Removal of the tolerance of $\pm 10\text{ }^{\circ}\text{C}$. Addition of the note b. For $1\ 100\ \text{MPa} < \text{UTS} \leq 1\ 450\ \text{MPa}$: the duration is 4 h min. (instead of 1 h min.) and stress relief heat treatment is now from $175\text{ }^{\circ}\text{C}$ to $215\text{ }^{\circ}\text{C}$ (instead of $190\text{ }^{\circ}\text{C}$ to $230\text{ }^{\circ}\text{C}$). For carburized parts, stress relief heat treatment is now from $130\text{ }^{\circ}\text{C}$ to $160\text{ }^{\circ}\text{C}$ (instead of $130\text{ }^{\circ}\text{C}$ to $150\text{ }^{\circ}\text{C}$).</p> <p><u>10 – Process schedule:</u> Addition of a process flow chart (see Annex A).</p> <p><u>10.2 – Masking:</u> Editorial change: masking (instead of covering).</p> <p><u>10.4 – Nickel strike:</u> Nickel strike is mandatory on corrosion resisting steels and is necessary on other type of steels.</p> <p><u>10.5 – Cadmium plating:</u> If brighteners are used, absence of hydrogen embrittlement shall be verified in accordance with ASTM F519.</p> <p><u>11.1 – Hydrogen-embrittlement-relief heat treatment:</u> Editorial change: hydrogen-embrittlement-relief (instead of de-embrittlement).</p> <p><u>Table 2 – Hydrogen-embrittlement-relief of steel parts:</u> Removal of the tolerance of $\pm 10\text{ }^{\circ}\text{C}$. Addition of the note b. For $1\ 100\ \text{MPa} < \text{UTS} \leq 1\ 450\ \text{MPa}$: the hydrogen-embrittlement-relief heat treatment is now from $175\text{ }^{\circ}\text{C}$ to $215\text{ }^{\circ}\text{C}$ (instead of $190\text{ }^{\circ}\text{C}$ to $230\text{ }^{\circ}\text{C}$). For carburized or nitrited parts, the hydrogen-embrittlement-relief heat treatment is now from $130\text{ }^{\circ}\text{C}$ to $160\text{ }^{\circ}\text{C}$ (instead of $130\text{ }^{\circ}\text{C}$ to $150\text{ }^{\circ}\text{C}$).</p> <p><u>11.2 – Post-treatment:</u> The term "Post-treatment" is used instead of "chromating". Introduction of Types 1, 2 and 3 within this subclause.</p> <p><u>13.1 – Appearance:</u> New requirements depending on the type.</p> <p><u>13.4 – Hydrogen embrittlement of steels:</u> Requirements are now detailed for parts and for fasteners.</p>
--	--	--	--

			<p><u>13.5 – Corrosion resistance:</u> New requirements depending on the type.</p> <p><u>14.1.2 – Adhesion:</u> Addition of other test description. Requirements are now detailed for burnishing test and for grid test.</p> <p><u>14.1.4 – Hydrogen embrittlement:</u> Full revision of the requirements of this subclause.</p> <p><u>14.1.5 – Corrosion resistance:</u> Requirements are now detailed for parts and for fasteners.</p> <p><u>14.2.3 – Coating thickness:</u> Addition of requirements regarding the measurement of the thickness in the hard-to-reach areas.</p> <p><u>15 – Periodic tests:</u> Addition of this clause.</p> <p><u>Table 3 – Minimum periodic tests requirements:</u> Addition of this table.</p> <p><u>16.3 – Acceptance:</u> Unless otherwise specified, the appearance test shall be performed on the whole batch.</p> <p><u>16.5 – Periodic chemical analysis:</u> Addition of this subclause.</p> <p><u>17 – Designation:</u> Addition of the Type in the designation.</p> <p><u>Annex A (normative) – Process flow:</u> Addition of this annex.</p> <p>***</p> <p><u>Note from the writers of this revision of this document:</u> New requirements for sampling plan are currently under investigation and may be changed in the next revision.</p>
--	--	--	---

EN 2133:2020 (E)

1 Scope

This document specifies the electrolytic cadmium plating of parts and fasteners in steel of tensile strength $UTS \leq 1\,450$ MPa, copper, copper alloys and nickel alloys, whose temperature in service does not exceed 235 °C.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 2828, *Aerospace series — Adhesion test for metallic coatings by burnishing*

EN 2831, *Aerospace series — Hydrogen embrittlement of steels — Test by slow bending*

EN 2832, *Aerospace series — Hydrogen embrittlement of steels — Notched specimen test*

EN ISO 1463:2004, *Metallic and oxide coatings — Measurement of coating thickness — Microscopical method* (ISO 1463:2003)

EN ISO 2082:2017, *Metallic and other inorganic coatings — Electroplated coatings of cadmium with supplementary treatments on iron or steel* (ISO 2082:2017)

EN ISO 2177:2004, *Metallic coatings — Measurement of coating thickness — Coulometric method by anodic dissolution* (ISO 2177:2003)

EN ISO 2178:2016, *Non-magnetic coatings on magnetic substrates — Measurement of coating thickness — Magnetic method* (ISO 2178:2016)

EN ISO 2409:2013, *Paints and varnishes — Cross-cut test* (ISO 2409:2013)

EN ISO 2819: 2018, *Metallic coatings on metallic substrates — Electrodeposited and chemically deposited coatings — Review of methods available for testing adhesion* (ISO 2819:2017)

EN ISO 3497:2001, *Metallic coatings — Measurement of coating thickness — X-ray spectrometric methods* (ISO 3497:2000)

EN ISO 9227:2017, *Corrosion tests in artificial atmospheres — Salt spray tests* (ISO 9227:2017)

ISO 2859-1: 1999, *Sampling procedures for inspection by attributes — Part 1: Sampling schemes indexed by acceptance quality limit (AQL) for lot-by-lot inspection*

ISO 4520: 1981, *Chromate conversion coatings on electroplated zinc and cadmium coatings*

ASTM B117, *Standard Practice for Operating Salt Spray (Fog) Apparatus* ¹⁾

ASTM F519, *Standard test method for mechanical hydrogen embrittlement — Evaluation of plating/coating process and service environment* ¹⁾

NASM 1312-5, *Fastener Test Methods — Method 5 — Stress Durability* ²⁾

NASM 1312-14, *Fastener Test Methods — Method 14 — Stress Durability, Internally Threaded Fasteners* ²⁾

¹⁾ Published by: ASTM National (US) American Society for Testing and Materials, <http://www.astm.org/>.

²⁾ Published by: AIA National (US) Aerospace Industries Association of America, <http://www.aia-aerospace.org/>

This is a free preview. Purchase the entire publication at the link below:

[Product Page](#)

-
- Looking for additional Standards? Visit Intertek Inform Infostore
 - Learn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation
-