Irish Standard
I.S. EN 14112:2020

Fat and oil derivatives - Fatty Acid Methyl Esters (FAME) - Determination of oxidation stability (accelerated oxidation test)

I.S. EN 14112:2020

Incorporating amendments/corrigenda/National Annexes issued since publication:

The National Standards Authority of Ireland (NSAI) produces the following categories of formal documents:

I.S. xxx: Irish Standard — national specification based on the consensus of an expert panel and subject to public consultation.

S.R. xxx: Standard Recommendation — recommendation based on the consensus of an expert panel and subject to public consultation.

SWiFT xxx: A rapidly developed recommendatory document based on the consensus of the participants of an NSAI workshop.

This document replaces/revises/consolidates the NSAI adoption of the document(s) indicated on the CEN/CENELEC cover/Foreword and the following National document(s):

NOTE: The date of any NSAI previous adoption may not match the date of its original CEN/CENELEC document.

This document is based on:	*Published:*
EN 14112:2020	2020-11-25

This document was published under the authority of the NSAI and comes into effect on:	ICS number:
2020-12-23	67.200.10
	NOTE: If blank see CEN/CENELEC cover page

NSAI	T +353 1 807 3800	Sales:
1 Swift Square,	F +353 1 807 3838	T +353 1 857 6730
Northwood, Santry	E standards@nsai.ie	F +353 1 857 6729
Dublin 9	W NSAI.ie	W standards.ie

Údarás um Chaighdeáin Náisiúnta na hÉireann

National Foreword

I.S. EN 14112:2020 is the adopted Irish version of the European Document EN 14112:2020, Fat and oil derivatives - Fatty Acid Methyl Esters (FAME) - Determination of oxidation stability (accelerated oxidation test)

This document does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

For relationships with other publications refer to the NSAI web store.

Compliance with this document does not of itself confer immunity from legal obligations.

In line with international standards practice the decimal point is shown as a comma (,) throughout this document.

This page is intentionally left blank

EUROPEAN STANDARD

NORME EUROPÉENNE

EUROPÄISCHE NORM

EN 14112

November 2020

ICS 67.200.10

Supersedes EN 14112:2016

English Version

Fat and oil derivatives - Fatty Acid Methyl Esters (FAME) - Determination of oxidation stability (accelerated oxidation test)

Produits dérivés des corps gras - Esters méthyliques d'acides gras (EMAG) - Détermination de la stabilité à l'oxydation (Essai d'oxydation accélérée)

Erzeugnisse aus pflanzlichen und tierischen Fetten und Ölen - Fettsäure-Methylester (FAME) - Bestimmung der Oxidationsstabilität (beschleunigte Oxidationsprüfung)

This European Standard was approved by CEN on 25 October 2020.

EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

Contents

Page

European foreword ... 3

1 Scope ... 4

2 Normative references ... 4

3 Terms and definitions ... 4

4 Principle ... 5

5 Chemicals ... 5

6 Apparatus ... 5

7 Sampling ... 7

8 Preparation of measurement ... 8
8.1 Preparation of test sample ... 8
8.2 Preparation of apparatus ... 8
8.2.1 Cleaning procedure ... 8
8.2.2 Temperature correction ... 8

9 Measurement ... 9

10 Calculation and Evaluation ... 12
10.1 Automatic evaluation ... 12
10.2 Manual evaluation ... 14

11 Expression of results ... 15

12 Precision ... 15
12.1 General ... 15
12.2 Repeatability, *r* ... 15
12.3 Reproducibility, *R* ... 15

13 Test report ... 15

Annex A (informative) **Background of the method** ... 16

Annex B (informative) **Results of an Interlaboratory Study** ... 17

Bibliography ... 18

European foreword

This document (EN 14112:2020) has been prepared by Technical Committee CEN/TC 307 “Oilseeds, vegetable and animal fats and oils and their by-products - Methods of sampling and analysis”, the secretariat of which is held by AFNOR.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by May 2021, and conflicting national standards shall be withdrawn at the latest by May 2021.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN 14112:2016.

Significant changes between this document and EN 14112:2016 are:

— change of Figure 2, removal of dimension between air inlet and heating block;

— introduction removed;

— document revised editorially.

According to the CEN-CENELEC Internal Regulations, the national standards organisations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

1 Scope

This document specifies a method for the determination of the oxidation stability of fatty acid methyl esters (FAME) at 110 °C, by means of measuring the induction period up to 48 h.

For induction periods higher than 8,5 h the precision is not covered by the precision statement of this method.

NOTE 1 EN 15751 [1] describes a similar test method for oxidation stability determination of pure fatty acid methyl esters and of blends of FAME with petroleum-based diesel containing 2 % (*V*/*V*) of FAME at minimum.

NOTE 2 Limited studies on EN 15751 with EHN (2-ethyl hexyl nitrate) on FAME blends indicated that the stability is reduced to an extent which is within the reproducibility of the test method. It is likely that the oxidation stability of pure FAMEs is also reduced in the presence of EHN when EN 14112 is used for testing.

NOTE 3 For the purposes of this document, the term "% (*V*/*V*)" is used to represent the volume fraction.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN ISO 3170, *Petroleum liquids - Manual sampling (ISO 3170)*

EN ISO 3171, *Petroleum liquids - Automatic pipeline sampling (ISO 3171)*

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- IEC Electropedia: available at http://www.electropedia.org/
- ISO Online browsing platform: available at https://www.iso.org/obp

3.1
induction period
time which passes between the moment when the measurement is started and the moment when the formation of oxidation products begins to increase rapidly

3.2
oxidation stability
induction period determined according to the procedure specified in this document, expressed in hours