This is a free page sample. Access the full version online.

Irish Standard
I.S. EN IEC 61828:2021

Ultrasonics - Transducers - Definitions and measurement methods regarding focusing for the transmitted fields

© CENELEC 2021 No copying without NSAI permission except as permitted by copyright law.

This is a free page sample. Access the full version online.

I.S. EN IEC 61828:2021

Incorporating amendments/corrigenda/National Annexes issued since publication:

The National Standards Authority of Ireland (NSAI) produces the following categories of formal documents:

I.S. xxx: Irish Standard — national specification based on the consensus of an expert panel and subject to public consultation.

S.R. xxx: Standard Recommendation — recommendation based on the consensus of an expert panel and subject to public consultation.

SWiFT xxx: A rapidly developed recommendatory document based on the consensus of the participants of an NSAI workshop.

This document replaces/revises/consolidates the NSAI adoption of the document(s) indicated on the CEN/CENELEC cover/Foreword and the following National document(s):

NOTE: The date of any NSAI previous adoption may not match the date of its original CEN/CENELEC document.

This document is based on:	*Published:*
EN IEC 61828:2021	2021-02-05

This document was published under the authority of the NSAI and comes into effect on:	ICS number:
2021-02-22	17.140.50
	NOTE: If blank see CEN/CENELEC cover page

NSAI	T +353 1 807 3800	Sales:
1 Swift Square,	F +353 1 807 3838	T +353 1 857 6730
Northwood, Santry	E standards@nsai.ie	F +353 1 857 6729
Dublin 9	W NSAI.ie	W standards.ie

Údarás um Chaighdeáin Náisiúnta na hÉireann

This is a free page sample. Access the full version online.

National Foreword

I.S. EN IEC 61828:2021 is the adopted Irish version of the European Document EN IEC 61828:2021, Ultrasonics - Transducers - Definitions and measurement methods regarding focusing for the transmitted fields

This document does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

For relationships with other publications refer to the NSAI web store.

Compliance with this document does not of itself confer immunity from legal obligations.

In line with international standards practice the decimal point is shown as a comma (,) throughout this document.

This is a free page sample. Access the full version online.

This page is intentionally left blank

This is a free page sample. Access the full version online.

EUROPEAN STANDARD

NORME EUROPÉENNE

EUROPÄISCHE NORM

EN IEC 61828

February 2021

ICS 17.140.50

Supersedes EN 61828:2001 and all of its amendments and corrigenda (if any)

English Version

Ultrasonics - Transducers - Definitions and measurement methods regarding focusing for the transmitted fields (IEC 61828:2020)

Ultrasons - Transducteurs - Définitions et méthodes de mesure pour la focalisation des champs transmis (IEC 61828:2020)

Ultraschall - Fokussierende Wandler - Definitionen und Messverfahren mit Bezug auf die Fokussierung für die erzeugten Felder (IEC 61828:2020)

This European Standard was approved by CENELEC on 2021-01-19. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

© 2021 CENELEC All rights of exploitation in any form and by any means reserved worldwide for CENELEC Members.

This is a free page sample. Access the full version online.

European foreword

The text of document 87/746/FDIS, future edition 2 of IEC 61828, prepared by IEC/TC 87 "Ultrasonics" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN IEC 61828:2021.

The following dates are fixed:

- latest date by which the document has to be implemented at national level by publication of an identical national standard or by endorsement (dop) 2021-10-19
- latest date by which the national standards conflicting with the document have to be withdrawn (dow) 2024-01-19

This document supersedes EN 61828:2001 and all of its amendments and corrigenda (if any).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC shall not be held responsible for identifying any or all such patent rights.

Endorsement notice

The text of the International Standard IEC 61828:2020 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following notes have to be added for the standards indicated:

IEC 62127-1:2007	NOTE	Harmonized as EN 62127-1:2007 (not modified)
IEC 60601-2-62:2013	NOTE	Harmonized as EN 60601-2-62:2015 (not modified)
IEC/TS 61949:2007	NOTE	Harmonized as CLC/TS 61949:2008 (not modified)

This is a free page sample. Access the full version online.

Annex ZA
(normative)

Normative references to international publications with their corresponding European publications

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE 1 Where an International Publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

NOTE 2 Up-to-date information on the latest versions of the European Standards listed in this annex is available here: www.cenelec.eu.

Publication	Year	Title	EN/HD	Year
IEC 61161	-	Ultrasonics - Power measurement - Radiation force balances and performance requirements	EN 61161	-
IEC 61689	2013	Ultrasonics - Physiotherapy systems - Field specifications and methods of measurement in the frequency range 0,5 MHz to 5 MHz	EN 61689	2013
IEC 62127-3	2007	Ultrasonics - Hydrophones - Part 3: Properties of hydrophones for ultrasonic fields up to 40 MHz	EN 62127-3	2007
IEC 62555	-	Ultrasonics - Power measurement - High intensity therapeutic ultrasound (HITU) transducers and systems	EN 62555	-
IEC/TS 62556	2014	Ultrasonics - Field characterization - Specification and measurement of field parameters for high intensity therapeutic ultrasound (HITU) transducers and systems	-	-
ISO/IEC Guide 98-3	2008	Uncertainty of measurement - Part 3: Guide to the expression of uncertainty in measurement (GUM:1995)	-	-

This is a free page sample. Access the full version online.

This page is intentionally left blank

This is a free page sample. Access the full version online.

IEC 61828

Edition 2.0 2020-12

INTERNATIONAL STANDARD

NORME INTERNATIONALE

colour inside

Ultrasonics – Transducers – Definitions and measurement methods regarding focusing for the transmitted fields

Ultrasons – Transducteurs – Définitions et méthodes de mesure pour la focalisation des champs transmis

IEC 61828:2020-12(en-fr)

This is a free page sample. Access the full version online.

THIS PUBLICATION IS COPYRIGHT PROTECTED
Copyright © 2020 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de l'IEC ou du Comité national de l'IEC du pays du demandeur. Si vous avez des questions sur le copyright de l'IEC ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de l'IEC de votre pays de résidence.

IEC Central Office
3, rue de Varembé
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
info@iec.ch
www.iec.ch

About the IEC
The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications
The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

IEC publications search - webstore.iec.ch/advsearchform
The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,…). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished
Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

IEC Customer Service Centre - webstore.iec.ch/csc
If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

Electropedia - www.electropedia.org
The world's leading online dictionary on electrotechnology, containing more than 22 000 terminological entries in English and French, with equivalent terms in 16 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

IEC Glossary - std.iec.ch/glossary
67 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

A propos de l'IEC
La Commission Electrotechnique Internationale (IEC) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

A propos des publications IEC
Le contenu technique des publications IEC est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

Recherche de publications IEC - webstore.iec.ch/advsearchform
La recherche avancée permet de trouver des publications IEC en utilisant différents critères (numéro de référence, texte, comité d'études,…). Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

IEC Just Published - webstore.iec.ch/justpublished
Restez informé sur les nouvelles publications IEC. Just Published détaille les nouvelles publications parues. Disponible en ligne et une fois par mois par email.

Service Clients - webstore.iec.ch/csc
Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: sales@iec.ch.

Electropedia - www.electropedia.org
Le premier dictionnaire d'électrotechnologie en ligne au monde, avec plus de 22 000 articles terminologiques en anglais et en français, ainsi que les termes équivalents dans 16 langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (IEV) en ligne.

Glossaire IEC - std.iec.ch/glossary
67 000 entrées terminologiques électrotechniques, en anglais et en français, extraites des articles Termes et Définitions des publications IEC parues depuis 2002. Plus certaines entrées antérieures extraites des publications des CE 37, 77, 86 et CISPR de l'IEC.

This is a free page sample. Access the full version online.

IEC 61828

Edition 2.0 2020-12

INTERNATIONAL STANDARD

NORME INTERNATIONALE

colour inside

Ultrasonics – Transducers – Definitions and measurement methods regarding focsusing for the transmitted fields

Ultrasons – Transducteurs – Définitions et méthodes de mesure pour la focalisation des champs transmis

INTERNATIONAL ELECTROTECHNICAL COMMISSION

COMMISSION ELECTROTECHNIQUE INTERNATIONALE

ICS 17.140.50

ISBN 978-2-8322-9019-4

Warning! Make sure that you obtained this publication from an authorized distributor.
Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.

® Registered trademark of the International Electrotechnical Commission
Marque déposée de la Commission Electrotechnique Internationale

This is a free page sample. Access the full version online.

CONTENTS

FOREWORD 6
INTRODUCTION 8
1 Scope 9
2 Normative references 9
3 Terms and definitions 10
4 Symbols 41
5 Independent measurement of total acoustic output power 44
6 Acoustic field measurement: equipment 44
6.1 Hydrophone 44
6.1.1 General 44
6.1.2 Sensitivity of a hydrophone 44
6.1.3 Directional response of a hydrophone 45
6.1.4 Effective hydrophone radius 45
6.1.5 Choice of the size of a hydrophone active element 45
6.1.6 Hydrophone pressure limits 46
6.1.7 Hydrophone intensity limits 46
6.1.8 Hydrophone cable length and amplifiers 47
6.2 Requirements for positioning and water baths 47
6.2.1 General 47
6.2.2 Positioning systems 47
6.2.3 Water bath 48
6.3 Requirements for data acquisition and analysis systems 49
6.4 Requirements and recommendations for ultrasonic equipment being characterized 50
7 Measurement procedure 50
7.1 General 50
7.2 Preparation and alignment 50
7.2.1 General drive and field conditions 50
7.2.2 Initial adjustment to driving voltage 51
7.2.3 Preparation of source transducer 52
7.2.4 Aligning an ultrasonic transducer and hydrophone 52
7.2.5 Finding the beam axis 53
7.2.6 Measurements to determine field level conditions 55
7.2.7 Determining if transducer is focusing 56
7.2.8 Measuring other beamwidth parameters of a focusing transducer 57
7.2.9 Measuring the beam area parameters 58
7.2.10 Measuring additional beam maximum based parameters 59
7.2.11 Alternative: calculation of focal parameters using numerical projection 60
7.2.12 Plane wave transmitted fields 61
7.2.13 Steered plane waves 61
7.2.14 Measurements of high intensity therapeutic ultrasound fields 61
7.2.15 Calculation of I_{sa} 62
7.2.16 Further evaluation for sidelobes and pre-focal maxima 63
7.3 Considerations for scanning transducers and transducers with multiple sources 65
7.3.1 Automatic scanning transducers 65

This is a free page sample. Access the full version online.

7.4 Spatial impulse response and beamplots 65
7.4.1 General 65
7.4.2 Point target 66
7.4.3 Beamplots and beam contour plots 66
7.5 Plane wave compounding 66
Annex A (informative) Background for the transmission/ Characteristics of focusing transducers 67
A.1 General 67
A.2 Field of piston source 68
A.3 Focusing with a lens 68
A.4 Focusing with a concave transducer 71
A.5 Geometric focusing gains 73
A.6 Beamwidth estimation 74
Annex B (informative) Rationale for focusing and nonfocusing definitions 79
B.1 Overview 79
B.1.1 Background information 79
B.1.2 General 79
B.1.3 Focusing transducers 79
B.1.4 Focusing methods 80
B.1.5 Known and unknown focusing transducers 81
B.1.6 Focusing and beamwidth 81
B.1.7 Focusing parameter definitions 82
B.1.8 Applications of focusing definitions 82
B.1.9 Relation of present definitions to physiotherapy transducers (treatment heads) 82
B.1.10 Relation of present definitions to therapeutic transducers 82
B.2 System and measurement requirements 83
B.2.1 General 83
B.2.2 Transmitted pressure waveforms 83
B.2.3 Transmitted fields 83
B.2.4 The scan plane and the steering of beams 83
B.2.5 Pulse echo field measurements 84
Annex C (informative) Methods for determining the beam axis for well-behaved beams 94
C.1 Comparisons of beam axis search methods 94
C.2 Beamwidth midpoint method 95
Annex D (informative) Methods for determining the beam axis for beams that are not well behaved 97
Annex E (informative) Uncertainties 99
E.1 General 99
E.2 Overall (expanded) uncertainty 99
E.3 Common sources of uncertainty 99
Annex F (informative) Transducer and hydrophone positioning systems 101
Annex G (informative) Planar scanning of a hydrophone to determine acoustic output power 102
G.1 Overview 102
G.2 General principle 102
G.3 Hydrophone scanning methodology 103
G.3.1 General methodology 103
G.3.2 Particular considerations for implementation for HITU fields 104

This is a free page sample. Access the full version online.

G.4 Corrections and sources of measurement uncertainty 104
G.4.1 Uncertainty in the hydrophone calibration 104
G.4.2 Planar scanning 104
G.4.3 Attenuation factor of water: unfocusing transducers 104
G.4.4 Attenuation factor of water: focusing transducers 105
G.4.5 Received hydrophone signal 105
G.4.6 Integration 105
G.4.7 Finite size of the hydrophone 106
G.4.8 Partial extent of integration 106
G.4.9 Non-linear propagation 106
G.4.10 Directional response 106
G.4.11 Noise 107
G.4.12 Intensity approximated by derived intensity 107
Annex H (informative) Properties of water 108
H.1 General 108
H.2 Attenuation coefficient for propagation in water 109
Bibliography 110

Figure A.1 – Beam contour plot: contours at −6 dB, −12 dB, and −20 dB for a 5 MHz transducer with a radius of curvature of D = 50 mm centred at location 0,0 (bottom centre of graph) 76
Figure A.2 – Types of geometric focusing 76
Figure A.3 – Transducer options 77
Figure A.4 – Parameters for describing a focusing transducer of known geometry 78
Figure A.5 – Path difference parameters for describing a focusing transducer of known geometry 78
Figure B.1 – Electronic focusing along z by transmit beamforming in the scan plane xz 84
Figure B.2 – Field parameters for a nonfocusing transducer of known geometry. For example, for a circularly symmetric geometry, transducers have a diameter 2a and a beam axis along z 85
Figure B.3 – Phased array geometry and construction for electronic focusing in the azimuth plane and mechanical lens focusing in the elevation plane 85
Figure B.4 – Field parameters for a focusing transducer of known geometry 86
Figure B.5 – Definitions for pressure-based field measurements for an unknown transducer geometry 86
Figure B.6 – Beamwidth focus for transducers of known and unknown geometry 87
Figure B.7 – Beam maximum parameters 88
Figure B.8 – Pressure focus for a transducer of known geometry (design case) 88
Figure B.9 – Pressure focus for a transducer of unknown geometry (measurement case) 89
Figure B.10 – Beam area parameters 89
Figure B.11 – Beam axis parameters: pulse-pressure-squared-integral level relative to the beam maximum in decibels (dB) plotted against axial distance 90
Figure B.12 – Beamplot parameters 91
Figure B.13 – Schematic diagram of the different planes and lines in an ultrasonic field for a rectangular transducer 92
Figure B.14 – Schematic diagram of the different planes and lines in an ultrasonic field for a circular transducer 93

This is a free page sample. Access the full version online.

Figure C.1 – x-axis scan at 9 cm depth for the first focal zone with beam centre 95

Figure C.2 – x-axis scan at 4,4 cm depth for the second focal zone 95

Figure D.1 – Asymmetric beam showing relative acoustic pressure versus sample number for the beamwidth midpoint method 98

Figure F.1 – Schematic diagram of the ultrasonic transducer and hydrophone degrees of freedom 101

Table C.1 – Standard deviations for x and y scans using three methods of determining the centre of the beam 94

Table C.2 – Decibel beamwidth levels for determining midpoints 96

Table H.1 – Speed of sound, c, and characteristic acoustic impedance, ρc, as a function of temperature, for propagation in water 108

This is a free page sample. Access the full version online.

INTERNATIONAL ELECTROTECHNICAL COMMISSION

_____

ULTRASONICS –TRANSDUCERS – DEFINITIONS AND MEASUREMENT METHODS REGARDING FOCUSING FOR THE TRANSMITTED FIELDS

FOREWORD

1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
6) All users should ensure that they have the latest edition of this publication.
7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 61828 has been prepared by IEC technical committee 87: Ultrasonics.

This second edition cancels and replaces the first edition published in 2001. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

a) Clause 6 on Measurement procedures has been replaced by Clause 6: "Acoustic field measurement: equipment" and Clause 7: "Measurement procedure" and related definitions.
b) Reorganization of definitions and measurement section to accommodate specific sets of measurements for focusing, nonlinearity, beam axis alignment, beam area, beam maximum, numerical projection, plane wave, high intensity therapeutic ultrasound, multiple sources, spatial impulse response and compound plane waves. Clause 3 has been moved to Annex B.
c) The normative references have been updated and the Bibliography has been expanded from 8 to 40 references.

This is a free page sample. Access the full version online.

d) Twelve figures have been updated and seven new figures (B.1, B.3, B.7, B.10, B.11, B.12, B.13, B.14) have been added to facilitate measurements and be consistent with measurement terminology.

e) New measurements have been added for time delays, arrays, plane waves and spatial impulse response.

f) Annex A has been expanded to provide general guidance on pulsed waves, system responses, focusing gains and minimum beamwidth estimation.

g) New annexes have been added:

- Annex B (informative) Rationale for focusing and nonfocusing definitions
- Annex E (informative) Uncertainties;
- Annex F (informative) Transducer and hydrophone positioning systems;
- Annex G (informative) Planar scanning of a hydrophone to determine acoustic output power;
- Annex H (informative) Properties of water;

In addition, Annex A was reorganized and new Clauses A.1, A.5 and A.6 were added.

h) Guidelines for remaining within the manufacturer's pressure and intensity hydrophone limits and the determination of the extent of nonlinearity in the field have been added.

The text of this International Standard is based on the following documents:

FDIS	Report on voting
87/746/FDIS	87/749/RVD

Full information on the voting for the approval of this International Standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

NOTE 1 The following print types are used:

– Requirements: in roman type.

– Notes: small roman type.

– Words in **bold** in the text are defined in Clause 3.

NOTE 2 There are some inconsistencies in font type for symbols and formulae between some of the normative references and this document. They will be resolved in a future revision of the normative references.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC web site under "http://webstore.iec.ch" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

This is a free page sample. Access the full version online.

INTRODUCTION

Focusing transducers are essential in medical applications for obtaining high-resolution images, Doppler and flow data and for concentrating ultrasonic energy at desired sites for therapy. This document provides specific definitions appropriate for describing the focused field from a theoretical viewpoint for transducers with known characteristics intended by design. Other specific definitions included in this document, based on measurement methods, provide a means of determining **focusing** properties, if any, of a transducer of unknown field characteristics. The measurement method and definitions provide criteria for determining if the transducer is focusing, as well as a means of describing the **focusing** properties of the field. **Beam axis** alignment methods and field characterization measurements are given for both **focusing** and **nonfocusing** transducers.

This is a free page sample. Access the full version online.

ULTRASONICS –TRANSDUCERS – DEFINITIONS AND MEASUREMENT METHODS REGARDING FOCUSING FOR THE TRANSMITTED FIELDS

1 Scope

This document

– provides definitions for the transmitted field characteristics of focusing and nonfocusing transducers for applications in medical ultrasound;
– relates these definitions to theoretical descriptions, design, and measurement of the transmitted fields of focusing transducers;
– gives measurement methods for obtaining defined field characteristics of focusing and nonfocusing transducers;
– specifies beam axis alignment methods appropriate for focusing and nonfocusing transducers.

This document relates to focusing ultrasonic transducers operating in the frequency range appropriate to medical ultrasound (0,5 MHz to 40 MHz) for both therapeutic and diagnostic applications. It shows how the characteristics of the transmitted field of transducers can be described from the point of view of design, as well as measured by someone with no prior knowledge of the construction details of a particular device. The transmitted ultrasound field for a specified excitation is measured by a hydrophone in either a standard test medium (for example, water) or in a given medium. This document applies only to media where the field behaviour is essentially like that in a fluid (i.e. where the influence of shear waves and elastic anisotropy is small), including soft tissues and tissue-mimicking gels. Any aspects of the field that affect their theoretical description or are important in design are also included. These definitions would have use in scientific communications, system design and description of the performance and safety of systems using these devices.

This document incorporates definitions from other related standards where possible, and supplies more specific terminology, both for defining focusing characteristics and for providing a basis for measurement of these characteristics.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 61689:2013, *Ultrasonics – Physiotherapy systems – Field specifications and methods of measurement in the frequency range 0,5 MHz to 5MHz*

IEC 62127-3:2007, *Ultrasonics – Hydrophones – Part 3: Properties of hydrophones for ultrasonic fields up to 40 MHz*
IEC 62127-3:2007/AMD1:2013

IEC TS 62556:2014, *Ultrasonics – Field characterization – Specification and measurement of field parameters for high intensity therapeutic ultrasound (HITU) transducers and systems*

IEC 61161, *Ultrasonics – Power measurement – Radiation force balances and performance requirements*

SAI GLOBAL

This is a free preview. Purchase the entire publication at the link below:

Product Page

Looking for additional Standards? Visit Intertek Inform Infostore

Learn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation