

Irish Standard I.S. EN 17425:2021

Foodstuffs - Determination of ergot alkaloids in cereals and cereal products by dSPE clean-up and HPLC-MS/MS

 $\ensuremath{\mathbb C}$ CEN 2021 $\hfill No copying without NSAI permission except as permitted by copyright law.$

I.S. EN 17425:2021

Incorporating amendments/corrigenda/National Annexes issued since publication:

The National Standards Authority of Ireland (NSAI) produces the following categories of formal documents:

I.S. xxx: Irish Standard – national specification based on the consensus of an expert panel and subject to public consultation.

S.R. xxx: Standard Recommendation — recommendation based on the consensus of an expert panel and subject to public consultation.

SWIFT xxx: A rapidly developed recommendatory document based on the consensus of the participants of an NSAI workshop.

This document replaces/revises/consolidates the NSAI adoption of the document(s) indicated on the CEN/CENELEC cover/Foreword and the following National document(s):

NOTE: The date of any NSAI previous adoption may not match the date of its original CEN/CENELEC document.

This document is based on: EN 17425:2021 *Published:* 2021-04-14

This document was published		ICS number:
and comes into effect on:		67.050
		67.060
2021-05-06		
		NOTE: If blank see CEN/CENELEC cover page
NSAI	T +353 1	. 807 3800 Sales:
1 Swift Square,	F +353 1	807 3838 T +353 1 857 6730
Northwood, Santry	E standa	ırds@nsai.ie F +353 1 857 6729
Dublin 9	W NSAI.i	e W standards.ie
Úda	rás um Cha	ighdeáin Náisiúnta na hÉireann

National Foreword

I.S. EN 17425:2021 is the adopted Irish version of the European Document EN 17425:2021, Foodstuffs -Determination of ergot alkaloids in cereals and cereal products by dSPE clean-up and HPLC-MS/MS

This document does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

For relationships with other publications refer to the NSAI web store.

Compliance with this document does not of itself confer immunity from legal obligations.

In line with international standards practice the decimal point is shown as a comma (,) throughout this document.

This is a free page sample. Access the full version online.

This page is intentionally left blank

This is a free page sample. Access the full version online. I.S. EN 17425:2021

EUROPEAN STANDARD NORME EUROPÉENNE EUROPÄISCHE NORM

EN 17425

April 2021

ICS 67.050; 67.060

English Version

Foodstuffs - Determination of ergot alkaloids in cereals and cereal products by dSPE clean-up and HPLC-MS/MS

Produits alimentaires - Dosage des alcaloïdes de l'ergot dans les céréales et les produits céréaliers par purification par dSPE et CL-SM/SM Lebensmittel - Bestimmung von Ergotalkaloiden in Getreiden und Getreideerzeugnissen mit dSPE-Reinigung und LC-MS/MS

This European Standard was approved by CEN on 21 September 2020.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION COMITÉ EUROPÉEN DE NORMALISATION EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

Contents

Europ	ean foreword	4
Introd	uction	5
1	Scope	6
2	Normative references	6
3	Terms and definitions	6
4	Principle	6
5	- Reagents	6
6	Apparatus and equipment	8
7 7.1 7.2 7.2.1 7.2.2 7.2.3 7.2.4	Procedure Preparation of the test sample Extraction of ergot alkaloids Precautions Test sample Spiking procedure Sample extraction	9 9 10 10 10 10 10
7.2.5	Clean-up	.10
8 8.1 8.2 8.3 8.4	LC-MS/MS analysis General Batch composition and analytical sequence Identification Calibration	10 10 11 11 11
9 9.1 9.2	Calculation Calculation of individual ergot alkaloid concentration Calculation of ergot alkaloid sum concentration	11 11 12
10 10.1 10.2 10.3	Precision General Repeatability Reproducibility	12 12 12 12
11	Test report	13
Annex	A (informative) Example conditions for suitable LC-MS/MS systems	14
A.1	System settings for Waters® Xevo® TQ-S Mass Spectrometer	14
A.1.1	Settings for chromatography	14
A.1.2	Detector parameters	15
A.2	System settings for Micromass® Quattro Ultima Pt Mass Spectrometer	17
A.2.1	Settings for chromatography	17
A.2.2	Detector parameters	18
A.3	System settings for SCIEX API 5500 Mass Spectrometer	19
A.3.1	Settings for chromatography	19

A.3.2	Detector parameters	20
A.4	Other LC conditions	22
Annex	B (informative) Typical chromatograms	23
Annex	C (informative) Precision data	29
Annex	D (informative) Data comparison	43
Biblio	graphy	44

European foreword

This document (EN 17425:2021) has been prepared by Technical Committee CEN/TC 275 "Food analysis - Horizontal methods", the secretariat of which is held by DIN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by October 2021, and conflicting national standards shall be withdrawn at the latest by October 2021.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document has been prepared under a mandate given to CEN by the European Commission and the European Free Trade Association.

According to the CEN-CENELEC Internal Regulations, the national standards organisations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

Introduction

Ergot alkaloids are a group of mycotoxins produced by several species of *Claviceps* fungi growing on cereals and forage grass. These toxins are a risk for consumers as they can enter the food chain. All ergot alkaloids share a common structure, the ergoline system, and are divided into several classes, based on the presence of functional groups. The chiral carbon atom C-8 is responsible for the epimerization.

The isomers of each of these compounds are nominally known as 'ines' and the 'inines'. And besides, ergocryptine and ergocryptinine can both occur as α - and β -forms.

WARNING 1 — Suitable precaution and protection measures need to be taken when carrying out working steps with harmful chemicals. The latest version of the hazardous substances ordinance, Regulation (EC) No 1907/2006 [3], should be taken into account as well as appropriate national statements.

WARNING 2 — The use of this document can involve hazardous materials, operations and equipment. This document does not purport to address all the safety problems associated with its use. It is the responsibility of the user of this document to establish appropriate safety and health practices and determine the applicability of regulatory limitations prior to use.

WARNING 3 — Ergot alkaloids can cause vasoconstrictive, neurotoxic, reproductive and developmental adverse effects, and can be acutely and chronically toxic [4].

1 Scope

This document describes a method for the determination of the sum of six ergot alkaloids (ergocornine, ergometrine, ergotamine, ergosine and ergocryptine) and their -inine epimer pairs by liquid chromatography coupled with tandem mass spectrometry (LC-MS/MS) after clean-up by dispersive solid phase extraction (dSPE).

The method has been validated in the range $13,2 \,\mu g/kg$ to $168 \,\mu g/kg$ for the sum of the twelve ergot alkaloids, in rye flour, rye bread and cereal products (breakfast cereal, infant breakfast cereal, and crispbread) that contained rye as an ingredient, as well as seeded wholemeal flour and a barley and rye flour mixture.

Method performance was satisfactory in the range $24,1\,\mu g/kg$ to $168\,\mu g/kg$, however at lower concentrations RSD_R values were greater than $44\,\%$, and HorRat values exceeded 2,0, indicating the method may not be fully suitable at concentrations below $24\,\mu g/kg$ for sum of ergot alkaloids, although it is suitable for screening at these concentrations.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN ISO 3696, Water for analytical laboratory use - Specification and test methods (ISO 3696)

3 Terms and definitions

No terms and definitions are listed in this document.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- IEC Electropedia: available at <u>http://www.electropedia.org/</u>
- ISO Online browsing platform: available at <u>https://www.iso.org/obp</u>

4 Principle

Ergot alkaloids are extracted from cereals and cereal-based foods with a buffer at pH 8,9 and cleaned up with a dispersive solid phase material prior to filtering. Ergot alkaloids are detected and quantified by liquid chromatography coupled to tandem mass spectrometry (LC-MS/MS).

5 Reagents

Use only reagents of recognized analytical grade and water complying with grade 1 of EN ISO 3696, unless otherwise specified. Solvents shall be of quality for LC analysis, unless otherwise specified.

NOTE Ergometrine and ergotamine are listed as Category 1 scheduled substances in Regulation (EC) No 273/2004 [5] on drug precursors. It is a requirement to have an appropriate licence in order to purchase and store these compounds (and their related -inine epimers).

5.1 Ergocornine, e.g. crystalline, as a film or as certified standard solution.

- **5.2 Ergocorninine**, e.g. crystalline, as a film or as certified standard solution.
- **5.3 Ergocristine**, e.g. crystalline, as a film or as certified standard solution.



This is a free preview. Purchase the entire publication at the link below:

Product Page

S Looking for additional Standards? Visit Intertek Inform Infostore

> Learn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation