This is a free page sample. Access the full version online.

AS 4060—1992 Reconfirmed 2018

Australian Standard®

Loads on buried vitrified clay pipes

This Australian Standard was prepared by Committee WS/15, Vitrified Clay Pipes. It was approved on behalf of the Council of Standards Australia on 22 July 1992 and published on 16 November 1992.

The following interests are represented on Committee WS/15:

Association of Hydraulic Services Consultants, Australia

Australian Clay Pipe Manufacturers Association

Department of Conservation and Environment, Victoria

Engineering and Water Supply Department, South Australia

Federated Master Plumbers of Australia

Melbourne Water

Public Works Department, New South Wales

Water Authority of Western Australia

Water Board, Sydney-Illawarra-Blue Mountains

Review of Australian Standards. To keep abreast of progress in industry, Australian Standards are subject to periodic review and are kept up to date by the issue of amendments or new editions as necessary. It is important therefore that Standards users ensure that they are in possession of the latest edition, and any amendments thereto.

Full details of all Australian Standards and related publications will be found in the Standards Australia Catalogue of Publications; this information is supplemented each month by the magazine 'The Australian Standard', which subscribing members receive, and which gives details of new publications, new editions and amendments, and of withdrawn Standards.

Suggestions for improvements to Australian Standards, addressed to the head office of Standards Australia, are welcomed. Notification of any inaccuracy or ambiguity found in an Australian Standard should be made without delay in order that the matter may be investigated and appropriate action taken.

AS 4060-1992(Reconfirmed)2018-09-21

STANDARDS AUSTRALIA

RECONFIRMATION

OF AS 4060–1992 Loads on buried vitrified clay pipes

RECONFIRMATION NOTICE

Major stakeholders of this publication have reviewed the content of this publication and in accordance with Standards Australia procedures for reconfirmation, it has been determined that the publication is still valid and does not require change.

Certain documents referenced in the publication may have been amended since the original date of publication. Users are advised to ensure that they are using the latest versions of such documents as appropriate, unless advised otherwise in this Reconfirmation Notice.

Approved for reconfirmation in accordance with Standards Australia procedures for reconfirmation on 29 August 2018.

This is a free page sample. Access the full version online.

NOTES

AS 4060—1992

Australian Standard®

Loads on buried vitrified clay pipes

First published as AS CA56—1968. AS CA56 withdrawn—1991. AS CA56 revised and redesignated AS 4060—1992.

Incorporating: Amdt 1—1993



The ic a nee previous i arenace are chare pasheaten at the limit selection	This is a free preview.	Purchase the	entire publication	at the link below:
--	-------------------------	--------------	--------------------	--------------------

Product Page

- Dooking for additional Standards? Visit Intertek Inform Infostore
- Dearn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation