AS 4086.2—1997

## Australian Standard®

# Secondary batteries for use with stand-alone power systems

Part 2: Installation and maintenance

This Australian Standard was prepared by Committee EL/5, Secondary Batteries. It was approved on behalf of the Council of Standards Australia on 21 April 1997 and published on 5 October 1997.

The following interests are represented on Committee EL/5:

Australian Automobile Association

Australian Automotive Aftermarket Association

Australian Chamber of Commerce and Industry

Australian Electrical and Electronic Manufacturers Association

Australian Lead Development Association

Electrical Development Association of New Zealand

Electricity Supply Association of Australia

Federal Chamber of Automotive Industries

Telstra Corporation

Additional interests participating in preparation of Standard:

Solar Energy Industries Association of Australia

Review of Australian Standards. To keep abreast of progress in industry, Australian Standards are subject to periodic review and are kept up to date by the issue of amendments or new editions as necessary. It is important therefore that Standards users ensure that they are in possession of the latest edition, and any amendments thereto.

Full details of all Australian Standards and related publications will be found in the Standards Australia Catalogue of Publications; this information is supplemented each month by the magazine 'The Australian Standard', which subscribing members receive, and which gives details of new publications, new editions and amendments, and of withdrawn Standards.

Suggestions for improvements to Australian Standards, addressed to the head office of Standards Australia, are welcomed. Notification of any inaccuracy or ambiguity found in an Australian Standard should be made without delay in order that the matter may be investigated and appropriate action taken.

AS 4086.2—1997

### Australian Standard®

## Secondary batteries for use with stand-alone power systems

Part 2: Installation and maintenance

First published as AS 4086.2—1997.

AS 4086.2 — 1997

2

#### **PREFACE**

This Standard was prepared by the Joint Standards Australia/Standards New Zealand Committee EL/5, Secondary Batteries. This Standard is the result of a consensus among Australian and New Zealand representatives on the Joint Committee to produce it as an Australian Standard.

It is the second part of a two-part Standard on stand-alone batteries. The two parts are as follows:

- (a) AS 4086.1, Secondary batteries for use with stand-alone power systems, Part 1: General requirements.
- (b) This Standard.

This Standard was prepared in response to requests from battery manufacturers and installers for a standard which specifically covers the installation requirements of standalone batteries.

The terms 'normative' and 'informative' have been used in this Standard to define the application of the appendix to which they apply. A 'normative' appendix is an integral part of a Standard, whereas an 'informative' appendix is only for information and guidance.

#### © Copyright - STANDARDS AUSTRALIA

Users of Standards are reminded that copyright subsists in all Standards Australia publications and software. Except where the Copyright Act allows and except where provided for below no publications or software produced by Standards Australia may be reproduced, stored in a retrieval system in any form or transmitted by any means without prior permission in writing from Standards Australia. Permission may be conditional on an appropriate royalty payment. Requests for permission and information on commercial software royalties should be directed to the head office of Standards Australia.

Standards Australia will permit up to 10 percent of the technical content pages of a Standard to be copied for use exclusively in-house by purchasers of the Standard without payment of a royalty or advice to Standards Australia.

Standards Australia will also permit the inclusion of its copyright material in computer software programs for no royalty payment provided such programs are used exclusively in-house by the creators of the programs.

Care should be taken to ensure that material used is from the current edition of the Standard and that it is updated whenever the Standard is amended or revised. The number and date of the Standard should therefore be clearly identified.

The use of material in print form or in computer software programs to be used commercially, with or without payment, or in commercial contracts is subject to the payment of a royalty. This policy may be varied by Standards Australia at any time.

### CONTENTS

1.2       REFERENCED DOCUMENTS       5         1.3       DEFINITIONS       6         SECTION 2       BATTERY ACCOMMODATION AND ARRANGEMENT         2.1       GENERAL       9         2.2       CONNECTION BETWEEN BATTERY AND DIRECT CURRENT SWITCHBOARD       9         2.3       OVERCURRENT PROTECTION       9         2.4       THERMAL RUNAWAY       10         2.5       ALARMS       10         2.6       BATTERY ENCLOSURE       10         2.7       VENTILATION       11         2.8       SAFETY SIGNS       13         SECTION 3       INSPECTION AND MAINTENANCE       13         3.1       INSPECTION       14         3.2       MAINTENANCE       14         3.3       EARTH FAULT LOCATION       15         SECTION 4       INSTALLATION AND COMMISSIONING         4.1       UNPACKING       16         4.2       STORAGE       16         4.2       STORAGE       16         4.3       MOUNTING AND CONNECTION       16         4.2       STORAGE       16         4.3       MOUNTING AND CONNECTION       16         4.2       STORAGE       16 <t< th=""><th></th><th>F</th><th>Page</th></t<>		F	Page
1.2 REFERENCED DOCUMENTS   5     1.3 DEFINITIONS   6     SECTION 2 BATTERY ACCOMMODATION AND ARRANGEMENT     2.1 GENERAL   9     2.2 CONNECTION BETWEEN BATTERY AND DIRECT CURRENT     SWITCHBOARD   9     2.3 OVERCURRENT PROTECTION   9     2.4 THERMAL RUNAWAY   10     2.5 ALARMS   10     2.6 BATTERY ENCLOSURE   10     2.7 VENTILATION   11     2.8 SAFETY SIGNS   13     SECTION 3 INSPECTION AND MAINTENANCE   3.1 INSPECTION AND MAINTENANCE   14     3.2 MAINTENANCE   14     3.3 EARTH FAULT LOCATION   15     SECTION 4 INSTALLATION AND COMMISSIONING     4.1 UNPACKING   16     4.2 STORAGE   16     4.3 MOUNTING AND CONNECTION   16     4.4 COMMISSIONING   17     SECTION 5 SAFETY     5.1 GENERAL   18     5.2 HANDLING, MIXING AND STORING OF ELECTROLYTE   18     5.3 PROTECTIVE EQUIPMENT   18     5.4 ELECTROLYTE BURNS   18     5.5 WATER SUPPLY   19     5.6 PRECAUTIONS   19     5.7 FIREFIGHTING EQUIPMENT   20    APPENDICES   A DESIGN CONSIDERATIONS FOR BATTERY INSTALLATIONS   21    B SAFETY SIGNS   24    C INITIAL CHARGING AND COMMISSIONING OF VENTED    LEAD-ACID BATTERIES   26    D INITIAL CHARGING AND COMMISSIONING OF VENTED    LEAD-ACID BATTERIES   26    INITIAL CHARGING AND COMMISSIONING OF VENTED    LEAD-ACID BATTERIES   26    INITIAL CHARGING AND COMMISSIONING OF VENTED    LEAD-ACID BATTERIES   26    INITIAL CHARGING AND COMMISSIONING OF VENTED    LEAD-ACID BATTERIES   26    INITIAL CHARGING AND COMMISSIONING OF VENTED    LEAD-ACID BATTERIES   26    INITIAL CHARGING AND COMMISSIONING OF VENTED    LEAD-ACID BATTERIES   26    INITIAL CHARGING AND COMMISSIONING OF VENTED    LEAD-ACID BATTERIES   26    INITIAL CHARGING AND COMMISSIONING OF VENTED    LEAD-ACID BATTERIES   26    INITIAL CHARGING AND COMMISSIONING OF VENTED    LEAD-ACID BATTERIES   26    INITIAL CHARGING AND COMMISSIONING OF VENTED    LEAD-ACID BATTERIES   26    INITIAL CHARGING AND COMMISSIONING OF VENTED    LEAD-ACID BATTERIES   26    INITIAL CHARGING AND COMMISSIONING OF VENTED	SECTI	ON 1 SCOPE AND GENERAL	
1.3   DEFINITIONS   6	1.1	SCOPE	5
SECTION 2 BATTERY ACCOMMODATION AND ARRANGEMENT   2.1 GENERAL   9   2.2 CONNECTION BETWEEN BATTERY AND DIRECT CURRENT SWITCHBOARD   9   2.3 OVERCURRENT PROTECTION   9   2.4 THERMAL RUNAWAY   10   0   2.5 ALARMS   10   2.5 ALARMS   10   2.7 VENTILATION   11   2.8 SAFETY SIGNS   13   13   SECTION 3 INSPECTION AND MAINTENANCE   3.1 INSPECTION AND MAINTENANCE   14   3.2 MAINTENANCE   14   3.3 EARTH FAULT LOCATION   15   5   SECTION 4 INSTALLATION AND COMMISSIONING   4.1 UNPACKING   16   4.2 STORAGE   16   4.2 STORAGE   16   4.3 MOUNTING AND CONNECTION   16   4.4 COMMISSIONING   17   7   5   SECTION 5 SAFETY   5.1 GENERAL   18   5.2 HANDLING, MIXING AND STORING OF ELECTROLYTE   18   5.3 PROTECTIVE EQUIPMENT   18   5.4 ELECTROLYTE BURNS   18   5.5 WATER SUPPLY   19   5.6 PRECAUTIONS   19   5.7 FIREFIGHTING EQUIPMENT   20   APPENDICES   A DESIGN CONSIDERATIONS FOR BATTERY INSTALLATIONS   21   B SAFETY SIGNS   24   C INITIAL CHARGING AND COMMISSIONING OF VENTED   LEAD-ACID BATTERIES   26   D INITIAL CHARGING AND COMMISSIONING OF VENTED   19   11   11   11   11   11   11   1	1.2	REFERENCED DOCUMENTS	5
2.1 GENERAL       9         2.2 CONNECTION BETWEEN BATTERY AND DIRECT CURRENT         SWITCHBOARD       9         2.3 OVERCURRENT PROTECTION       9         2.4 THERMAL RUNAWAY       10         2.5 ALARMS       10         2.6 BATTERY ENCLOSURE       10         2.7 VENTILATION       11         2.8 SAFETY SIGNS       13         SECTION 3 INSPECTION AND MAINTENANCE       3.1         3.1 INSPECTION       14         3.2 MAINTENANCE       14         3.3 EARTH FAULT LOCATION       15         SECTION 4 INSTALLATION AND COMMISSIONING         4.1 UNPACKING       16         4.2 STORAGE       16         4.3 MOUNTING AND CONNECTION       16         4.4 COMMISSIONING       17         SECTION 5 SAFETY         5.1 GENERAL       18         5.2 HANDLING, MIXING AND STORING OF ELECTROLYTE       18         5.3 PROTECTIVE EQUIPMENT       18         5.5 WATER SUPPLY       19         5.6 PRECAUTIONS       19         5.7 FIREFIGHTING EQUIPMENT       20         APPENDICES       A DESIGN CONSIDERATIONS FOR BATTERY INSTALLATIONS       21         B SAFETY SIGNS       24         C INITIAL CHARGING AND	1.3	DEFINITIONS	6
2.1 GENERAL       9         2.2 CONNECTION BETWEEN BATTERY AND DIRECT CURRENT         SWITCHBOARD       9         2.3 OVERCURRENT PROTECTION       9         2.4 THERMAL RUNAWAY       10         2.5 ALARMS       10         2.6 BATTERY ENCLOSURE       10         2.7 VENTILATION       11         2.8 SAFETY SIGNS       13         SECTION 3 INSPECTION AND MAINTENANCE       3.1         3.1 INSPECTION       14         3.2 MAINTENANCE       14         3.3 EARTH FAULT LOCATION       15         SECTION 4 INSTALLATION AND COMMISSIONING         4.1 UNPACKING       16         4.2 STORAGE       16         4.3 MOUNTING AND CONNECTION       16         4.4 COMMISSIONING       17         SECTION 5 SAFETY         5.1 GENERAL       18         5.2 HANDLING, MIXING AND STORING OF ELECTROLYTE       18         5.3 PROTECTIVE EQUIPMENT       18         5.5 WATER SUPPLY       19         5.6 PRECAUTIONS       19         5.7 FIREFIGHTING EQUIPMENT       20         APPENDICES       A DESIGN CONSIDERATIONS FOR BATTERY INSTALLATIONS       21         B SAFETY SIGNS       24         C INITIAL CHARGING AND			
2.2   CONNECTION BETWEEN BATTERY AND DIRECT CURRENT SWITCHBOARD   9   9   2.3   OVERCURRENT PROTECTION   9   9   2.4   THERMAL RUNAWAY   10   2.5   ALARMS   10   2.6   BATTERY ENCLOSURE   10   2.7   VENTILATION   11   2.8   SAFETY SIGNS   13   SECTION 3   INSPECTION AND MAINTENANCE   3.1   INSPECTION AND MAINTENANCE   3.1   INSPECTION   14   3.2   MAINTENANCE   14   3.3   EARTH FAULT LOCATION   15   SECTION 4   INSTALLATION AND COMMISSIONING   4.1   UNPACKING   16   4.2   STORAGE   16   4.3   MOUNTING AND CONNECTION   16   4.4   COMMISSIONING   17   SECTION 5   SAFETY   5.1   GENERAL   18   5.2   HANDLING, MIXING AND STORING OF ELECTROLYTE   18   5.3   PROTECTIVE EQUIPMENT   18   5.4   ELECTROLYTE BURNS   18   5.5   WATER SUPPLY   19   5.6   PRECAUTIONS   19   5.7   FIREFIGHTING EQUIPMENT   20   APPENDICES   A DESIGN CONSIDERATIONS FOR BATTERY INSTALLATIONS   21   B   SAFETY SIGNS   24   C INITIAL CHARGING AND COMMISSIONING OF VENTED   LEAD-ACID BATTERIES   26   D INITIAL CHARGING AND COMMISSIONING OF VENTED   19   11   11   11   12   12   12   12	SECTI	ON 2 BATTERY ACCOMMODATION AND ARRANGEMENT	
SWITCHBOARD   9	2.1	GENERAL	9
2.3       OVERCURRENT PROTECTION       9         2.4       THERMAL RUNAWAY       10         2.5       ALARMS       10         2.6       BATTERY ENCLOSURE       10         2.7       VENTILATION       11         2.8       SAFETY SIGNS       13         SECTION 3 INSPECTION AND MAINTENANCE         3.1       INSPECTION       14         3.2       MAINTENANCE       14         3.3       EARTH FAULT LOCATION       15         SECTION 4 INSTALLATION AND COMMISSIONING         4.1       UNPACKING       16         4.2       STORAGE       16         4.3       MOUNTING AND CONNECTION       16         4.4       COMMISSIONING       17         SECTION 5 SAFETY         5.1       GENERAL       18         5.2       HANDLING, MIXING AND STORING OF ELECTROLYTE       18         5.3       PROTECTIVE EQUIPMENT       18         5.4       ELECTROLYTE BURNS       18         5.5       WATER SUPPLY       19         5.6       PRECAUTIONS       19         5.7       FIREFIGHTING EQUIPMENT       20         APPENDICES <td>2.2</td> <td>CONNECTION BETWEEN BATTERY AND DIRECT CURRENT</td> <td></td>	2.2	CONNECTION BETWEEN BATTERY AND DIRECT CURRENT	
2.4 THERMAL RUNAWAY       10         2.5 ALARMS       10         2.6 BATTERY ENCLOSURE       10         2.7 VENTILATION       11         2.8 SAFETY SIGNS       13         SECTION 3 INSPECTION AND MAINTENANCE         3.1 INSPECTION       14         3.2 MAINTENANCE       14         3.3 EARTH FAULT LOCATION       15         SECTION 4 INSTALLATION AND COMMISSIONING         4.1 UNPACKING       16         4.2 STORAGE       16         4.3 MOUNTING AND CONNECTION       16         4.4 COMMISSIONING       17         SECTION 5 SAFETY         5.1 GENERAL       18         5.2 HANDLING, MIXING AND STORING OF ELECTROLYTE       18         5.3 PROTECTIVE EQUIPMENT       18         5.4 ELECTROLYTE BURNS       18         5.5 WATER SUPPLY       19         5.6 PRECAUTIONS       19         5.7 FIREFIGHTING EQUIPMENT       20         APPENDICES         A DESIGN CONSIDERATIONS FOR BATTERY INSTALLATIONS       21         B SAFETY SIGNS       24         C INITIAL CHARGING AND COMMISSIONING OF VENTED       26         D INITIAL CHARGING AND COMMISSIONING OF VENTED		SWITCHBOARD	9
2.5 ALARMS       10         2.6 BATTERY ENCLOSURE       10         2.7 VENTILATION       11         2.8 SAFETY SIGNS       13         SECTION 3 INSPECTION AND MAINTENANCE         3.1 INSPECTION       14         3.2 MAINTENANCE       14         3.3 EARTH FAULT LOCATION       15         SECTION 4 INSTALLATION AND COMMISSIONING         4.1 UNPACKING       16         4.2 STORAGE       16         4.3 MOUNTING AND CONNECTION       16         4.4 COMMISSIONING       17         SECTION 5 SAFETY         5.1 GENERAL       18         5.2 HANDLING, MIXING AND STORING OF ELECTROLYTE       18         5.3 PROTECTIVE EQUIPMENT       18         5.4 ELECTROLYTE BURNS       18         5.5 WATER SUPPLY       19         5.6 PRECAUTIONS       19         5.7 FIREFIGHTING EQUIPMENT       20         APPENDICES         A DESIGN CONSIDERATIONS FOR BATTERY INSTALLATIONS       21         B SAFETY SIGNS       24         C INITIAL CHARGING AND COMMISSIONING OF VENTED       26         D INITIAL CHARGING AND COMMISSIONING OF VENTED       26	2.3	OVERCURRENT PROTECTION	9
2.6       BATTERY ENCLOSURE       10         2.7       VENTILATION       11         2.8       SAFETY SIGNS       13         SECTION 3 INSPECTION AND MAINTENANCE         3.1       INSPECTION       14         3.2       MAINTENANCE       14         3.3       EARTH FAULT LOCATION       15         SECTION 4 INSTALLATION AND COMMISSIONING         4.1       UNPACKING       16         4.2       STORAGE       16         4.3       MOUNTING AND CONNECTION       16         4.4       COMMISSIONING       17         SECTION 5 SAFETY         5.1       GENERAL       18         5.2       HANDLING, MIXING AND STORING OF ELECTROLYTE       18         5.3       PROTECTIVE EQUIPMENT       18         5.4       ELECTROLYTE BURNS       18         5.5       WATER SUPPLY       19         5.6       PRECAUTIONS       19         5.7       FIREFIGHTING EQUIPMENT       20         APPENDICES         A       DESIGN CONSIDERATIONS FOR BATTERY INSTALLATIONS       21         B       SAFETY SIGNS       24         C       INITIAL CHARGING AND	2.4	THERMAL RUNAWAY	10
2.7       VENTILATION       11         2.8       SAFETY SIGNS       13         SECTION 3 INSPECTION AND MAINTENANCE         3.1       INSPECTION       14         3.2       MAINTENANCE       14         3.3       EARTH FAULT LOCATION       15         SECTION 4 INSTALLATION AND COMMISSIONING         4.1       UNPACKING       16         4.2       STORAGE       16         4.3       MOUNTING AND CONNECTION       16         4.4       COMMISSIONING       17         SECTION 5 SAFETY         5.1       GENERAL       18         5.2       HANDLING, MIXING AND STORING OF ELECTROLYTE       18         5.3       PROTECTIVE EQUIPMENT       18         5.4       ELECTROLYTE BURNS       18         5.5       WATER SUPPLY       19         5.6       PRECAUTIONS       19         5.7       FIREFIGHTING EQUIPMENT       20         APPENDICES         A       DESIGN CONSIDERATIONS FOR BATTERY INSTALLATIONS       21         B       SAFETY SIGNS       24         C       INITIAL CHARGING AND COMMISSIONING OF VENTED         LEAD-ACID BATTERIES	2.5	ALARMS	10
2.8 SAFETY SIGNS       13         SECTION 3 INSPECTION AND MAINTENANCE         3.1 INSPECTION       14         3.2 MAINTENANCE       14         3.3 EARTH FAULT LOCATION       15         SECTION 4 INSTALLATION AND COMMISSIONING         4.1 UNPACKING       16         4.2 STORAGE       16         4.3 MOUNTING AND CONNECTION       16         4.4 COMMISSIONING       17         SECTION 5 SAFETY         5.1 GENERAL       18         5.2 HANDLING, MIXING AND STORING OF ELECTROLYTE       18         5.3 PROTECTIVE EQUIPMENT       18         5.5 WATER SUPPLY       19         5.6 PRECAUTIONS       19         5.7 FIREFIGHTING EQUIPMENT       20         APPENDICES         A DESIGN CONSIDERATIONS FOR BATTERY INSTALLATIONS       21         B SAFETY SIGNS       24         C INITITAL CHARGING AND COMMISSIONING OF VENTED       26         D INITIAL CHARGING AND COMMISSIONING OF VENTED       26	2.6	BATTERY ENCLOSURE	10
SECTION 3 INSPECTION AND MAINTENANCE       14         3.1 INSPECTION       14         3.2 MAINTENANCE       14         3.3 EARTH FAULT LOCATION       15         SECTION 4 INSTALLATION AND COMMISSIONING         4.1 UNPACKING       16         4.2 STORAGE       16         4.3 MOUNTING AND CONNECTION       16         4.4 COMMISSIONING       17         SECTION 5 SAFETY         5.1 GENERAL       18         5.2 HANDLING, MIXING AND STORING OF ELECTROLYTE       18         5.3 PROTECTIVE EQUIPMENT       18         5.4 ELECTROLYTE BURNS       18         5.5 WATER SUPPLY       19         5.6 PRECAUTIONS       19         5.7 FIREFIGHTING EQUIPMENT       20         APPENDICES         A DESIGN CONSIDERATIONS FOR BATTERY INSTALLATIONS       21         B SAFETY SIGNS       24         C INITIAL CHARGING AND COMMISSIONING OF VENTED       LEAD-ACID BATTERIES       26         D INITIAL CHARGING AND COMMISSIONING OF VENTED       26	2.7	VENTILATION	11
3.1       INSPECTION       14         3.2       MAINTENANCE       14         3.3       EARTH FAULT LOCATION       15         SECTION 4 INSTALLATION AND COMMISSIONING         4.1       UNPACKING       16         4.2       STORAGE       16         4.3       MOUNTING AND CONNECTION       16         4.4       COMMISSIONING       17         SECTION 5 SAFETY         5.1       GENERAL       18         5.2       HANDLING, MIXING AND STORING OF ELECTROLYTE       18         5.3       PROTECTIVE EQUIPMENT       18         5.4       ELECTROLYTE BURNS       18         5.5       WATER SUPPLY       19         5.6       PRECAUTIONS       19         5.7       FIREFIGHTING EQUIPMENT       20         APPENDICES         A       DESIGN CONSIDERATIONS FOR BATTERY INSTALLATIONS       21         B       SAFETY SIGNS       24         C       INITIAL CHARGING AND COMMISSIONING OF VENTED         LEAD-ACID BATTERIES       26         D       INITIAL CHARGING AND COMMISSIONING OF VENTED	2.8	SAFETY SIGNS	13
3.1       INSPECTION       14         3.2       MAINTENANCE       14         3.3       EARTH FAULT LOCATION       15         SECTION 4 INSTALLATION AND COMMISSIONING         4.1       UNPACKING       16         4.2       STORAGE       16         4.3       MOUNTING AND CONNECTION       16         4.4       COMMISSIONING       17         SECTION 5 SAFETY         5.1       GENERAL       18         5.2       HANDLING, MIXING AND STORING OF ELECTROLYTE       18         5.3       PROTECTIVE EQUIPMENT       18         5.4       ELECTROLYTE BURNS       18         5.5       WATER SUPPLY       19         5.6       PRECAUTIONS       19         5.7       FIREFIGHTING EQUIPMENT       20         APPENDICES         A       DESIGN CONSIDERATIONS FOR BATTERY INSTALLATIONS       21         B       SAFETY SIGNS       24         C       INITIAL CHARGING AND COMMISSIONING OF VENTED         LEAD-ACID BATTERIES       26         D       INITIAL CHARGING AND COMMISSIONING OF VENTED			
3.2       MAINTENANCE       14         3.3       EARTH FAULT LOCATION       15         SECTION 4 INSTALLATION AND COMMISSIONING         4.1       UNPACKING       16         4.2       STORAGE       16         4.3       MOUNTING AND CONNECTION       16         4.4       COMMISSIONING       17         SECTION 5 SAFETY         5.1       GENERAL       18         5.2       HANDLING, MIXING AND STORING OF ELECTROLYTE       18         5.3       PROTECTIVE EQUIPMENT       18         5.4       ELECTROLYTE BURNS       18         5.5       WATER SUPPLY       19         5.6       PRECAUTIONS       19         5.7       FIREFIGHTING EQUIPMENT       20         APPENDICES         A       DESIGN CONSIDERATIONS FOR BATTERY INSTALLATIONS       21         B       SAFETY SIGNS       24         C       INITIAL CHARGING AND COMMISSIONING OF VENTED       LEAD-ACID BATTERIES       26         D       INITIAL CHARGING AND COMMISSIONING OF VENTED       26	SECTI	ON 3 INSPECTION AND MAINTENANCE	
3.3 EARTH FAULT LOCATION       15         SECTION 4 INSTALLATION AND COMMISSIONING       16         4.1 UNPACKING       16         4.2 STORAGE       16         4.3 MOUNTING AND CONNECTION       16         4.4 COMMISSIONING       17         SECTION 5 SAFETY       18         5.1 GENERAL       18         5.2 HANDLING, MIXING AND STORING OF ELECTROLYTE       18         5.3 PROTECTIVE EQUIPMENT       18         5.4 ELECTROLYTE BURNS       18         5.5 WATER SUPPLY       19         5.6 PRECAUTIONS       19         5.7 FIREFIGHTING EQUIPMENT       20         APPENDICES         A DESIGN CONSIDERATIONS FOR BATTERY INSTALLATIONS       21         B SAFETY SIGNS       24         C INITIAL CHARGING AND COMMISSIONING OF VENTED       LEAD-ACID BATTERIES       26         D INITIAL CHARGING AND COMMISSIONING OF VENTED       26	3.1	INSPECTION	14
SECTION 4 INSTALLATION AND COMMISSIONING         4.1 UNPACKING       16         4.2 STORAGE       16         4.3 MOUNTING AND CONNECTION       16         4.4 COMMISSIONING       17         SECTION 5 SAFETY         5.1 GENERAL       18         5.2 HANDLING, MIXING AND STORING OF ELECTROLYTE       18         5.3 PROTECTIVE EQUIPMENT       18         5.4 ELECTROLYTE BURNS       18         5.5 WATER SUPPLY       19         5.6 PRECAUTIONS       19         5.7 FIREFIGHTING EQUIPMENT       20         APPENDICES         A DESIGN CONSIDERATIONS FOR BATTERY INSTALLATIONS       21         B SAFETY SIGNS       24         C INITIAL CHARGING AND COMMISSIONING OF VENTED       LEAD-ACID BATTERIES       26         D INITIAL CHARGING AND COMMISSIONING OF VENTED       LEAD-ACID BATTERIES       26	3.2	MAINTENANCE	14
4.1       UNPACKING       16         4.2       STORAGE       16         4.3       MOUNTING AND CONNECTION       16         4.4       COMMISSIONING       17         SECTION 5 SAFETY         5.1       GENERAL       18         5.2       HANDLING, MIXING AND STORING OF ELECTROLYTE       18         5.3       PROTECTIVE EQUIPMENT       18         5.4       ELECTROLYTE BURNS       18         5.5       WATER SUPPLY       19         5.6       PRECAUTIONS       19         5.7       FIREFIGHTING EQUIPMENT       20         APPENDICES         A       DESIGN CONSIDERATIONS FOR BATTERY INSTALLATIONS       21         B       SAFETY SIGNS       24         C       INITIAL CHARGING AND COMMISSIONING OF VENTED       LEAD-ACID BATTERIES       26         D       INITIAL CHARGING AND COMMISSIONING OF VENTED       26	3.3	EARTH FAULT LOCATION	15
4.1       UNPACKING       16         4.2       STORAGE       16         4.3       MOUNTING AND CONNECTION       16         4.4       COMMISSIONING       17         SECTION 5 SAFETY         5.1       GENERAL       18         5.2       HANDLING, MIXING AND STORING OF ELECTROLYTE       18         5.3       PROTECTIVE EQUIPMENT       18         5.4       ELECTROLYTE BURNS       18         5.5       WATER SUPPLY       19         5.6       PRECAUTIONS       19         5.7       FIREFIGHTING EQUIPMENT       20         APPENDICES         A       DESIGN CONSIDERATIONS FOR BATTERY INSTALLATIONS       21         B       SAFETY SIGNS       24         C       INITIAL CHARGING AND COMMISSIONING OF VENTED       LEAD-ACID BATTERIES       26         D       INITIAL CHARGING AND COMMISSIONING OF VENTED       26			
4.2       STORAGE       16         4.3       MOUNTING AND CONNECTION       16         4.4       COMMISSIONING       17         SECTION 5 SAFETY         5.1       GENERAL       18         5.2       HANDLING, MIXING AND STORING OF ELECTROLYTE       18         5.3       PROTECTIVE EQUIPMENT       18         5.4       ELECTROLYTE BURNS       18         5.5       WATER SUPPLY       19         5.6       PRECAUTIONS       19         5.7       FIREFIGHTING EQUIPMENT       20         APPENDICES         A       DESIGN CONSIDERATIONS FOR BATTERY INSTALLATIONS       21         B       SAFETY SIGNS       24         C       INITIAL CHARGING AND COMMISSIONING OF VENTED       LEAD-ACID BATTERIES       26         D       INITIAL CHARGING AND COMMISSIONING OF VENTED       26	SECTI	ON 4 INSTALLATION AND COMMISSIONING	
4.3       MOUNTING AND CONNECTION       16         4.4       COMMISSIONING       17         SECTION 5 SAFETY         5.1       GENERAL       18         5.2       HANDLING, MIXING AND STORING OF ELECTROLYTE       18         5.3       PROTECTIVE EQUIPMENT       18         5.4       ELECTROLYTE BURNS       18         5.5       WATER SUPPLY       19         5.6       PRECAUTIONS       19         5.7       FIREFIGHTING EQUIPMENT       20         APPENDICES         A       DESIGN CONSIDERATIONS FOR BATTERY INSTALLATIONS       21         B       SAFETY SIGNS       24         C       INITIAL CHARGING AND COMMISSIONING OF VENTED       26         D       INITIAL CHARGING AND COMMISSIONING OF VENTED	4.1	UNPACKING	16
4.4 COMMISSIONING       17         SECTION 5 SAFETY         5.1 GENERAL       18         5.2 HANDLING, MIXING AND STORING OF ELECTROLYTE       18         5.3 PROTECTIVE EQUIPMENT       18         5.4 ELECTROLYTE BURNS       18         5.5 WATER SUPPLY       19         5.6 PRECAUTIONS       19         5.7 FIREFIGHTING EQUIPMENT       20         APPENDICES         A DESIGN CONSIDERATIONS FOR BATTERY INSTALLATIONS       21         B SAFETY SIGNS       24         C INITIAL CHARGING AND COMMISSIONING OF VENTED       26         D INITIAL CHARGING AND COMMISSIONING OF VENTED       26	4.2	STORAGE	16
SECTION 5 SAFETY  5.1 GENERAL	4.3		
5.1 GENERAL	4.4	COMMISSIONING	17
5.1 GENERAL	a = a = =	VOLVE GARREN	
5.2 HANDLING, MIXING AND STORING OF ELECTROLYTE 18 5.3 PROTECTIVE EQUIPMENT 18 5.4 ELECTROLYTE BURNS 18 5.5 WATER SUPPLY 19 5.6 PRECAUTIONS 19 5.7 FIREFIGHTING EQUIPMENT 20  APPENDICES A DESIGN CONSIDERATIONS FOR BATTERY INSTALLATIONS 21 B SAFETY SIGNS 24 C INITIAL CHARGING AND COMMISSIONING OF VENTED LEAD-ACID BATTERIES 26 D INITIAL CHARGING AND COMMISSIONING OF VENTED			1.0
5.3 PROTECTIVE EQUIPMENT 18 5.4 ELECTROLYTE BURNS 18 5.5 WATER SUPPLY 19 5.6 PRECAUTIONS 19 5.7 FIREFIGHTING EQUIPMENT 20  APPENDICES A DESIGN CONSIDERATIONS FOR BATTERY INSTALLATIONS 21 B SAFETY SIGNS 24 C INITIAL CHARGING AND COMMISSIONING OF VENTED LEAD-ACID BATTERIES 26 D INITIAL CHARGING AND COMMISSIONING OF VENTED			
5.4 ELECTROLYTE BURNS 5.5 WATER SUPPLY 5.6 PRECAUTIONS 19 5.7 FIREFIGHTING EQUIPMENT 20  APPENDICES A DESIGN CONSIDERATIONS FOR BATTERY INSTALLATIONS 21 B SAFETY SIGNS 24 C INITIAL CHARGING AND COMMISSIONING OF VENTED LEAD-ACID BATTERIES 26 D INITIAL CHARGING AND COMMISSIONING OF VENTED			
5.5 WATER SUPPLY 19 5.6 PRECAUTIONS 19 5.7 FIREFIGHTING EQUIPMENT 20  APPENDICES A DESIGN CONSIDERATIONS FOR BATTERY INSTALLATIONS 21 B SAFETY SIGNS 24 C INITIAL CHARGING AND COMMISSIONING OF VENTED LEAD-ACID BATTERIES 26 D INITIAL CHARGING AND COMMISSIONING OF VENTED			
5.6 PRECAUTIONS			
5.7 FIREFIGHTING EQUIPMENT			
APPENDICES  A DESIGN CONSIDERATIONS FOR BATTERY INSTALLATIONS			
A DESIGN CONSIDERATIONS FOR BATTERY INSTALLATIONS	5.7	FIREFIGHTING EQUIPMENT	20
A DESIGN CONSIDERATIONS FOR BATTERY INSTALLATIONS	APPFI	NDICES	
B SAFETY SIGNS			21
C INITIAL CHARGING AND COMMISSIONING OF VENTED LEAD-ACID BATTERIES			
LEAD-ACID BATTERIES	_		<i>-</i> -
D INITIAL CHARGING AND COMMISSIONING OF VENTED	C		26
	D		20
NICKEL-CADMIUM ALKALINE BATTERIES	~		28



	This is a free preview.	Purchase the e	entire publication	at the link below:
--	-------------------------	----------------	--------------------	--------------------

**Product Page** 

- Dooking for additional Standards? Visit Intertek Inform Infostore
- Dearn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation