

AS/NZS 3439.2:2002  
IEC 60439-2:2000

AS/NZS 3439.2

Australian/New Zealand Standard™

**Low-voltage switchgear and controlgear  
assemblies**

**Part 2: Particular requirements for  
busbar trunking systems (busways)**

## **AS/NZS 3439.2:2002**

This Joint Australian/New Zealand Standard was prepared by Joint Technical Committee EL-006, Industrial Switchgear and Controlgear. It was approved on behalf of the Council of Standards Australia on 22 April 2002 and on behalf of the Council of Standards New Zealand on 18 April 2002. It was published on 3 June 2002.

---

The following are represented on Committee EL-006:

Australasian Railway Association  
Australian Chamber of Commerce and Industry  
Australian Electrical and Electronic Manufacturers Association  
Bureau of Steel Manufacturers of Australia  
Electrical Contractors Association of New Zealand  
Electricity Supply Association of Australia  
Independent Electrical Switchboard Manufacturers Association  
Institution of Engineers Australia  
Ministry of Economic Development New Zealand  
National Electrical and Communications Association  
Testing Interests (Australia)  
WorkCover N. S. W.

---

### **Keeping Standards up-to-date**

Standards are living documents which reflect progress in science, technology and systems. To maintain their currency, all Standards are periodically reviewed, and new editions are published. Between editions, amendments may be issued. Standards may also be withdrawn. It is important that readers assure themselves they are using a current Standard, which should include any amendments which may have been published since the Standard was purchased.

Detailed information about joint Australian/New Zealand Standards can be found by visiting the Standards Australia web site at [www.standards.com.au](http://www.standards.com.au) or Standards New Zealand web site at [www.standards.co.nz](http://www.standards.co.nz) and looking up the relevant Standard in the on-line catalogue.

Alternatively, both organizations publish an annual printed Catalogue with full details of all current Standards. For more frequent listings or notification of revisions, amendments and withdrawals, Standards Australia and Standards New Zealand offer a number of update options. For information about these services, users should contact their respective national Standards organization.

We also welcome suggestions for improvement in our Standards, and especially encourage readers to notify us immediately of any apparent inaccuracies or ambiguities. Please address your comments to the Chief Executive of either Standards Australia International or Standards New Zealand at the address shown on the back cover.

---

# Australian/New Zealand Standard™

## Low-voltage switchgear and controlgear assemblies

### Part 2: Particular requirements for busbar trunking systems (busways)

Originated as AS C151—1960.  
Previous edition AS 3439.2—1994.  
Jointly revised and designated AS/NZS 3439.2:2002.

#### **COPYRIGHT**

© Standards Australia/Standards New Zealand

All rights are reserved. No part of this work may be reproduced or copied in any form or by any means, electronic or mechanical, including photocopying, without the written permission of the publisher.

Jointly published by Standards Australia International Ltd, GPO Box 5420, Sydney, NSW 2001 and Standards New Zealand, Private Bag 2439, Wellington 6020

ISBN 0 7337 4524 5

## PREFACE

This Standard was prepared by the Joint Standards Australia/Standards New Zealand Committee EL-006, Industrial Switchgear and Controlgear to supersede AS 3439.2—1994.

The objective of this Standard is to provide definitions, service conditions, construction requirements, technical characteristics and tests for low-voltage switchgear and controlgear assemblies particular to busbar trunking systems (busways).

This Standard is Part 2 of a series which, when complete will consist of the following:

AS/(NZS) 3439	Low-voltage switchgear and controlgear assemblies
AS/NZS 3439.1	Part 1: Type-tested and partially type-tested assemblies
AS/NZS 3439.2	Part 2: Particular requirements for busbar trunking systems (busways) (This Standard)
AS/NZS 3439.3	Part 3: Particular requirements for low-voltage switchgear and controlgear assemblies intended to be installed in places where unskilled persons have access for their use—Distribution boards
AS 3439.4	Part 4: Particular requirements for assemblies for construction sites (ACS)
AS/NZS 3439.5	Part 5: Particular requirements for assemblies intended to be installed outdoors in public places—Cable distribution cabinets (CDCs) for power distribution in networks

This Standard is identical with and has been reproduced from IEC 60439-2:2000, *Low-voltage switchgear and controlgear assemblies—Part 2: Particular requirements for busbar trunking systems (busways)*.

This Standard covers low-voltage busbar trunking systems (BTS) and their accessories for feeding and distributing power in residential, retail, public, agricultural and industrial premises.

The provisions of AS/NZS 3439.1, *Type-tested and partially type-tested assemblies* are applicable to this Standard unless otherwise indicated.

This Standard differs from AS 3439.2—1994 in the following:

- (a) Tap-off units may be partially type-tested assemblies (PTTA).
- (b) There is no requirement to state resistance values for busbar trunking systems with rated current greater than 630 A.
- (c) There are additional requirements for:
  - (i) Nameplate and information required.
  - (ii) Service conditions.
  - (iii) Abnormal heat and fire conditions.
  - (iv) Clearance.
  - (v) Busbar trunking with several circuits.
  - (vi) Protection against direct contact.
  - (vii) Busbar trunking systems with trolley tap-off facilities.
- (d) There are additional type tests for verification of:
  - (i) Crushing resistance.
  - (ii) Resistance of insulating materials to abnormal heat and flame propagation.
  - (iii) Fire barrier in building penetration.

- (e) Temperature rise test and test arrangements have been added.
- (f) There are additional annexes dealing with:
  - (i) Voltage drop of the system.
  - (ii) Method of determination of the magnetic field in the vicinity of busbar trunking systems.
  - (iii) Verification of maintenance circuit integrity under fire conditions.
  - (iv) Test arrangement.
- (g) Appendices AA, BB, CC and DD are not included.

A reference to an International Standard identified in the Normative References Clause by strikethrough (~~example~~) is replaced by a reference to the Australian or Australian/New Zealand Standard(s) listed immediately thereafter and identified by shading (example). Where the struck-through referenced document and the referenced Australian or Australian/New Zealand Standard are identical, this is indicated in parenthesis after the title of the latter.

As this Standard is reproduced from an International Standard, the following applies:

- (a) Its number does not appear on each page of text and its identity is shown only on the cover and title page.
- (b) In the source text 'this standard' should read 'this Australian/New Zealand Standard'.
- (c) A full point should be substituted for a comma when referring to a decimal marker.

The term 'informative' has been used in this Standard to define the application of the annex to which it applies. An 'informative' annex is only for information and guidance.

This is a free preview. Purchase the entire publication at the link below:

[Product Page](#)

- 
- [Looking for additional Standards? Visit Intertek Inform Infostore](#)
  - [Learn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation](#)
-