

AS/NZS IEC 60947.4.2:2015

IEC 60947-4-2, Ed. 3.0 (2011)

IEC 60947-4-2, Ed. 3.0 Cor.1

AS/NZS IEC 60947.4.2:2015

Australian/New Zealand Standard™

**Low-voltage switchgear and controlgear**

**Part 4.2: Contactors and motor-starters—AC semiconductor motor controllers and starters**



## **AS/NZS IEC 60947.4.2:2015**

This Joint Australian/New Zealand Standard was prepared by Joint Technical Committee EL-006, Industrial Switchgear and Controlgear. It was approved on behalf of the Council of Standards Australia on 27 May 2015 and on behalf of the Council of Standards New Zealand on 29 May 2015. This Standard was published on 29 June 2015.

---

The following are represented on Committee EL-006:

Association of Accredited Certification Bodies  
Ausgrid  
Australian Chamber of Commerce and Industry  
Australian Industry Group  
Bureau of Steel Manufacturers of Australia  
Business New Zealand  
Electrical Contractors Association of New Zealand  
Engineers Australia  
National Electrical and Communications Association  
National Electrical Switchboard Manufacturers Association  
Rail Industry Safety and Standards Board (RISSB)

---

### **Keeping Standards up-to-date**

Standards are living documents which reflect progress in science, technology and systems. To maintain their currency, all Standards are periodically reviewed, and new editions are published. Between editions, amendments may be issued. Standards may also be withdrawn. It is important that readers assure themselves they are using a current Standard, which should include any amendments which may have been published since the Standard was purchased.

Detailed information about joint Australian/New Zealand Standards can be found by visiting the Standards Web Shop at [www.saiglobal.com.au](http://www.saiglobal.com.au) or Standards New Zealand web site at [www.standards.co.nz](http://www.standards.co.nz) and looking up the relevant Standard in the on-line catalogue.

For more frequent listings or notification of revisions, amendments and withdrawals, Standards Australia and Standards New Zealand offer a number of update options. For information about these services, users should contact their respective national Standards organization.

We also welcome suggestions for improvement in our Standards, and especially encourage readers to notify us immediately of any apparent inaccuracies or ambiguities. Please address your comments to the Chief Executive of either Standards Australia or Standards New Zealand at the address shown on the back cover.

---

*This Standard was issued in draft form for comment as DR AS/NZS IEC 60947.4.2:2015.*

---

AS/NZS IEC 60947.4.2:2015

Australian/New Zealand Standard™

**Low-voltage switchgear and controlgear**

**Part 4.2: Contactors and motor-starters—AC semiconductor motor controllers and starters**

Originated as AS 1202.5–1985.  
Revised and redesignated as AS/NZS IEC 60947.4.2:2015.

**COPYRIGHT**

© Standards Australia Limited/Standards New Zealand

All rights are reserved. No part of this work may be reproduced or copied in any form or by any means, electronic or mechanical, including photocopying, without the written permission of the publisher, unless otherwise permitted under the Copyright Act 1968 (Australia) or the Copyright Act 1994 (New Zealand).

Jointly published by SAI Global Limited under licence from Standards Australia Limited, GPO Box 476, Sydney, NSW 2001 and by Standards New Zealand, Private Bag 2439, Wellington 6140.

ISBN 978 1 76035 074 1

## PREFACE

This Standard was prepared by the Joint Standards Australia/Standards New Zealand Committee EL-006, Industrial Switchgear and Controlgear, to supersede AS 60947.4.2—2004.

The objective of this Standard is to state—

- (a) the characteristics of a.c. semiconductor motor controllers and starters and associated equipment;
- (b) the conditions with which a.c. semiconductor motor controllers and starters comply with reference to—
  - (i) their operation and behaviour;
  - (ii) their dielectric properties;
  - (iii) the degrees of protection provided by their enclosures, where applicable;
  - (iv) their construction;
- (c) the tests intended for confirming that these conditions have been met, and the methods to be adopted for these tests; and
- (d) the information to be given with the equipment, or in the manufacturer's literature.

NOTE: For the purposes of this Standard, the term 'controller' may be used instead of 'a.c. semiconductor motor controller'.

This Standard is identical with, and has been reproduced from, IEC 60947-4-2, Ed. 3.0 (2011), *Low-voltage switchgear and controlgear*, Part 4.2: *Contactors and motor-starters—AC semiconductor motor controllers and starters* and its Corrigendum 1 (2012), which has been added at the end of the source text. This standard shall be read in conjunction with IEC 60947-1:2007, *Low-voltage switchgear and controlgear—Part 1: General rules*.

As this Standard is reproduced from an International Standard, a full point substitutes for a comma when referring to a decimal marker.

References to International Standards should be replaced by references to Australian or Australian/New Zealand Standards, as follows:

<i>Reference to International Standard</i>	<i>Australian/New Zealand Standard</i>
CISPR	AS/NZS CISPR
11 Industrial, scientific and medical equipment—Radio-frequency disturbance characteristics—Limits and methods of measurement Amendment 1 (2010)	11 Industrial, scientific and medical equipment—Radio-frequency disturbance characteristics—Limits and methods of measurement

Only normative references that have been adopted as Australian or Australian/New Zealand Standards have been listed.

The terms 'normative' and 'informative' have been used in this Standard to define the application of the annexes to which they apply. A 'normative' annex is an integral part of a Standard, whereas an 'informative' annex is only for information and guidance.

## CONTENTS

1	Scope	9
2	Normative references	10
3	Terms, definitions, symbols and abbreviations	10
3.1	General	10
3.2	Alphabetical index of terms	10
3.3	Terms and definitions concerning a.c. semiconductor motor controllers and starters	12
3.4	Terms and definitions concerning hybrid motor controllers and starters	14
3.5	Terms and definitions concerning EMC definitions	18
3.6	Symbols and abbreviations	19
4	Classification	19
5	Characteristics of a.c. semiconductor motor controllers and starters	20
5.1	Summary of characteristics	20
5.2	Type of equipment	20
5.2.1	Form of equipment	20
5.2.2	Number of poles	20
5.2.3	Kind of current	20
5.2.4	Interrupting medium (air, vacuum, etc.)	20
5.2.5	Operating conditions of the equipment	20
5.3	Rated and limiting values for main circuits	21
5.3.1	Rated voltages	21
5.3.2	Currents	23
5.3.3	Rated frequency	23
5.3.4	Rated duty	23
5.3.5	Normal load and overload characteristics	24
5.3.6	Rated conditional short-circuit current	25
5.4	Utilization category	25
5.4.1	General	25
5.4.2	Assignment of ratings based on the results of tests	26
5.5	Control circuits	27
5.6	Auxiliary circuits	27
5.7	Characteristics of relays and releases (overload relays)	27
5.7.1	Summary of characteristics	28
5.7.2	Types of relay or release	28
5.7.3	Characteristic values	28
5.7.4	Designation and current settings of overload relays	29
5.7.5	Time-current characteristics of overload relays	29
5.7.6	Influence of ambient air temperature	30
5.8	Co-ordination with short-circuit protective devices (SCPD)	30
6	Product information	30
6.1	Nature of information	30
6.2	Marking	31
6.3	Instructions for installation, operation, and maintenance	31
7	Normal service, mounting and transport conditions	32

This is a free preview. Purchase the entire publication at the link below:

[Product Page](#)

- 
- [Looking for additional Standards? Visit Intertek Inform Infostore](#)
  - [Learn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation](#)
-