

AS 2402—1994

Australian Standard[®]

Traction batteries—Lead-acid

This Australian Standard was prepared by Committee EL/5, Secondary Batteries. It was approved on behalf of the Council of Standards Australia on 27 May 1994 and published on 15 August 1994.

The following interests are represented on Committee EL/5:

Australian Automobile Association
Australian Automotive Aftermarket Association
Australian Chamber of Commerce and Industry
Australian Electrical and Electronic Manufacturers Association
Australian Lead Development Association
Department of Defence
Electricity Supply Association of Australia
Federal Chamber of Automotive Industries
Institution of Engineers, Australia
Telecom Australia

Review of Australian Standards. To keep abreast of progress in industry, Australian Standards are subject to periodic review and are kept up to date by the issue of amendments or new editions as necessary. It is important therefore that Standards users ensure that they are in possession of the latest edition, and any amendments thereto.

Full details of all Australian Standards and related publications will be found in the Standards Australia Catalogue of Publications; this information is supplemented each month by the magazine 'The Australian Standard', which subscribing members receive, and which gives details of new publications, new editions and amendments, and of withdrawn Standards.

Suggestions for improvements to Australian Standards, addressed to the head office of Standards Australia, are welcomed. Notification of any inaccuracy or ambiguity found in an Australian Standard should be made without delay in order that the matter may be investigated and appropriate action taken.

This Standard was issued in draft form for comment as DR 92120.

AS 2402—1994

Australian Standard[®]

Traction batteries—Lead-acid

First published as AS 2402—1980
Second edition 1994

PUBLISHED BY STANDARDS AUSTRALIA
(STANDARDS ASSOCIATION OF AUSTRALIA)
1 THE CRESCENT, HOMEBUSH, NSW 2140

ISBN 0 7262 9053 X

PREFACE

This Standard was prepared by the Standards Australia Committee EL/5 on Secondary Batteries to supersede AS 2402—1980, *Lead-acid traction batteries*.

Major alterations to the previous edition are as follows:

- (a) Requirements for sealed valve-regulated cells have been added.
- (b) A test for charge retention has been added (Appendix F).
- (c) An optional test for the capacity of the battery at the $\frac{1}{2}$ h discharge rate has been added.
- (d) Breakaway current, cranking current, and repeat starting tests have been added for engine starting batteries.

In this Standard, the dimensions of traction battery cells, requirements for measuring instruments, rated capacity and the battery test life are based on IEC 254-1, *Lead-acid traction batteries, Part 1: General requirements and methods of test*, and IEC 254-2, *Lead-acid traction batteries, Part 2: Dimensions of cells and terminals and marking of polarity on cells*. Additional requirements not covered by these IEC Publications have been included to cover Australian conditions. Acknowledgment is made of the assistance received from BS 2550, *Specification for lead-acid traction batteries*.

The useful life obtained from a battery is also dependent on the performance of the battery charger. Performance requirements for battery chargers for lead-acid batteries are specified in AS 2548, *Battery chargers for lead-acid traction batteries—Performance requirements*.

The terms 'normative' and 'informative' have been used in this Standard to define the application of the appendix to which they apply. A 'normative' appendix is an integral part of a Standard, whereas an 'informative' appendix is only for information and guidance.

© Copyright — STANDARDS AUSTRALIA

Users of Standards are reminded that copyright subsists in all Standards Australia publications and software. Except where the Copyright Act allows and except where provided for below no publications or software produced by Standards Australia may be reproduced, stored in a retrieval system in any form or transmitted by any means without prior permission in writing from Standards Australia. Permission may be conditional on an appropriate royalty payment. Requests for permission and information on commercial software royalties should be directed to the head office of Standards Australia.

Standards Australia will permit up to 10 percent of the technical content pages of a Standard to be copied for use exclusively in-house by purchasers of the Standard without payment of a royalty or advice to Standards Australia.

Standards Australia will also permit the inclusion of its copyright material in computer software programs for no royalty payment provided such programs are used exclusively in-house by the creators of the programs.

Care should be taken to ensure that material used is from the current edition of the Standard and that it is updated whenever the Standard is amended or revised. The number and date of the Standard should therefore be clearly identified.

The use of material in print form or in computer software programs to be used commercially, with or without payment, or in commercial contracts is subject to the payment of a royalty. This policy may be varied by Standards Australia at any time.

CONTENTS

	<i>Page</i>
SECTION 1 SCOPE AND GENERAL	
1.1 SCOPE	4
1.2 REFERENCED DOCUMENTS	4
1.3 DEFINITIONS	4
SECTION 2 DESIGN AND CONSTRUCTION	
2.1 CELL DIMENSIONS	7
2.2 CONNECTIONS	7
2.3 CONNECTION TO BATTERY	7
2.4 VENT PLUGS	8
2.5 VALVES	8
2.6 ELECTROLYTE	8
2.7 SEALING	8
SECTION 3 PERFORMANCE REQUIREMENTS	
3.1 GENERAL	11
3.2 RATED CAPACITY	11
3.3 LIFE	11
3.4 LEAKAGE	11
3.5 CHARGE RETENTION	11
SECTION 4 MARKING	
4.1 GENERAL	12
4.2 BATTERIES FOR INDUSTRIAL TRUCKS	12
4.3 BATTERIES FOR OTHER THAN INDUSTRIAL TRUCKS	13
SECTION 5 ENGINE STARTING BATTERIES	
5.1 GENERAL	14
5.2 TAKE-OFF TERMINALS	14
5.3 CONTACT FACES	14
5.4 PERFORMANCE REQUIREMENTS	14
APPENDICES	
A RECOMMENDATIONS FOR THE DESIGN OF BATTERY TRAYS AND LAYOUTS	15
B MILLIVOLT DROP TEST FOR FLEXIBLE INTERCELL CONNECTORS	17
C VERIFICATION OF RATED CAPACITY	20
D DETERMINATION OF LIFE	23
E LEAKAGE TEST FOR VENTED CELLS	25
F LEAKAGE TEST FOR SEALED CELLS	26
G CHARGE RETENTION TEST	27
H ADDITIONAL TESTS FOR ENGINE STARTING BATTERIES	28

This is a free preview. Purchase the entire publication at the link below:

[Product Page](#)

-
- Looking for additional Standards? Visit Intertek Inform Infostore
 - Learn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation
-