

AS/NZS 1596:1997

Australian/New Zealand Standard[®]

Storage and handling of LP Gas

AS/NZS 1596:1997

This Joint Australian/New Zealand Standard was prepared by Joint Technical Committee ME/15, Storage and Handling—Liquefied Petroleum Gases. It was approved on behalf of the Council of Standards Australia on 4 July 1997 and on behalf of the Council of Standards New Zealand on 11 August 1997. It was published on 5 September 1997.

The following interests are represented on Committee ME/15:

A.C.T. Emergency Services Bureau
Australasian Corrosion Association
Australasian Fire Authorities Council
Australian Gas Association
Australian Liquefied Petroleum Gas Association
Department of Urban Affairs and Planning, N.S.W.
Department for Industrial Affairs, S.A.
Department of Mines and Energy, Qld
Department of Minerals and Energy, W.A.
Fire Protection Association Australia
Gas and Fuel Corporation of Victoria
Institution of Engineers, Australia
Insurance Council of Australia
LPG Association of New Zealand
Victorian WorkCover Authority
Work Health Authority, N.T.
WorkCover Authority of N.S.W.
Workplace Standards Authority, Tas.

Review of Standards. To keep abreast of progress in industry, Joint Australian/New Zealand Standards are subject to periodic review and are kept up to date by the issue of amendments or new editions as necessary. It is important therefore that Standards users ensure that they are in possession of the latest edition, and any amendments thereto.

Full details of all Joint Standards and related publications will be found in the Standards Australia and Standards New Zealand Catalogue of Publications; this information is supplemented each month by the magazines 'The Australian Standard' and 'Standards New Zealand', which subscribing members receive, and which give details of new publications, new editions and amendments, and of withdrawn Standards.

Suggestions for improvements to Joint Standards, addressed to the head office of either Standards Australia or Standards New Zealand, are welcomed. Notification of any inaccuracy or ambiguity found in a Joint Australian/New Zealand Standard should be made without delay in order that the matter may be investigated and appropriate action taken.

AS/NZS 1596:1997

Australian/New Zealand Standard[®]

Storage and handling of LP Gas

Originated in Australia as AS CB20—1965.
Previous Australian editions AS 1596—1989 and AS 1596 Supplement 1—1994.
Originated in New Zealand as NZS 5434:1986.
AS 1596—1989, AS 1596 Supplement 1—1994 and NZS 5434:1986 jointly revised,
amalgamated and designated AS/NZS 1596:1997.

Incorporating:
Amdt 1—1999

PUBLISHED JOINTLY BY:

STANDARDS AUSTRALIA
1 The Crescent,
Homebush NSW 2140 Australia

STANDARDS NEW ZEALAND
Level 10, Radio New Zealand House,
155 The Terrace,
Wellington 6001 New Zealand

ISBN 0 7337 1309 2

PREFACE

This Standard was prepared by the Joint Standards Australia/Standards New Zealand Committee ME/15, Storage and Handling—Liquefied Petroleum Gases, to supersede AS 1596—1989, *LP Gas—Storage and handling*, AS 1596 Supplement 1—1994, *LP Gas—Storage and handling—Siting of LP Gas automotive retail outlets* and NZS 5434:1986, *Code of practice for LPG vehicle refuelling stations*.

In 1973, AS CB20, which had been published in 1965 as the first Standard on the subject, was translated to metric units to become AS 1596, but was not comprehensively revised.

A later edition of 1979 contained only the more pressing adjustments, then a more comprehensive review resulted in a new edition in 1983.

The 1989 edition included a rewrite of the cylinder section and revision of the location requirements for cylinder filling and storage areas together with a total review of the fire safety section.

This 1997 edition continues the development process and incorporates the following changes:

- (a) The focus of the protected works definition has been modified to include, under the title of protected place, any open areas in which persons are accustomed to assemble in large numbers within and outside the property in addition to protected works.
- (b) The requirement of openable rain caps for safety valves has been removed.
- (c) A 3 mm limiting orifice is now required at hydrostatic relief valves.
- (d) Requirements for over-pressure protection and venting of regulators has been referred to the latest AG 601 and NFPA/UL requirements.
- (e) Tanker drive-away protection requirements have been deleted. The issue is addressed in [AS 2809.3](#), *Road tank vehicles for dangerous goods*, Part 3: *Tankers for compressed liquefiable gases*.
- (f) Requirements for unodourized gas have been included.
- (g) The level of odourant addition has been increased to address odourant fade.
- (h) Section 5 has been developed to address adjacent buried tanks, the relative levels of interconnected tanks and remote contents gauging.
- (i) The content of Section 6 has been adjusted to cover hardware and installation, and Sections 7 and 8 relate to filling sites.
- (j) Section 7 has been expanded to include a warning about pumping rates and expanded requirements for decanting, and to address transportable decanting.
- (k) Section 9 has undergone a major review caused by the incorporation of [AS 1596 Supplement 1—1994](#), and the work of Subcommittee ME/15/2.
- (l) Dispenser requirements have been reviewed and updated to align with the new styles.
- (m) Section 10 has been revised to include the philosophy of managerial responsibility for procedures which relate to the size and complexity of a specific installation.
- (n) The use of hazardous areas has been included, as defined in [AS 2430.1—1987](#), *Classification of hazardous areas*, Part 1, *Explosive gas atmospheres*; [AS 2430.3—1991](#), *Classification of hazardous areas*, Part 3, *Specific occupancies*; and NZS 6101.3:1991, *Classification of hazardous areas*, Part 3, *Specific occupancies (flammable gas and vapour atmospheres)*.

- (o) The wording of the Standard has been modified to delete approvals by the authority and the nomination of responsibility for various activities so as to align with the proposed National Standard for the Storage and Handling of Dangerous Goods. This has the effect of removing the approval requirements which existed for such issues as deodorized installations.
- (p) The Standard has been developed as a Joint Standard, with New Zealand requirements included.

Australian and New Zealand references are separated by a slash (/). Australian references apply in Australia, and New Zealand references apply in New Zealand. Joint Standards apply in both Australia and New Zealand.

The terms 'normative' and 'informative' have been used in this Standard to define the application of the appendix to which they apply. A 'normative' appendix is an integral part of a Standard, whereas an 'informative' appendix is only for information and guidance.

© Copyright – STANDARDS AUSTRALIA/STANDARDS NEW ZEALAND

Users of Standards are reminded that copyright subsists in all Standards Australia and Standards New Zealand publications and software. Except where the Copyright Act allows and except where provided for below no publications or software produced by Standards Australia or Standards New Zealand may be reproduced, stored in a retrieval system in any form or transmitted by any means without prior permission in writing from Standards Australia or Standards New Zealand. Permission may be conditional on an appropriate royalty payment. Australian requests for permission and information on commercial software royalties should be directed to the head office of Standards Australia. New Zealand requests should be directed to Standards New Zealand.

Up to 10 percent of the technical content pages of a Standard may be copied for use exclusively in-house by purchasers of the Standard without payment of a royalty or advice to Standards Australia or Standards New Zealand.

Inclusion of copyright material in computer software programs is also permitted without royalty payment provided such programs are used exclusively in-house by the creators of the programs.

Care should be taken to ensure that material used is from the current edition of the Standard and that it is updated whenever the Standard is amended or revised. The number and date of the Standard should therefore be clearly identified.

The use of material in print form or in computer software programs to be used commercially, with or without payment, or in commercial contracts is subject to the payment of a royalty. This policy may be varied by Standards Australia or Standards New Zealand at any time.

This is a free preview. Purchase the entire publication at the link below:

[Product Page](#)

-
- [Looking for additional Standards? Visit Intertek Inform Infostore](#)
 - [Learn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation](#)
-