Australian/New Zealand Standard®

Electric cables—Reeling and trailing—For underground coal mining purposes

AS/NZS 1802:1995

This Joint Australian/New Zealand Standard was prepared by Joint Technical Committee EL/3, Electric Wires and Cables. It was approved on behalf of the Council of Standards Australia on 4 October 1995 and on behalf of the Council of Standards New Zealand on 4 August 1995. It was published on 5 December 1995.

The following interests are represented on Committee EL/3:

Australian Electrical and Electronic Manufacturers Association Department of Defence, Australia Electrical regulatory authorities Electricity Supply Association of Australia Ministry of Commerce, New Zealand New Zealand Electrical Contractors Association New Zealand Electrical and Electronic Manufacturers Federation Office of Energy, N.S.W. Railways of Australia Committee Testing interests

Review of Standards. To keep abreast of progress in industry, Joint Australian/New Zealand Standards are subject to periodic review and are kept up to date by the issue of amendments or new editions as necessary. It is important therefore that Standards users ensure that they are in possession of the latest edition, and any amendments thereto.

Full details of all Joint Standards and related publications will be found in the Standards Australia and Standards New Zealand Catalogue of Publications; this information is supplemented each month by the magazines 'The Australian Standard' and 'Standards New Zealand', which subscribing members receive, and which give details of new publications, new editions and amendments, and of withdrawn Standards.

Suggestions for improvements to Joint Standards, addressed to the head office of either Standards Australia or Standards New Zealand, are welcomed. Notification of any inaccuracy or ambiguity found in a Joint Australian/New Zealand Standard should be made without delay in order that the matter may be investigated and appropriate action taken.

This Standard was issued in draft form for comment as DR 95012.

Australian/New Zealand Standard®

Electric cables—Reeling and trailing—For underground coal mining purposes

PUBLISHED JOINTLY BY:

STANDARDS AUSTRALIA 1 The Crescent, Homebush NSW 2140 Australia

STANDARDS NEW ZEALAND Level 10, Standards House, 155 The Terrace, Wellington 6001 New Zealand

ISBN 0 7337 0162 0

PREFACE

This Standard was prepared by the Joint Standards Australia/Standards New Zealand Committee EL/3, on Electric Wires and Cables to supersede AS 1802—1992 and NZS/AS 1802—1992, *Electric cables—Reeling and trailing—For underground coal mining purposes*.

The Standard aligns with AS 2802—1992, *Electric cables—Reeling and trailing—For mining and general use (other than underground coal mining)* for cables that have been developed to meet the special requirements of the Australian surface mining industry. The objective of this Standard is to specify construction and tests of reeling and trailing cables for use in underground coal mines.

The objective of the revision is to add new Type 245 cable and convert to a Joint Standard.

This revised Standard differs from the superseded Standard as follows:

- (a) It is published as a Joint Australian/New Zealand Standard.
- (b) Type 245 cable has been added.
- (c) References to tests under consideration have been deleted for insulating properties of sheaths and needle penetration tests for semi-conductive screen.
- (d) Appendix E has been re-located into Clause 7.
- (e) High voltage a.c. test voltages have been increased.

The terms 'normative' and 'informative' have been used in this Standard to define the application of the appendix to which they apply. A 'normative' appendix is an integral part of a Standard, whereas an 'informative' appendix is only for information and guidance.

Users of Standards are reminded that copyright subsists in all Standards Australia and Standards New Zealand publications and software. Except where the Copyright Act allows and except where provided for below no publications or software produced by Standards Australia or Standards New Zealand may be reproduced, stored in a retrieval system in any form or transmitted by any means without prior permission in writing from Standards Australia or Standards New Zealand. Permission may be conditional on an appropriate royalty payment. Australian requests for permission and information on commercial software royalties should be directed to the head office of Standards Australia. New Zealand requests should be directed to Standards New Zealand.

Up to 10 percent of the technical content pages of a Standard may be copied for use exclusively in-house by purchasers of the Standard without payment of a royalty or advice to Standards Australia or Standards New Zealand.

Inclusion of copyright material in computer software programs is also permitted without royalty payment provided such programs are used exclusively in-house by the creators of the programs.

Care should be taken to ensure that material used is from the current edition of the Standard and that it is updated whenever the Standard is amended or revised. The number and date of the Standard should therefore be clearly identified.

The use of material in print form or in computer software programs to be used commercially, with or without payment, or in commercial contracts is subject to the payment of a royalty. This policy may be varied by Standards Australia or Standards New Zealand at any time.

[©] Copyright – STANDARDS AUSTRALIA/STANDARDS NEW ZEALAND

CONTENTS

| | Pa_{ξ} | ge |
|------------|---|----|
| FOREWORD 5 | | |
| 1 | SCOPE | 6 |
| 2 | REFERENCED DOCUMENTS | 6 |
| 3 | DEFINITIONS | 6 |
| 4 | VOLTAGE DESIGNATION | 8 |
| 5 | DESIGNATION AND APPLICATION | 8 |
| 6 | MAXIMUM CONDUCTOR TEMPERATURES | 9 |
| 7 | POWER, EARTH AND PILOT CONDUCTORS (other than central pilot/control | |
| | cores and composite earth screens) | 10 |
| 8 | CENTRAL PILOT/CONTROL CORES (Types 209, 210, 241, 245, 275, 280A | |
| | and 280B only) | |
| 9 | CONDUCTOR SCREEN | |
| 10 | INSULATION OR COVERING ON CONDUCTORS (other than earth conductors) | 13 |
| 11 | TAPE OVER INSULATION OR COVERING, OTHER THAN | |
| | SEMICONDUCTIVE TAPE (Types 209, 210, 240 and 260 only) | |
| 12 | INSULATION SCREEN (non-metallic and composite) | |
| 13 | IDENTIFICATION OF CORES | 17 |
| 14 | | 18 |
| 15 | SEMICONDUCTIVE ELASTOMER COVERING FOR INTERSTITIAL | |
| | EARTH CONDUCTORS (Types 241, 245, 275, 280A and 280B only) | |
| 16 | LAYING UP OF CORES (other than Type 217) | 19 |
| 17 | SEMICONDUCTIVE ELASTOMER SCREEN FOR CORE ASSEMBLY | |
| | (Types 241, 245, 275, 280A and 280B only) | 19 |
| 18 | REINFORCEMENT FOR CORE ASSEMBLY (Types 217, 241, 245, 275, 280A | |
| | 57 | 20 |
| 19 | INNER SHEATH (Type 260 only) | |
| 20 | PLIABLE ARMOUR (Type 260 only) | |
| 21 | OUTER SHEATH (all cables) | 21 |
| 22 | OPTIONAL OUTER SHEATH REINFORCEMENT (Types 209, 240 and | |
| | 260 only) | |
| 23 | CONSTRUCTION AND DIMENSIONS (All cables) | |
| 24 | JOINTS IN COMPLETED CABLE LENGTHS | |
| 25 | TESTS | |
| 26 | FIGURES OF CONSTRUCTION AND TABLES OF DIMENSIONS | |
| 27 | MARKING (all cables) | 51 |
| TAB | BLES | |
| 1 | TYPES OF CABLES | 9 |
| 2 | MAXIMUM CONDUCTOR TEMPERATURE | |
| 3 | CONDUCTORS OTHER THAN INTERSTITIAL AND CENTRAL PILOT | - |
| - | | 10 |
| 4 | | 14 |
| 5 | CORE IDENTIFICATION METHOD | |
| 6 | COLOURS AND ROTATIONAL SEQUENCE | |



This is a free preview. Purchase the entire publication at the link below:

Product Page

S Looking for additional Standards? Visit Intertek Inform Infostore

> Learn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation