# Australian Standard™

Environmental testing
Part 2.59: Test methods—Test Fe:
Vibration—Sine beat method



This Australian Standard was prepared by Committee EL-026, Protective Enclosures and Environmental Testing for Electrical/Electronic Equipment. It was approved on behalf of the Council of Standards Australia on 23 April 2003 and published on 19 June 2003.

The following are represented on Committee EL-026:

Australian Chamber of Commerce and Industry

Australian Electrical and Electronic Manufacturer's Association

**Electrical Compliance Testing Association** 

**Electrical Regulatory Authorities Council** 

Electricity Supply Association of Australia

Testing Interests (Australia)

#### Keeping Standards up-to-date

Standards are living documents which reflect progress in science, technology and systems. To maintain their currency, all Standards are periodically reviewed, and new editions are published. Between editions, amendments may be issued. Standards may also be withdrawn. It is important that readers assure themselves they are using a current Standard, which should include any amendments which may have been published since the Standard was purchased.

Detailed information about Standards can be found by visiting the Standards Australia web site at <a href="https://www.standards.com.au">www.standards.com.au</a> and looking up the relevant Standard in the on-line catalogue.

Alternatively, the printed Catalogue provides information current at 1 January each year, and the monthly magazine, *The Australian Standard*, has a full listing of revisions and amendments published each month.

We also welcome suggestions for improvement in our Standards, and especially encourage readers to notify us immediately of any apparent inaccuracies or ambiguities. Contact us via email at mail@standards.com.au, or write to the Chief Executive, Standards Australia International Ltd, GPO Box 5420, Sydney, NSW 2001.

AS 60068.2.59—2003

## Australian Standard™

Environmental testing
Part 2.59: Test methods—Test Fe:
Vibration—Sine beat method

First published as AS 60068.2.59—2003.

### **COPYRIGHT**

© Standards Australia International

All rights are reserved. No part of this work may be reproduced or copied in any form or by any means, electronic or mechanical, including photocopying, without the written permission of the publisher

Published by Standards Australia International Ltd GPO Box 5420, Sydney, NSW 2001, Australia ISBN 0 7337 5295 0

#### **PREFACE**

This Standard was prepared by the Standards Australia Committee EL-026, Protective Enclosures and Environmental Testing for Electrical/Electronic Equipment.

The objective of this Standard is to provide the electrotechnology industry with a complete set of environmental test procedures published as a series under AS 60068 *Environmental testing*. This Standard is Part 2.59 of that series.

This Standard is identical with, and has been reproduced from, IEC 60068-2-59:1990, Environmental testing – Part 2-59: Test methods—Test Fe: Vibration—Sine-beat method.

As this Standard is reproduced from an International Standard, the following applies:

- (a) Its number does not appear on each page of text and its identity is shown only on the cover and title page.
- (b) In the source text 'this international standard' should read 'this Australian Standard'.
- (c) A full point should be substituted for a comma when referring to a decimal marker.
- (d) Any French text on figures should be ignored.

In this Standard, the following print types are used:

- requirements proper: in arial type;
- test specifications: in italic type;
- explanatory matter: in smaller arial type.

Any international Standard referenced should be replaced by an equivalent Australian Standard when one is available. The availability of equivalent Australian Standards can be determined either from the Standards Australia catalogue or from the Standards Australia website (www.standards.com.au).

### **CONTENTS**

				Page				
Intr	oduct	ion		v				
1	Object							
2	General description							
3	Definitions							
4			ts for conditioning					
	4.1		ion response investigation					
		4.1.1	Basic motion	4				
		4.1.2	Transverse motion	4				
		4.1.3	Rotational motion	4				
		4.1.4	Measuring points	5				
		4.1.5	Acceleration distortion	5				
		4.1.6	Vibration amplitude tolerances	5				
		4.1.7	Frequency range and tolerances	5				
		4.1.8	Sweeping	6				
	4.2	Sine-b	peat conditioning	6				
		4.2.1	Basic motion	6				
		4.2.2	Transverse motion	6				
		4.2.3	Rotational motion	6				
		4.2.4	Vibration amplitude tolerances	6				
		4.2.5	Test frequency tolerances	7				
	4.3 Mounting							
5	Severities							
	5.1	Test fr	requencies	7				
		5.1.1						
		5.1.2	Test frequency range					
	5.2 Test level							
	5.3 Sine-beat test wave							
		5.3.1	Number of cycles in the sine beat	10				
		5.3.2	Modulating frequency	10				
	5.4	Numbe	er of sine beats	10				
	5.5 Low-cycle high-stress fatigue effects							
6	Prec	ondition	ning	10				
7	Initial measurements							
8	Cond	ditioning	]	10				
	8.1		al					
	8.2	11						
	8.3	Sine-b	peat conditioning					
		8.3.1	Single axis conditioning					
		8.3.2	<b>5</b>					
		8.3.3	<b>5</b>					
9			e measurements					
10	10 Recovery							
11								
12			to be given in the relevant specification					
Anr	nex A	(inform	ative) Guide	13				



The is a new provider i arenade and chare publication at the limit below	This is a free preview.	Purchase the	entire publication	at the link below:
--	-------------------------	--------------	--------------------	--------------------

**Product Page** 

- Dooking for additional Standards? Visit Intertek Inform Infostore
- Dearn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation