AS 4061—1992 ISO 5598-1985

Australian Standard®

Fluid power systems and components—Vocabulary

This Australian Standard was prepared by Committee ME/35, Fluid Power Systems and Components. It was approved on behalf of the Council of Standards Australia on 3 August 1992 and published on 14 December 1992.

The following interests are represented on Committee ME/35:

Australian Chamber of Commerce and Industry

Australian Institute of Petroleum

Bureau of Steel Manufacturers of Australia

Department of Defence

Department of Mineral Resources, N.S.W.

Fluid Power Society of Victoria

Metal Trades Industry Association of Australia

Tractor and Machinery Association of Australia

Review of Australian Standards. To keep abreast of progress in industry, Australian Standards are subject to periodic review and are kept up to date by the issue of amendments or new editions as necessary. It is important therefore that Standards users ensure that they are in possession of the latest edition, and any amendments thereto.

Full details of all Australian Standards and related publications will be found in the Standards Australia Catalogue of Publications; this information is supplemented each month by the magazine 'The Australian Standard', which subscribing members receive, and which gives details of new publications, new editions and amendments, and of withdrawn Standards.

Suggestions for improvements to Australian Standards, addressed to the head office of Standards Australia, are welcomed. Notification of any inaccuracy or ambiguity found in an Australian Standard should be made without delay in order that the matter may be investigated and appropriate action taken.

AS 4061—1992

Australian Standard®

Fluid power systems and components—Vocabulary

First published as AS B204—1965. Revised and redesignated AS 4061—1992.

2

PREFACE

This Standard was prepared by the Standards Australia Committee on fluid power systems to supersede AS B20—1965, *Terms for fluid power transmission and control systems.* It is identical with and has been reproduced from ISO 5598—1985, *Fluid power systems and components—Vocabulary.*

Under arrangements made between Standards Australia and the international Standards bodies, ISO and IEC, as well as certain other Standards organizations, users of this Australian Standard are advised of the following:

- (a) Copyright is vested in Standards Australia.
- (b) The number of this Standard is not reproduced on each page; its identity is shown only on the cover and title pages.
- (c) There may be occasional dual language sections, but English is always one of the languages reproduced.
- (d) Where any cross-references to page numbers appear within the text, these relate to page numbering in the International Standard and are to be disregarded.

For the purposes of this Australian Standard, the ISO text should be modified as follows:

(i) References Replace references to other publications by references to Australian Standards as follows:

References to International Standard		Australian Standard		
ISO		AS		
1219	Fluid power systems and components	1101	Graphical symbols for general engineering	
		1101.1	Part 1: Hydraulic and pneumatic systems	
2382	Data processing—Vocabulary	1189	Data Processing—Vocabulary	
2382-1	Part 1: Fundamental terms	1189.1	Part 1: Fundamental terms	

© Copyright - STANDARDS AUSTRALIA

Users of Standards are reminded that copyright subsists in all Standards Australia publications and software. Except where the Copyright Act allows and except where provided for below no publications or software produced by Standards Australia may be reproduced, stored in a retrieval system in any form or transmitted by any means without prior permission in writing from Standards Australia. Permission may be conditional on an appropriate royalty payment. Requests for permission and information on commercial software royalties should be directed to the head office of Standards Australia.

Standards Australia will permit up to 10 percent of the technical content pages of a Standard to be copied for use exclusively in-house by purchasers of the Standard without payment of a royalty or advice to Standards Australia.

Standards Australia will also permit the inclusion of its copyright material in computer software programs for no royalty payment provided such programs are used exclusively in-house by the creators of the programs.

Care should be taken to ensure that material used is from the current edition of the Standard and that it is updated whenever the Standard is amended or revised. The number and date of the Standard should therefore be clearly identified.

The use of material in print form or in computer software programs to be used commercially, with or without payment, or in commercial contracts is subject to the payment of a royalty. This policy may be varied by Standards Australia at any time.

CONTENTS

			Page
0	Intro	oduction	6
1	Sco	pe and field of application	6
2	Fund	damentals	6
	2.0	General	6
	2.1	Conditions of utilization	6
	2.2	Performance characteristics	7
	2.3	Graphical representation	9
	2.4	Miscellaneous terms	10
3	Ene	rgy conversion	11
	3.0	General	11
	3.1	Hydraulic pumps	11
	3.2	Motors	13
		3.2.1 Air motors	13
		3.2.2 Hydraulic motors	13
	3.3	Hydraulic pump-motor	14
	3.4	Variable speed drive units (integral transmissions)	15
	3.5	Cylinder	15
	3.6	Pressure intensifier	17
	3.7	Pneumatic-hydraulic actuator	18
	3.8	Dashpot	18
4	Ene	rgy control and regulation	18
	4.0	Valve	18
	4.1	Directional control valve	19
	4.2	Check valves; non-return valves	20
	4.3	Pressure control valve	20
	4.4	Flow control valves	21
	4.5	Shut-off [isolating] valve	21
	4.6	Fluid logic and fluid analogue devices	22
	4.7	Servo-valve	24
5	Ene	rgy transfer and conditioning equipment	27
	5.0	General	27



	This is a free preview.	Purchase the e	entire publication	at the link below:
--	-------------------------	----------------	--------------------	--------------------

Product Page

- Dooking for additional Standards? Visit Intertek Inform Infostore
- Dearn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation