

This is a for the second secon

AS 1660.3-1993

Australian Standard®

Test methods for electrical cables, cords and conductors

Method 3: Electrical tests



This Australian Standard was prepared by Committee EL/3, Electric Wires and Cables. It was approved on behalf of the Council of Standards Australia on 10 July 1993 and published on 11 October 1993.

The following interests are represented on Committee EL/3:

Australian Electrical and Electronic Manufacturers Association

Department of Defence

Office of Energy, N.S.W

Electrical Contractors Association of Australia

Electrical regulatory authorities

Railways of Australia Committee

Testing interests

Review of Australian Standards. To keep abreast of progress in industry, Australian Standards are Review of Australian Standards. To keep abreast of progress in thaustry, Australian Standards are subject to periodic review and are kept up to date by the issue of amendments or new editions as necessary. It is important therefore that Standards users ensure that they are in possession of the latest edition, and any amendments thereto. Full details of all Australian Standards and related publications will be found in the Standards Australia Catalogue of Publications; this information is supplemented each month by the magazine 'The Australian Standard', which subscribing members receive, and which gives details of new publications, new editions and of withdrawn Standards

new editions and amendments, and of withdrawn Standards. Suggestions for improvements to Australian Standards, addressed to the head office of Standards Australia, are welcomed. Notification of any inaccuracy or ambiguity found in an Australian Standard should be made without delay in order that the matter may be investigated and appropriate action taken.

This Standard was issued in draft form for comment as DR 92147.

STANDARDS AUSTRALIA

1 8 MAY 1994

SYDNEY INFO. CENTRE

AS 1660.3/Amdt 1/1994-05-16

#### STANDARDS AUSTRALIA

This is a free page sample. Access the full version online.

### Amendment No. 1

#### to

AS 1660.3—1993 Test methods for electric cables, cords and conductors Method 3: Electrical tests

#### **REVISED TEXT**

The 1993 edition of AS 1660.3 is amended as follows; the amendment should be inserted in the appropriate place.

SUMMARY: This Amendment applies to Page 7

Published on 16 May 1994.

Page 7 Clause 3.1.2(b)

AMDT

No. 1 MAY 1994

Delete the Clause and substitute

(b) Insulation The potential difference between the test electrode and the conductor of the core or cable under test shall be the value specified in Table 3.0.

#### TABLE 3.0

#### SPARK TEST VOLTAGE VALUES FOR CONTACT ELECTRODES

Tabulated radial thickness of insulation* mm		Test voltage, kV	
		a.c. (r.m.s.)	d.c.
	≤0.25	3	5
>0.25	≤0.5	4	6
>0.5	≤1.0	6	9
>1.0	≤1.5	10	15
>1.5	≤2.0	15	23
>2.0	≤2.5	20	30
>2.5		25	38

\* Where more than one thickness is given, the minimum value is to be used.

# Australian Standard®

Test methods for electrical cables, cords and conductors

## **Method 3: Electrical tests**

First published as part of AS 1660.3—1974. AS 1660.4 first published 1974. AS 1660.3—1974, and AS 1660.4—1974 revised, amalgamated and designated in part as AS 1660.3—1986. Third edition 1993.

PUBLISHED BY STANDARDS AUSTRALIA (STANDARDS ASSOCIATION OF AUSTRALIA) 1 THE CRESCENT, HOMEBUSH, NSW 2140

ISBN 0 7262 8413 0

#### PREFACE

This Standard was prepared by the Standards Australia Committee on Electric Wires and Cables to replace AS 1660.3—1986, *Methods of test for electric cables, cords and conductors*, Part 3: *Electrical tests*. It is one of a set of tests for electric cables included in the AS 1660 series. Details of the whole series are given in an Appendix.

This Standard differs from the 1986 edition as follows:

- (a) Tests are to be conducted at ambient temperature, unless otherwise specified.
- (b) The high voltage d.c. test after installation has been deleted.
- (c) The test tables for flexible cords have been amended to correspond with the cords in AS 3191-1991, Approval and test specification-Electric flexible cords.
- (d) Insulation resistance tests for fluoropolymer insulated flexible cords have been deleted.
- (e) Partial discharge, impulse and spark tests have been revised.
- (f) Appendix A has been added.

#### © Copyright - STANDARDS AUSTRALIA

Users of Standards are reminded that copyright subsists in all Standards Australia publications and software. Except where the Copyright Act allows and except where provided for below no publications or software produced by Standards Australia may be reproduced, stored in a retrieval system in any form or transmitted by any means without prior permission in writing from Standards Australia. Permission may be conditional on an appropriate royalty payment. Requests for permission and information on commercial software royalties should be directed to the head office of Standards Australia.

Standards Australia will permit up to 10 percent of the technical content pages of a Standard to be copied for use exclusively in-house by purchasers of the Standard without payment of a royalty or advice to Standards Australia.

Standards Australia will also permit the inclusion of its copyright material in computer software programs for no royalty payment provided such programs are used exclusively in-house by the creators of the programs.

Care should be taken to ensure that material used is from the current edition of the Standard and that it is updated whenever the Standard is amended or revised. The number and date of the Standard should therefore be clearly identified.

The use of material in print form or in computer software programs to be used commercially, with or without payment, or in commercial contracts is subject to the payment of a royalty. This policy may be varied by Standards Australia at any time.



This is a free preview. Purchase the entire publication at the link below:

**Product Page** 

S Looking for additional Standards? Visit Intertek Inform Infostore

> Learn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation