AS 1033-1971 UDC 621.316.923

Australian Standard 1033—1971

HIGH-VOLTAGE EXPULSION AND SIMILAR FUSES

METRIC UNITS



STANDARDS ASSOCIATION OF AUSTRALIA Incorporated by Royal Charter

d

THE FOLLOWING SCIENTIFIC, INDUSTRIAL AND GOVERNMENTAL ORGANIZATIONS were officially represented on the committee entrusted with the preparation of this standard:

Associated Chambers of Manufactures of Australia

Australia and New Zealand Railways Conferences

Australian British Trade Association

Electricity Supply Association of Australia

The Institution of Engineers, Australia

This standard, prepared by Committee EL/7, Power Switchgear, was approved on behalf of the Council of the Standards Association of Australia on 31 December 1970.

In order to keep abreast with progress in the industries concerned, Australian standards are subject to periodical review. Suggestions for improvements, addressed to the head office of the Association, are welcomed.

This standard was issued in draft form for public review as Doc. 1453.

AUSTRALIAN STANDARD SPECIFICATION

HIGH-VOLTAGE EXPULSION AND SIMILAR FUSES

AS 1033-1971

First published 1971

Registered in Australia for transmission by post as a book.

PUBLISHED BY THE STANDARDS ASSOCIATION OF AUSTRALIA STANDARDS HOUSE, 80 ARTHUR ST., NTH SYDNEY, N.S.W. (Copyright) 2

PREFACE

The preparation of this standard was undertaken by a subcommittee of the Association's Committee on Power Switchgear.

The standard follows substantially, both in matter and in expression, IEC Publication 282-2 and acknowledgment is made of the assistance obtained from this source. The IEC publication was examined in the light of developing Australian practice, and was amended by omission of certain requirements not considered to be applicable, by additions considered necessary in Australian practice, by editorial actions not involving change of basic meanings and by re-numbering and re-arrangement of clauses to conform with the style of Australian standards.

The standard applies to expulsion and similar types of fuses for outdoor and indoor installations, for a.c. voltages above 1000 volts. The characteristics of the fuses, and requirements in respect of all tests are enumerated in detail.

Two appendices have been included: Appendix A—Application Guide, and Appendix B—Standardization of Time/Current Characteristics and Dimensions. The latter appendix is intended to rationalize the large number of different fusing characteristics and sizes of fuse links available, and to this end, values of preferred time/current characteristics and preferred dimensions have been listed for fuse links having rated currents in a range 1.0 to 400 amperes. The preferred dimensions have been stated in metric units but have been derived from inch units in common use; it is envisaged, however, that with the general introduction of metrication in Australia, the smaller nominal dimensions given in the tables may be amended.

In the application of this standard, reference to the following standards may be necessary:

- AS C1 Standard Voltages and Frequency for A.C. Transmission and Distribution Systems
- AS C320 Classification of Insulating Materials for Electrical Machinery and Apparatus
- AS C328 High Voltage Testing Techniques
- AS C337 Insulation Co-ordination
- AS C338 Surge Diverters.

This Australian standard is one of a series in which the requirements are expressed solely in metric units. Certain new standards, including revised standards formerly expressed in imperial units, are identified by a fourdigit reference without a prefix letter.

CONTENTS

Spontost	1 Course at	Pa	age
Section 1.1	â		5
	Scope	• ••	5
1.2	Normal Service Conditions	• • •	5
1.3	Altitude Correction Factors		6
	Table 1 Altitude Correction Factors for Voltages Table 1 Altitude Correction Factors for Voltages		6
	Table 2 Altitude Correction Factors for Rated Curr Temperature Rise Limits	ent and	6
Section	2 Definitions		
2.1	Application of Section		7
2.2	Types of Fuse	•••	- 7
2.3	Electrical Characteristics		7
2.4	Fuses and Their Component Parts		. 9
	Fig. 1 Terminology		10
Section 3	3 Rating		
3.1	Rating Characteristics		11
3.2	Rated Voltage		11
3.3	Rated Current		11
3.4	Rated Frequency		12
3.5	Rated Breaking Capacity		12
3.6	Insulation Level		12
3.7	Speed Class of Fuse Link		12
	Table 3 Insulation Levels	• •	13
SECTION 4	4 Performance		
4.1	Behaviour on Test and in Service		14
4.2	Transform D'	• •	15
at a sind	Temperature Kise <td></td> <td>15</td>		15
	Components and Materials		15
4.3	Time/Current Characteristics	• •	16
SECTION 5	5 Type Tests		
5.1	Conditions for Making the Tests		17
5.2	List of Type Tests	••	17
5.3	Test Practices Common to All Type Tests	• •	17
5.4	Dielectric Tests		18

3



This is a free preview. Purchase the entire publication at the link below:

Product Page

S Looking for additional Standards? Visit Intertek Inform Infostore

> Learn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation