

AS 2941—2013

AS 2941—2013

Australian Standard<sup>®</sup>

# **Fixed fire protection installations— Pumpset systems**



This Australian Standard® was prepared by Committee FP-008, Fire Service Pumps. It was approved on behalf of the Council of Standards Australia on 11 October 2013. This Standard was published on 18 November 2013.

---

The following are represented on Committee FP-008:

- Association of Hydraulic Services Consultants Australia
  - Australasian Fire and Emergency Service Authorities Council
  - Australian Chamber of Commerce and Industry
  - Fire Protection Association Australia
  - Insurance Council of Australia
  - Pump Industry Australia
- 

This Standard was issued in draft form for comment as DR AS 2941.

Standards Australia wishes to acknowledge the participation of the expert individuals that contributed to the development of this Standard through their representation on the Committee and through the public comment period.

---

### **Keeping Standards up-to-date**

Australian Standards® are living documents that reflect progress in science, technology and systems. To maintain their currency, all Standards are periodically reviewed, and new editions are published. Between editions, amendments may be issued.

Standards may also be withdrawn. It is important that readers assure themselves they are using a current Standard, which should include any amendments that may have been published since the Standard was published.

Detailed information about Australian Standards, drafts, amendments and new projects can be found by visiting [www.standards.org.au](http://www.standards.org.au)

Standards Australia welcomes suggestions for improvements, and encourages readers to notify us immediately of any apparent inaccuracies or ambiguities. Contact us via email at [mail@standards.org.au](mailto:mail@standards.org.au), or write to Standards Australia, GPO Box 476, Sydney, NSW 2001.

---

AS 2941—2013

Australian Standard<sup>®</sup>

## **Fixed fire protection installations— Pumpset systems**

Originated as AS 2941—1987.  
Previous edition 2008.  
Fifth edition 2013.

### **COPYRIGHT**

© Standards Australia Limited

All rights are reserved. No part of this work may be reproduced or copied in any form or by any means, electronic or mechanical, including photocopying, without the written permission of the publisher, unless otherwise permitted under the Copyright Act 1968.

ISBN 978 1 74342 625 8

## PREFACE

This Standard was prepared by the Standards Australia Committee FP-008, Fire Service Pumps, to supersede AS 2941—2008.

Maintenance requirements for fire pumpsets are given in AS 1851, *Routine service of fire protection systems and equipment*.

The symbols used in this Standard comply with those given in HB 20, *Graphical symbols for fire protection drawings*, and have been developed from ISO Standards. The typical illustrations are in diagrammatic form only.

The terms ‘normative’ and ‘informative’ have been used in this Standard to define the application of the appendix to which they apply. A ‘normative’ appendix is an integral part of a Standard, whereas an ‘informative’ appendix is only for information and guidance.

The use of Notes in this Standard is of an advisory nature only. They provide explanations and guidance on recommended design considerations or technical procedures, as well as informative cross-references to other documents or publications.

*This Standard incorporates a commentary on some of the clauses. The commentary directly follows the relevant clause, is designated by ‘C’ preceding the clause number, and is printed in italics in a box. The commentary is for information and guidance.*

## CONTENTS

	<i>Page</i>
FOREWORD.....	6
 SECTION 1 SCOPE AND GENERAL	
1.1 SCOPE.....	7
1.2 OBJECTIVE .....	7
1.3 NORMATIVE REFERENCES .....	7
1.4 DEFINITIONS.....	9
 SECTION 2 WATER SUPPLIES	
2.1 GENERAL.....	12
2.2 ACCEPTABLE SOURCES OF SUPPLY .....	12
2.3 QUALITY OF WATER.....	12
2.4 FLOODED SUCTION.....	12
2.5 SUCTION.....	12
2.6 SUPPLY FROM NATURAL SOURCES .....	13
 SECTION 3 GENERAL REQUIREMENTS FOR FIRE PROTECTION PUMPSETS	
3.1 PERFORMANCE CHARACTERISTICS.....	18
3.2 PUMP TYPES .....	21
3.3 TYPES OF DRIVERS .....	23
3.4 PUMP/DRIVER CONNECTION .....	23
3.5 BASEPLATE.....	23
3.6 PIPEWORK.....	24
3.7 VALVES .....	25
3.8 VISIBILITY OF DISCHARGE .....	28
3.9 PRESSURE GAUGES.....	28
3.10 FLOW-MEASURING DEVICES .....	29
3.11 STARTING AND CONTROL .....	29
3.12 ELECTRICAL REQUIREMENTS .....	29
3.13 MARKING .....	33
3.14 PUMPSET PAINTING .....	35
3.15 PUMPSET MANUALS .....	35
3.16 PUMPSET CONFIGURATIONS .....	35
3.17 PUMP HOUSES AND PUMP ROOMS .....	40
 SECTION 4 SPECIFIC REQUIREMENTS FOR FIRE PROTECTION PUMPS	
4.1 GENERAL.....	41
4.2 END-SUCTION PUMPS .....	43
4.3 AXIALLY SPLIT CASE PUMPS (HORIZONTAL OR VERTICAL SHAFT) .....	43
4.4 MULTISTAGE CENTRIFUGAL PUMPS .....	44
4.5 TURBINE TYPE CENTRIFUGAL PUMPS (VERTICAL SHAFT).....	44
4.6 DRIVERS FOR VERTICAL TURBINE PUMPS .....	46
4.7 POSITIVE DISPLACEMENT PUMPS FOR FIRE PROTECTION APPLICATIONS .....	47
 SECTION 5 REQUIREMENTS FOR PRESSURE MAINTENANCE PUMPS	
5.1 GENERAL.....	49
5.2 GENERAL REQUIREMENTS FOR JOCKEY PUMPS.....	49
5.3 GENERAL REQUIREMENTS FOR JACKING PUMPS.....	50

This is a free preview. Purchase the entire publication at the link below:

[Product Page](#)

- 
- Looking for additional Standards? Visit Intertek Inform Infostore
  - Learn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation
-