

AS 3673—1989

Australian Standard<sup>®</sup>

---

**Malleable cast iron threaded pipe  
fittings**

---

This Australian Standard was prepared by Committee WS/4, Steel Pipes and Fittings — Water and Gas. It was approved on behalf of the Council of Standards Australia on 8 February 1989 and published on 14 April 1989.

---

The following interests are represented on Committee WS/4:

Australian Gas Association

Confederation of Australian Industry

Metal Trades Industry Association of Australia

Public Works Department, New South Wales

Water Resources Commission, Queensland

Additional interests participating in preparation of this Standard:

Water Authority of Western Australia

---

**Review of Australian Standards.** To keep abreast of progress in industry, Australian Standards are subject to periodic review and are kept up to date by the issue of amendments or new editions as necessary. It is important therefore that Standards users ensure that they are in possession of the latest edition, and any amendments thereto.

Full details of all Australian Standards and related publications will be found in the Standards Australia Catalogue of Publications; this information is supplemented each month by the magazine 'The Australian Standard', which subscribing members receive, and which gives details of new publications, new editions and amendments, and of withdrawn Standards.

Suggestions for improvements to Australian Standards, addressed to the head office of Standards Australia, are welcomed. Notification of any inaccuracy or ambiguity found in an Australian Standard should be made without delay in order that the matter may be investigated and appropriate action taken.

---

*This Standard was issued in draft form for comment as DR 88047.*

AS 3673—1989

Australian Standard<sup>®</sup>

---

**Malleable cast iron threaded pipe fittings**

---

First published as AS 3673—1989.

PUBLISHED BY STANDARDS AUSTRALIA  
(STANDARDS ASSOCIATION OF AUSTRALIA)  
1 THE CRESCENT, HOMEBUSH, NSW 2140

ISBN 0 7262 5511 4

## PREFACE

This Standard was prepared by Standards Australia's Committee on Steel Pipes and Fittings — Water and Gas in response to a request from Standards Australia's Committee on the National Plumbing and Drainage Code.

In the preparation of this Standard reference was made to BS 143 and 1256:1986, *Specification for malleable cast iron and cast copper alloy threaded pipe fittings*, and ISO 49, *Malleable cast iron fittings threaded to ISO 7/1*, and the assistance gained from these sources is acknowledged.

This Standard does not indicate the services for which the threaded pipe fittings are appropriate. Where the use of threaded pipe fittings is not controlled by by-laws or regulations, reference should be made to the appropriate Code of Practice or application Standard. If the application is for pressure purposes, reference should be made to AS CB18, *SAA Pressure Piping Code — Part 1: Ferrous piping*.

## CONTENTS

	<i>Page</i>
1 SCOPE . . . . .	3
2 REFERENCED DOCUMENTS . . . . .	3
3 DEFINITIONS . . . . .	3
4 TYPES OF FITTINGS AND SYMBOLS . . . . .	3
5 NOMINAL SIZE RANGE . . . . .	3
6 NOMINAL SIZE DESIGNATION . . . . .	3
7 PRESSURE/TEMPERATURE RATINGS . . . . .	4
8 DIMENSIONS AND TOLERANCES . . . . .	4
9 THREADS . . . . .	5
10 MANUFACTURE . . . . .	5
11 DESIGN . . . . .	5
12 TESTING AND INSPECTION . . . . .	6
13 MARKING . . . . .	6
 APPENDICES	
A INFORMATION TO BE SUPPLIED WITH ORDER . . . . .	24
B EFFECT OF NON-METALLIC MATERIALS ON WATER QUALITY . . . . .	24

### © Copyright — STANDARDS AUSTRALIA

Users of Standards are reminded that copyright subsists in all Standards Australia publications and software. Except where the Copyright Act allows and except where provided for below no publications or software produced by Standards Australia may be reproduced, stored in a retrieval system in any form or transmitted by any means without prior permission in writing from Standards Australia. Permission may be conditional on an appropriate royalty payment. Requests for permission and information on commercial software royalties should be directed to the head office of Standards Australia.

Standards Australia will permit up to 10 percent of the technical content pages of a Standard to be copied for use exclusively in-house by purchasers of the Standard without payment of a royalty or advice to Standards Australia.

Standards Australia will also permit the inclusion of its copyright material in computer software programs for no royalty payment provided such programs are used exclusively in-house by the creators of the programs.

Care should be taken to ensure that material used is from the current edition of the Standard and that it is updated whenever the Standard is amended or revised. The number and date of the Standard should therefore be clearly identified.

The use of material in print form or in computer software programs to be used commercially, with or without payment, or in commercial contracts is subject to the payment of a royalty. This policy may be varied by Standards Australia at any time.

STANDARDS AUSTRALIA

---

**Australian Standard**

---

**Malleable cast iron threaded pipe fittings**

---

**1 SCOPE.** This Standard specifies requirements for the design and performance of malleable cast iron threaded pipe fittings for two basic designs, those having taper external and taper internal threads and those having taper external and parallel internal threads in accordance with AS 1722.1 for use with steel tubes and tubulars as specified in AS 1074.

NOTE: Guidelines on information that should be specified by the purchaser or agreed upon at the time of enquiry or order are given in Appendix A.

**2 REFERENCED DOCUMENTS.** The following documents are referred to in this Standard.

AS

1074 Steel tubes and tubulars for ordinary service

1650 Galvanized coatings

1722 Pipe threads of Whitworth form

1722.1 Part 1: Sealing pipe threads

1722.2 Part 2: Fastening pipe threads

1832 Iron castings — Malleable cast iron

ISO

49 Malleable cast iron fittings threaded to ISO 7/1

**3 DEFINITIONS.** For the purpose of this Standard the definitions below apply.

**3.1 Fitting** — a connecting piece, of one or more parts.

**3.2 Nominal size (DN)** — a numerical designation of size that is common to all components in a piping system other than components designated by outside diameters or by thread size. It is a convenient round number for reference purposes and is only loosely related to manufacturing dimensions.

NOTE: Nominal size is designated by the letters DN followed by a number, e.g. DN 32.

**3.3 Fastening thread** — a thread for fittings (or parts of a fitting) requiring simple mechanical assembly.

NOTE: Fastening pipe thread is specified in AS 1722.2 and its use in this Standard is covered by G series threads.

**3.4 Sealing pipe thread** — a thread for fittings requiring pressure tightness through the mating of the threads, with or without the use of thread sealants, at the same time providing mechanical assembly.

NOTE: Sealing pipe thread is specified in AS 1722.1 and its use in this Standard is covered by RP, R and RC series threads.

**3.5 Chamfer** — machined or cast surface in the form of a cone at the entrance of a thread to assist assembly and prevent damage to the start of the thread.

**3.6 Reinforcement** — additional material on the outside diameter of an internally threaded fitting in the form of a band or bead.

**3.7 Rib** — local and axially aligned additional material on the outside or inside of a fitting for assistance in manufacturing or assembly.

**3.8 Outlet** — threaded end of a fitting, that connects with a tube, fitting or other component.

**3.9 Run** — the principal axially aligned outlet of a fitting having two outlets or more.

**3.10 Branch** — side outlet(s) of a tee, pitcher tee or cross.

**3.11 Centre to face dimension** — the distance between the central axis and the face of an outlet of an angularly disposed outlet.


**4 TYPES OF FITTINGS AND SYMBOLS.** Names and type symbols of fittings specified in this Standard are given in Figures 4 to 22 inclusive.

**5 NOMINAL SIZE RANGE.** The nominal size shall be selected from the range as given in Table 1.

**TABLE 1**  
**NOMINAL SIZE RANGE**

DN 6	DN 25	DN 80
DN 8	DN 32	DN 100
DN 10	DN 40	DN 125
DN 15	DN 50	DN 150
DN 20	DN 65	

**6 NOMINAL SIZE DESIGNATION.** Nominal size designation of equal fittings shall comply with Clause 5. Nominal size designation of unequal fittings shall follow the method as shown in Figure 1.



NOTE: The method of specifying outlets is in accordance with method (b) in ISO 49.

**FIGURE 1** METHOD OF DESIGNATING NOMINAL SIZE WHERE FITTING HAS TWO OR MORE OUTLETS

This is a free preview. Purchase the entire publication at the link below:

[Product Page](#)

- 
- Looking for additional Standards? Visit Intertek Inform Infostore
  - Learn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation
-