AS/NZS 60079.30.2:2016 IEC/IEEE 60079-30-2, Ed. 1.0 (2015)

Australian/New Zealand Standard™

**Explosive atmospheres** 

Part 30.2: Electrical resistance trace heating—Application guide for design, installation and maintenance





#### AS/NZS 60079.30.2:2016

This Joint Australian/New Zealand Standard was prepared by Joint Technical Committee EL-014, Equipment for Explosive Atmospheres. It was approved on behalf of the Council of Standards Australia on 29 April 2016 and by the New Zealand Standards Approval Board on 20 April 2016. This Standard was published on 18 May 2016.

The following are represented on Committee EL-014:

Auckland Regional Chamber of Commerce Australian Chamber of Commerce and Industry Australian Industry Group Australian Institute of Petroleum Australian Petroleum Production and Exploration Association Australian Pipelines and Gas Association Aviation and Marine Engineers Association Bureau of Steel Manufacturers of Australia Department of Industry, Skills and Regional Development, NSW Department of Natural Resources and Mines (SIMTARS), Qld **Electrical Compliance Testing Association** Electrical Contractors Association of New Zealand **Electrical Regulatory Authorities Council** Engineers Australia Institute of Electrical Inspectors Institute of Instrumentation, Control and Automation Australia Institution of Professional Engineers New Zealand Mining Electrical and Mining Mechanical Engineering Society SafeWork NSW University of Newcastle Worksafe New Zealand

### Keeping Standards up-to-date

Standards are living documents which reflect progress in science, technology and systems. To maintain their currency, all Standards are periodically reviewed, and new editions are published. Between editions, amendments may be issued. Standards may also be withdrawn. It is important that readers assure themselves they are using a current Standard, which should include any amendments which may have been published since the Standard was purchased.

Detailed information about joint Australian/New Zealand Standards can be found by visiting the Standards Web Shop at www.saiglobal.com or Standards New Zealand web site at www.standards.govt.nz and looking up the relevant Standard in the on-line catalogue.

For more frequent listings or notification of revisions, amendments and withdrawals, Standards Australia and Standards New Zealand offer a number of update options. For information about these services, users should contact their respective national Standards organization.

We also welcome suggestions for improvement in our Standards, and especially encourage readers to notify us immediately of any apparent inaccuracies or ambiguities. Please address your comments to the Chief Executive of Standards Australia or the New Zealand Standards Executive at the address shown on the back cover.

This Standard was issued in draft form for comment as DR AS/NZS 60079.30.2:2015.

## Australian/New Zealand Standard™

## **Explosive atmospheres**

# Part 30.2: Electrical resistance trace heating—Application guide for design, installation and maintenance

Originated as AS/NZS 62086.2:2002. Previous edition revised and redesignated as AS/NZS 60079.30.2:2007. Second edition 2016.

### COPYRIGHT

© Standards Australia Limited/Standards New Zealand

All rights are reserved. No part of this work may be reproduced or copied in any form or by any means, electronic or mechanical, including photocopying, without the written permission of the publisher, unless otherwise permitted under the Copyright Act 1968 (Australia) or the Copyright Act 1994 (New Zealand).

Jointly published by SAI Global Limited under licence from Standards Australia Limited, GPO Box 476, Sydney, NSW 2001 and by Standards New Zealand, PO Box 10729, Wellington 6011.

2

### PREFACE

This Standard was prepared by the Joint Standards Australia/Standards New Zealand Committee, EL-014, Equipment for Explosive Atmospheres, to supersede AS/NZS 60079.30.2:2007 *Explosive atmospheres*, Part 30.2: *Electrical resistance trace heating*—*Application guide for design, installation and maintenance (IEC 60079-30-2, Ed. 1.0 (2007) MOD).* 

The objective of this Standard is to provide guidance for the application of electrical resistance trace heating systems in areas where explosive gas atmospheres may be present, with the exception of those classified as requiring EPL Ga/Da (traditional relationship to Zone 0 and Zone 20 respectively).

The objective of this revision is to adopt the current edition of IEC/IEEE 60079-30-2.

This Standard is identical with, and has been reproduced from, IEC/IEEE 60079-30-2, Ed. 1.0 (2015), *Explosive atmospheres*, Part 30-2: *Electrical resistance trace heating*—*Application guide for design, installation and maintenance.* 

As this Standard is reproduced from an International Standard, the following applies:

(a) In the source text 'this part of IEC 60079' should read 'this Australian/New Zealand standard'.

(b) A full point substitutes for a comma when referring to a decimal marker.

References to International Standards should be replaced by references to Australian or Australian/New Zealand Standards, as follows:

| Reference to International Standard |   | Australian/New Zealand Standard |   |
|-------------------------------------|---|---------------------------------|---|
| IEC                                 |   | AS/NZS                          |   |
| 60079                               | Explosive atmospheres                                   | 60079                           | Explosive atmospheres                                   |
| 60079-0                             | Part 0: Equipment—General requirements                  | 60079.0                         | Part 0: Equipment—General requirements                  |
| 60079-15                            | Part 15: Equipment protection by type of protection "n" | 60079.15                        | Part 15: Equipment protection by type of protection 'n' |
| IEC/IEEE                            |   |                                 |   |
| 60079                               | Explosive atmospheres                                   | 60079                           | Explosive atmospheres                                   |
| 60079-30-1                          | Part 30-1: Electrical resistance trace                  | 60079.30.1                      | Part 30.1: Electrical resistance trace                  |
|                                     | heating—General and testing<br>requirements             |                                 | heating—General and testing<br>requirements             |

Only normative references that have been adopted as Australian or Australian/New Zealand Standards have been listed.

The term 'informative' has been used in this Standard to define the application of the annex to which it applies. An 'informative' annex is only for information and guidance.

3

### CONTENTS

| 1 | Scop                       | е   | . 10        |
|---|----------------------------|---|-------------|
| 2 | Norm                       | ative references  | . 10        |
| 3 | Term                       | s and definitions   | . 10        |
| 4 | Application considerations |   |             |
| • | л.рр.:<br>Л. 1             | General   | 10          |
|   | т. і<br>1 О                |   | . 10        |
|   | 4.2<br>1 3                 | Process temperature accuracy  | <br>11      |
|   | т.U<br>/ З 1               |   |             |
|   | 4.3.1                      |   | . I I<br>11 |
|   | 4.3.2                      |   | . I I<br>11 |
|   | 4.5.5                      | Installation considerations   | <br>11      |
| Б | 4.4<br>Thor                |   | . I I<br>12 |
| 5 |                            |   | . 12        |
|   | 5.1                        |   | .12         |
|   | 5.2                        | Selection of insulating material  | .12         |
|   | 5.3                        | Selection of weather barrier (cladding)                                   | .13         |
|   | 5.4                        | Selection of economical thickness to provide optimum trace heating design | .13         |
|   | 5.5                        | Double insulation   | .14         |
| 6 | Syste                      | em design   | .17         |
|   | 6.1                        | General   | . 17        |
|   | 6.2                        | Purpose of, and major requirement for, trace heating                      | .17         |
|   | 6.3                        | Training  | . 18        |
|   | 6.4                        | Selection of trace heater   | . 18        |
|   | 6.4.1                      | General   | . 18        |
|   | 6.4.2                      | Site-fabricated trace heaters   | . 18        |
|   | 6.4.3                      | Specific types of trace heating   | . 19        |
|   | 6.5                        | Maximum temperature determination   | .19         |
|   | 6.5.1                      | General   | . 19        |
|   | 6.5.2                      | PTC characteristic  | . 19        |
|   | 6.5.3                      | Stabilized design   | . 20        |
|   | 6.5.4                      | Controlled design   | . 20        |
|   | 6.6                        | Heat up and cool down considerations                                      | .20         |
|   | 6.7                        | Design information  | . 20        |
|   | 6.7.1                      | Design information documentation  | .20         |
|   | 6.7.2                      | Isometric or trace heater configuration line lists and load charts        | .21         |
|   | 6.8                        | Power system  | . 22        |
|   | 6.9                        | Earthing requirements   | . 22        |
|   | 6.10                       | Earth-fault protection of equipment                                       | .23         |
|   | 6.11                       | Start-up at minimum ambient temperatures                                  | .23         |
|   | 6.12                       | Long trace heater runs  | .23         |
|   | 6.13                       | Flow pattern analysis   | .23         |
|   | 6.14                       | Dead-leg control technique  | .25         |
|   | 6.15                       | Chimney effect  | .25         |
|   | 6.16                       | Safety shower and eyewash station design requirements                     | .26         |
|   |                            |   |             |



This is a free preview. Purchase the entire publication at the link below:

**Product Page** 

S Looking for additional Standards? Visit Intertek Inform Infostore

> Learn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation