

Technical Report

Electromagnetic compatibility (EMC)

Part 3.7: Limits—Assessment of emission limits for the connection of fluctuating installations to MV, HV and EHV power systems



TR IEC 61000.3.7:2012

This Joint Australian/New Zealand Technical Report was prepared by Joint Technical Committee EL-034, Power Quality. It was approved on behalf of the Council of Standards Australia on 20 March 2012 and on behalf of the Council of Standards New Zealand on 2 April 2012.

This Technical Report was published on 24 April 2012.

The following are represented on Committee EL-034:

Australian Chamber of Commerce and Industry
Australian Industry Group
Australian Information Industry Association
Bureau of Steel Manufacturers of Australia
Consumer Electronics Suppliers Association
Consumers Federation of Australia
Electrical Regulatory Authorities Council
Electricity Engineers Association, New Zealand
Energy Networks Association
Engineers Australia
Lighting Council of Australia
Ministry of Economic Development, New Zealand
National Measurement Institute
New Zealand Coordinating Committee on Power and Telecommunication Systems
New Zealand Electric Fence Energiser Manufacturers Standards WG
Telstra Corporation
University of Canterbury, New Zealand
University of Wollongong

Keeping Standards up-to-date

Standards are living documents which reflect progress in science, technology and systems. To maintain their currency, all Standards are periodically reviewed, and new editions are published. Between editions, amendments may be issued. Standards may also be withdrawn. It is important that readers assure themselves they are using a current Standard, which should include any amendments which may have been published since the Standard was purchased.

Detailed information about joint Australian/New Zealand Standards can be found by visiting the Standards Web Shop at www.saiglobal.com.au or Standards New Zealand web site at www.standards.co.nz and looking up the relevant Standard in the on-line catalogue.

For more frequent listings or notification of revisions, amendments and withdrawals, Standards Australia and Standards New Zealand offer a number of update options. For information about these services, users should contact their respective national Standards organization.

We also welcome suggestions for improvement in our Standards, and especially encourage readers to notify us immediately of any apparent inaccuracies or ambiguities. Please address your comments to the Chief Executive of either Standards Australia or Standards New Zealand at the address shown on the back cover.

Technical Report

Electromagnetic compatibility (EMC)

Part 3.7: Limits—Assessment of emission limits for the connection of fluctuating installations to MV, HV and EHV power systems

Originated in Australia as AS 2279.4—1985.
Previous edition AS/NZS 61000.3.7:2001.
Second edition 2012.

COPYRIGHT

© Standards Australia Limited/Standards New Zealand

All rights are reserved. No part of this work may be reproduced or copied in any form or by any means, electronic or mechanical, including photocopying, without the written permission of the publisher, unless otherwise permitted under the Copyright Act 1968 (Australia) or the Copyright Act 1994 (New Zealand).

Jointly published by SAI Global Limited under licence from Standards Australia Limited, GPO Box 476, Sydney, NSW 2001 and by Standards New Zealand, Private Bag 2439, Wellington 6140.

PREFACE

This Technical Report was prepared by the Joint Standards Australia/Standards New Zealand Committee EL-034, Power Quality, to supersede AS/NZS 61000.3.7:2001, *Electromagnetic compatibility (EMC)—Part 3.7: Limits—Assessment of emission limits for fluctuating loads in MV and HV power systems (IEC 61000-3-7:1996, MOD)*. AS/NZS 61000.3.7:2001 will be made available superseded.

The objective of this Technical Report is to provide guidance on principles that can be used to determine the requirements for the connection of fluctuating installations to MV, HV and EHV public power systems.

This Technical Report is identical with, and has been reproduced from IEC TR 61000-3-7, Ed.2.0 (2008), *Electromagnetic compatibility (EMC)—Part 3-7: Limits—Assessment of emission limits for the connection of fluctuating installations to MV, HV and EHV power systems*. The IEC processes related to development and approval of a Technical Report are subject to a more moderate level of transparency and consensus than the processes related to developing and approving a normative Standard.

As this Technical Report is reproduced from an International Technical Report, the following applies:

- (a) Its number appears on the cover and title page while the International Technical Report number appears only on the cover.
- (b) A full point substitutes for a comma when referring to a decimal marker.

The normative reference in the source document has not been adopted as an Australian or Australian/New Zealand Standard.

The term ‘informative’ has been used in this Technical Report to define the application of the annex to which it applies. An ‘informative’ annex is only for information and guidance.

CONTENTS

	<i>Page</i>
1 Scope.....	9
2 Normative references	10
3 Terms and definitions	10
4 Basic EMC concepts related to voltage fluctuations	13
4.1 Compatibility levels	14
4.2 Planning levels.....	14
4.2.1 Indicative values of planning levels.....	14
4.2.2 Assessment procedure for evaluation against planning levels.....	15
4.3 Illustration of EMC concepts.....	16
4.4 Emission levels	17
5 General principles	18
5.1 Stage 1: simplified evaluation of disturbance emission	18
5.2 Stage 2: emission limits relative to actual system characteristics.....	18
5.3 Stage 3: acceptance of higher emission levels on a conditional basis.....	19
5.4 Responsibilities	19
6 General guidelines for the assessment of emission levels	19
6.1 Point of evaluation.....	19
6.2 Definition of flicker emission level	20
6.3 Assessment of flicker emission levels.....	20
6.4 Declared system short circuit power or impedance	21
6.4.1 Short-circuit power or impedance for pre-connection assessment of emission levels	21
6.4.2 Short-circuit power or impedance for assessing actual emission levels.....	21
6.5 General guidelines for assessing the declared system impedance.....	21
7 General summation law	21
8 Emission limits for fluctuating installations connected to MV systems	22
8.1 Stage 1: simplified evaluation of disturbance emission	22
8.2 Stage 2: emission limits relative to actual system characteristics.....	23
8.2.1 Global emission to be shared between the customers.....	23
8.2.2 Individual emission limits	24
8.3 Stage 3: acceptance of higher emission levels on a conditional basis.....	25
8.4 Summary diagram of the evaluation procedure	26
9 Emission limits for fluctuating installations connected to HV or EHV systems	28
9.1 Stage 1: simplified evaluation of disturbance emission	28
9.2 Stage 2: emission limits relative to actual system characteristics.....	28
9.2.1 Assessment of the total available power	28
9.2.2 Individual emission limits	29
9.3 Stage 3: acceptance of higher emission levels on a conditional basis.....	30
10 Rapid voltage changes	31
10.1 General considerations.....	31
10.2 Compatibility level	32

This is a free preview. Purchase the entire publication at the link below:

[Product Page](#)

-
- Looking for additional Standards? Visit Intertek Inform Infostore
 - Learn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation
-