AS/NZS 60695.11.4:2004 (IEC 60695-11-4 Ed. 2.0, IDT)

Australian/New Zealand Standard™

Fire hazard testing -

Part 11.4: Test flames – 50 W flame – Apparatus and confirmational test method





AS/NZS 60695.11.4:2004

This Joint Australian/New Zealand Standard was prepared by Joint Technical Committee EL-002 - Safety of Household and Similar Electrical Appliances and Small Power Transformers. It was approved on behalf of the Council of Standards Australia on 20 August 2004 and by the Council of Standards New Zealand on 03 September 2004. It was published on 15 October 2004.

The following interests are represented on Committee EL-002

Australian Industry Group

Australian Retailers Association

Australian Electrical and Electronic Manufacturers Association

Business New Zealand

Consumer Electronic Suppliers Association, Australia

Consumers' Federation of Australia

Electrical regulatory authorities, Australia

Electrical Compliance Testing Association

Electrical consultants

Electricity Supply Association of Australia

Ministry of Consumer Affairs, New Zealand

Keeping Standards up-to-date

Standards are living documents, which reflect progress in science, technology and systems.

To maintain their currency, all Standards are periodically reviewed, and new editions are published. Between editions, amendments may be issued. Standards may also be withdrawn. It is important that readers assure themselves they are using a current Standard, which should include any amendments which may have been published since the Standard was purchased.

Detailed information about joint Australian/New Zealand Standards can be found by visiting the Standards Australia web site at www.standards.org.au or Standards New Zealand web site at www.standards.co.nz and looking up the relevant Standard in the on-line catalogue. Alternatively, both organizations publish an annual printed Catalogue with full details of all current Standards. For more frequent listings or notification of revisions, amendments and withdrawals, Standards Australia and Standards New Zealand offer a number of update options. For information about these services, users should contact their respective national Standards organization.

We also welcome suggestions for improvement in our Standards, and especially encourage readers to notify us immediately of any apparent inaccuracies or ambiguities. Please address your comment to the Chief Executive of either Standards Australia International or Standards New Zealand at the address shown on the back cover.

This standard was issued in draft form for comment as DR 04909

AS/NZS 60695.11.4:2004 (IEC 60695-11-4 Ed. 2.0, IDT)

Australian/New Zealand Standard™

Fire hazard testing -

Part 11.4: Test flames – 50 W flame – Apparatus and confirmational test method

First edition AS/NZS 60695.11.4:2001.

Second edition AS/NZS 60695.11.4:2004.

COPYRIGHT

© Standards Australia International/ Standards New Zealand

All rights are reserved. No part of this work may be reproduced or copied in any form or by any means, electronic or mechanical, including photocopying, without the written permission of the publisher

Published jointly by Standards Australia International Ltd, GPO Box 5420, Sydney, NSW 2001, Australia, and

Standards New Zealand, Private Bag 2439, Wellington 6020, New Zealand

ISBN 0 7337 6282 4

2

CONTENTS

| PR | EFAC | E | | 4 | | | |
|-----|---|------------------------------|--|-----|--|--|--|
| IN٦ | ROD | UCTIO | N | 5 | | | |
| | | | | | | | |
| | 0 | | | | | | |
| 1 | | | | | | | |
| 2 | | | eferences | | | | |
| 3 | Terms and definitions | | | | | | |
| 4 | Method A – Production of a standardized nominal 50 W flame test | | | | | | |
| | 4.1 | • | rements | | | | |
| | 4.2 | Apparatus and fuel | | | | | |
| | | 4.2.1 | Burner | | | | |
| | | 4.2.2 | Flowmeter | | | | |
| | | 4.2.3 | Manometer | | | | |
| | | 4.2.4 | Control valve | | | | |
| | | 4.2.5 | Copper block | | | | |
| | | 4.2.6 | Thermocouple | | | | |
| | | 4.2.7 | Temperature/time indicating/recording devices | | | | |
| | | 4.2.8 | Fuel gas | | | | |
| | 4.2.9 Laboratory fumehood/chamber | | | | | | |
| | _ | 4.3 Production of test flame | | | | | |
| | 4.4 | | mation of the test flame | | | | |
| | | 4.4.1 | Principle | | | | |
| | | 4.4.2 | Procedure | | | | |
| _ | N4 - (1 | | Verification | | | | |
| 5 | | | | | | | |
| 6 | Method C | | | | | | |
| 7 | Classification and designation | | | | | | |
| Λn | nev A | (norma | itive) Test arrangements – Method A | 13 | | | |
| | | | | | | | |
| | nex B | • | drawn) | | | | |
| | nex C | | drawn) | | | | |
| | | | native) Recommended arrangements for the use of the test flame | | | | |
| | | • | native) Clearance gauge | | | | |
| An | nex F | (inform | ative) Test arrangements for tests on equipment | 21 | | | |
| An | nex G | (inforr | mative) Test arrangements for tests on bar test specimens | 22 | | | |
| An | nex H | (inform | native) Access to equipment manufacturers and suppliers | 23 | | | |
| D:h | lioara | nhv | | 2.4 | | | |
| טוט | mogra | ιμιιγ | | | | | |

| Figure 1 – Copper block | 11 |
|--|------|
| Figure 2 – Flame height gauge | 12 |
| Figure A.1 – Burner method A – General assembly | 13 |
| Figure A.2 – Burner details | 14 |
| Figure A.3 – Supply arrangement for burner (example) | 15 |
| Figure A.4 – Confirmatory test arrangement | 16 |
| Figure E.1 – Clearance gauge | 20 |
| Figure F.1 – Examples of test arrangements | 21 |
| Figure G.1 – Examples of test arrangements | . 22 |



| The is a new provider i arenade and chare publication at the limit below | This is a free preview. | Purchase the | entire publication | at the link below: |
|--|-------------------------|--------------|--------------------|--------------------|
|--|-------------------------|--------------|--------------------|--------------------|

Product Page

- Dooking for additional Standards? Visit Intertek Inform Infostore
- Dearn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation