

Australian Standard<sup>®</sup>

**Pin insulators—Porcelain and glass for  
overhead power lines—Voltages greater  
than 1000 V a.c.**



This Australian Standard® was prepared by Committee EL-010, Overhead Lines. It was approved on behalf of the Council of Standards Australia on 5 September 2007. This Standard was published on 7 December 2007.

---

The following are represented on Committee EL-010:

- Australasian Railway Association
  - Australian Chamber of Commerce and Industry
  - Australian Electrical and Electronic Manufacturers Association
  - Australian Porcelain Insulators Association
  - Electricity Engineers Association New Zealand
  - Energy Networks Association
- 

This Standard was issued in draft form for comment as DR 07047.

Standards Australia wishes to acknowledge the participation of the expert individuals that contributed to the development of this Standard through their representation on the Committee and through the public comment period.

---

### **Keeping Standards up-to-date**

Australian Standards® are living documents that reflect progress in science, technology and systems. To maintain their currency, all Standards are periodically reviewed, and new editions are published. Between editions, amendments may be issued.

Standards may also be withdrawn. It is important that readers assure themselves they are using a current Standard, which should include any amendments that may have been published since the Standard was published.

Detailed information about Australian Standards, drafts, amendments and new projects can be found by visiting [www.standards.org.au](http://www.standards.org.au)

Standards Australia welcomes suggestions for improvements, and encourages readers to notify us immediately of any apparent inaccuracies or ambiguities. Contact us via email at [mail@standards.org.au](mailto:mail@standards.org.au), or write to Standards Australia, GPO Box 476, Sydney, NSW 2001.

---

**STANDARDS AUSTRALIA**

---

**RECONFIRMATION**

**OF**

**AS 4899–2007**

**Pin insulators–Porcelain and glass for overhead  
power lines–Voltages greater than 1000 V a.c.**

---

**RECONFIRMATION NOTICE**

Technical Committee EL-010 has reviewed the content of this publication and in accordance with Standards Australia procedures for reconfirmation, it has been determined that the publication is still valid and does not require change.

Certain documents referenced in the publication may have been amended since the original date of publication. Users are advised to ensure that they are using the latest versions of such documents as appropriate, unless advised otherwise in this Reconfirmation Notice.

Approved for reconfirmation in accordance with Standards Australia procedures for reconfirmation on 13 March 2018.

The following are represented on Technical Committee EL-010:

Aerial Application Association of Australia  
Australian Industry Group  
Civil Aviation Safety Authority  
Communications, Electrical and Plumbing Union - Electrical Division  
Energy Networks Australia  
Energy Safe Victoria  
Engineers Australia  
NSW Department of Industry, Skills and Regional Development

## NOTES

Australian Standard<sup>®</sup>

**Pin insulators—Porcelain and glass for  
overhead power lines—Voltages greater  
than 1000 V a.c.**

Originated as part of AS C67—1939.  
Previous edition part of AS 2947.2—2002.  
Revised in part and redesignated as AS 4899—2007.

**COPYRIGHT**

© Standards Australia

All rights are reserved. No part of this work may be reproduced or copied in any form or by any means, electronic or mechanical, including photocopying, without the written permission of the publisher.

Published by Standards Australia GPO Box 476, Sydney, NSW 2001, Australia  
ISBN 0 7337 8478 X

This is a free preview. Purchase the entire publication at the link below:

[Product Page](#)

- 
- [Looking for additional Standards? Visit Intertek Inform Infostore](#)
  - [Learn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation](#)
-