## **Australian Technical Specification**

Meters for non-urban water supply

Part 3: Specifications for open channel meters



This Australian Technical Specification was prepared by Committee CS-024, Measurement of Water Flow in Open Channels and Closed Conduits. It was approved on behalf of the Council of Standards Australia on 6 May 2008.

This Technical Specification was published on 30 June 2008.

The following are represented on Committee CS-024:

- Australian Industry Group
- Department of Natural Resources and Water, Qld
- Institute of Instrumentation, Control and Automation Australia
- Irrigation Australia
- National Measurement Institute
- NSW Department of Commerce
- University of South Australia
- Water and Wastewater Association of Australia

Standards Australia wishes to acknowledge the participation of the expert individuals that contributed to the development of this Technical Specification through their representation on the Committee.

#### Keeping Standards up-to-date

Australian Standards® are living documents that reflect progress in science, technology and systems. To maintain their currency, all Standards are periodically reviewed, and new editions are published. Between editions, amendments may be issued.

Standards may also be withdrawn. It is important that readers assure themselves they are using a current Standard, which should include any amendments that may have been published since the Standard was published.

Detailed information about Australian Standards, drafts, amendments and new projects can be found by visiting **www.standards.org.au** 

Standards Australia welcomes suggestions for improvements, and encourages readers to notify us immediately of any apparent inaccuracies or ambiguities. Contact us via email at **mail@standards.org.au**, or write to Standards Australia, GPO Box 476, Sydney, NSW 2001.

## **Australian Technical Specification**

## Meters for non-urban water supply

# Part 3: Specifications for open channel meters

First published as ATS 4747.6—2008.

### COPYRIGHT

© Standards Australia

All rights are reserved. No part of this work may be reproduced or copied in any form or by any means, electronic or mechanical, including photocopying, without the written permission of the publisher.

Published by Standards Australia GPO Box 476, Sydney, NSW 2001, Australia ISBN 0 7337 8784 3  $\,$ 

### **PREFACE**

This Australian Technical Specification was prepared by the Australian Committee CE-024, Measurement of Water Flow in Open Channels and Closed Conduits.

The objective of this Australian Technical Specification is to provide manufacturers with requirements for irrigation and non-urban water meters to meet the requirements of the National Water Initiative Clause 88.

NMI M11-1, *Metrological and technical requirements*, specifies the metrological and technical requirements for pattern approval and verification of water meters to comply with the National Measurement Regulations. Where appropriate, the requirements of this Australian Technical Specification are sourced from NMI M11-1 and NMI M11-2, *Test methods*, both of which take precedence over the metrological requirements of this Australian Technical Specification (see Appendix H).

This Australian Technical Specification includes essential requirements that are up to date with current progress in the water meter industry technology.

This document is part of a suite of Australian Technical Specifications covering the metering of non-urban water supply, as follows:

| ATS    |         |                                                                       |
|--------|---------|-----------------------------------------------------------------------|
| 4747   | Meters  | for non-urban water supply                                            |
| 4747.1 | Part 1: | Glossary of Terms                                                     |
| 4747.2 | Part 2: | Specification for closed conduit meters fully charged                 |
| 4747.3 | Part 3: | Specification for open channel meters                                 |
| 4747.5 | Part 5: | Installation and commissioning of closed conduit meters fully charged |
| 4747.6 | Part 6: | Installation and commissioning of open channel meters                 |
| 4747.8 | Part 8: | In-service compliance for closed conduit meters fully charged         |
| 4747.9 | Part 9: | In-service compliance for open channel meters                         |

The ATS 4747 suite is being published in the first instance as Australian Technical Specifications, following a period of trial and review of no more than 2 years it is intended to republish it as an Australian Standard.

The terms 'normative' and 'informative' have been used in this Australian Technical Specification to define the application of the appendix to which they apply. A 'normative' appendix is an integral part of an Australian Technical Specification. An 'informative' appendix is for information and guidance only.

### CONTENTS

|            |                                                      | Page |
|------------|------------------------------------------------------|------|
| CECTIC     | NI 1 COOPE AND CENEDAL                               |      |
|            | ON 1 SCOPE AND GENERAL                               | 5    |
| 1.1        | SCOPE                                                |      |
| 1.2        | APPLICATION NORMATIVE REFERENCES                     |      |
| 1.3        |                                                      |      |
| 1.4<br>1.5 | DEFINITIONS                                          |      |
| 1.3        | PREFERRED UNITS                                      | δ    |
|            | ON 2 MATERIALS                                       |      |
| 2.1        | GENERAL                                              |      |
| 2.2        | RESISTANCE TO CORROSION                              | 9    |
| SECTIO     | ON 3 METHODOLOGY                                     |      |
| 3.1        | GENERAL                                              | 10   |
| 3.2        | METHODS                                              | 10   |
| ~-~        |                                                      |      |
|            | ON 4 PRINCIPLES OF MEASUREMENT—MODULAR METERING SYST |      |
| 4.1        | REQUIREMENTS RELATED TO SPECIFIC TECHNOLOGIES        |      |
| 4.2        | METERING OF PARTIALLY FILLED PIPES                   |      |
| 4.3        | MODULAR OPEN CHANNEL METERING SYSTEMS                |      |
| 4.4        | VELOCITY AREA METHODS                                |      |
| 4.5        | FLOW COMPUTER                                        | 12   |
| SECTIO     | ON 5 PRINCIPLES OF MEASUREMENT—SELF-CONTAINED UNITS  |      |
| 5.1        | GENERAL                                              | 14   |
| 5.2        | INSTALLATION CONDITIONS                              |      |
|            |                                                      |      |
| SECTIO     | ON 6 DESIGN                                          |      |
| 6.1        | DISPLAY                                              |      |
| 6.2        | OUTPUT                                               |      |
| 6.3        | ELECTRONIC STORAGE                                   |      |
| 6.4        | FREQUENCY OF MEASUREMENT                             |      |
| 6.5        | WATER METERS EQUIPPED WITH ELECTRONIC DEVICES        | 19   |
| 6.6        | PROTECTIVE DEVICES                                   | 21   |
| 6.7        | FROST PROTECTION                                     |      |
| 6.8        | REVERSE FLOW                                         |      |
| 6.9        | OPERATING RANGE                                      |      |
|            | ADJUSTMENT OF WATER METERS                           |      |
|            | ELECTRONIC SEALING DEVICES                           |      |
|            | ENVIRONMENTAL REQUIREMENTS                           |      |
| 6.13       | ENCLOSURE                                            | 23   |
| SECTIO     | ON 7 PERFORMANCE REQUIREMENTS                        |      |
| 7.1        | GENERAL                                              | 24   |
| 7.1        | MEASUREMENT PERFORMANCE                              |      |
| 7.2        | HEAD LOSS                                            |      |
| 7.3        | OPERATING TEMPERATURE                                |      |
| 7.5        | ULTRAVIOLET LIGHT EXPOSURE                           |      |
|            | ELECTROMAGNETIC SUSCEPTIBILITY                       |      |
|            | LEAKAGE                                              |      |



|  | This is a free preview. | Purchase the e | entire publication | at the link below: |
|--|-------------------------|----------------|--------------------|--------------------|
|--|-------------------------|----------------|--------------------|--------------------|

**Product Page** 

- Dooking for additional Standards? Visit Intertek Inform Infostore
- Dearn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation