

Australian/New Zealand Standard™

Electromagnetic compatibility (EMC)

Part 4.6: Testing and measurement techniques—Immunity to conducted disturbances, induced by radio-frequency fields



AS/NZS 61000.4.6:2006

This Joint Australian/New Zealand Standard was prepared by Joint Technical Committee TE-003, Electromagnetic Interferences. It was approved on behalf of the Council of Standards Australia on 19 April 2006 and on behalf of the Council of Standards New Zealand on 19 May 2006.

This Standard was published on 1 June 2006.

The following are represented on Committee TE-003:

Australian Broadcasting Corporation
Australian Chamber of Commerce and Industry
Australian Communications and Media Authority
Australian Electrical and Electronic Manufacturers Association
Australian Information Industry Association
Consumer Electronics Supplier Association
Electrical Compliance Testing Association
Engineers Australia
Free TV Australia
Ministry of Economic Development, New Zealand
National Measurement Institute
SingTel Optus
Society of Automotive Engineers, Australasia
Telstra Corporation
University of Western Australia
Wireless Institute Australia

Keeping Standards up-to-date

Standards are living documents which reflect progress in science, technology and systems. To maintain their currency, all Standards are periodically reviewed, and new editions are published. Between editions, amendments may be issued. Standards may also be withdrawn. It is important that readers assure themselves they are using a current Standard, which should include any amendments which may have been published since the Standard was purchased.

Detailed information about joint Australian/New Zealand Standards can be found by visiting the Standards Web Shop at www.standards.com.au or Standards New Zealand web site at www.standards.co.nz and looking up the relevant Standard in the on-line catalogue.

Alternatively, both organizations publish an annual printed Catalogue with full details of all current Standards. For more frequent listings or notification of revisions, amendments and withdrawals, Standards Australia and Standards New Zealand offer a number of update options. For information about these services, users should contact their respective national Standards organization.

We also welcome suggestions for improvement in our Standards, and especially encourage readers to notify us immediately of any apparent inaccuracies or ambiguities. Please address your comments to the Chief Executive of either Standards Australia or Standards New Zealand at the address shown on the back cover.

This Standard was issued in draft form for comment as DR 06054.

AS/NZS 61000.4.6:2006

Australian/New Zealand Standard™

Electromagnetic compatibility (EMC)

Part 4.6: Testing and measurement techniques—Immunity to conducted disturbances, induced by radio-frequency fields

Originated as AS/NZS 61000.4.6:1999.
Second edition 2006.

COPYRIGHT

© Standards Australia/Standards New Zealand

All rights are reserved. No part of this work may be reproduced or copied in any form or by any means, electronic or mechanical, including photocopying, without the written permission of the publisher.

Jointly published by Standards Australia, GPO Box 476, Sydney, NSW 2001 and Standards New Zealand, Private Bag 2439, Wellington 6020

ISBN 0 7337 7456 3

PREFACE

This Standard was prepared by the Joint Standards Australia/Standards New Zealand Committee TE-003, Electromagnetic Interferences to supersede AS/NZS 61000.4.6:1999. It is one of a series of Standards intended to facilitate control of electromagnetic interference and the compatibility of electrical and electronic equipment.

This Standard is identical with, and has been reproduced from IEC 61000-4-6:2004, *Electromagnetic compatibility (EMC)—Part 4-6: Testing and measurement techniques—Immunity to conducted disturbances, induced by radio-frequency fields*.

The objective of this Standard is to provide designers, manufacturers, and testers of equipment incorporating electrical or electronic operation with methods of test for ascertaining immunity to electromagnetic disturbances.

As this Standard is reproduced from an international standard, the following applies:

- (a) Its number appears on the cover and title page while the international standard number appears only on the cover
- (b) In the source text 'this part of IEC 61000-4 should read 'this Australian/New Zealand Standard'.
- (c) A full point substitutes for a comma when referring to a decimal marker.

The international reference in Clause 2 has not been adopted as an Australian or Australian/New Zealand Standard.

CONTENTS

	<i>Page</i>
1 Scope and object.....	1
2 Normative references.....	1
3 Definitions	1
4 General	3
5 Test levels.....	4
6 Test equipment.....	4
6.1 Test generator.....	4
6.2 Coupling and decoupling devices	5
6.3 Verification of the common mode impedance at the EUT port of coupling and decoupling devices.....	8
6.4 Setting of the test generator.....	9
7 Test set-up for table-top and floor-standing equipment.....	10
7.1 Rules for selecting injection methods and test points.....	10
7.2 Procedure for CDN injection application	12
7.3 Procedure for clamp injection when the common-mode impedance requirements can be met	12
7.4 Procedure for clamp injection when the common-mode impedance requirements cannot be met	13
7.5 Procedure for direct injection	13
7.6 EUT comprising a single unit	14
7.7 EUT comprising several units.....	14
8 Test procedure	14
9 Evaluation of the test results	15
10 Test report.....	16
Annex A (normative) Additional information regarding clamp injection.....	28
Annex B (informative) Selection criteria for the frequency range of application.....	33
Annex C (informative) Guide for selecting test levels.....	35
Annex D (informative) Information on coupling and decoupling networks	36
Annex E (informative) Information for the test generator specification.....	40
Annex F (informative) Test set-up for large EUTs	41
Bibliography.....	44
Figure 1 – Rules for selecting the injection method.....	11
Figure 2 – Immunity test to RF conducted disturbances	18
Figure 3 – Test generator set-up	19
Figure 4 – Definition of the wave shapes occurring at the output of the EUT port of a coupling device (e.m.f. of test level 1).....	19
Figure 5 – Principle of coupling and decoupling	22

This is a free preview. Purchase the entire publication at the link below:

[Product Page](#)

-
- [Looking for additional Standards? Visit Intertek Inform Infostore](#)
 - [Learn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation](#)
-