AS/NZS 61000.4.6:2006 IEC 61000-4-6:2004

Australian/New Zealand Standard™

Electromagnetic compatibility (EMC)

Part 4.6: Testing and measurement techniques—Immunity to conducted disturbances, induced by radiofrequency fields





AS/NZS 61000.4.6:2006

This Joint Australian/New Zealand Standard was prepared by Joint Technical Committee TE-003, Electromagnetic Interferences. It was approved on behalf of the Council of Standards Australia on 19 April 2006 and on behalf of the Council of Standards New Zealand on 19 May 2006. This Standard was published on 1 June 2006.

1

The following are represented on Committee TE-003:

Australian Broadcasting Corporation Australian Chamber of Commerce and Industry Australian Communications and Media Authority Australian Electrical and Electronic Manufacturers Association Australian Information Industry Association **Consumer Electronics Supplier Association** Electrical Compliance Testing Association **Engineers** Australia Free TV Australia Ministry of Economic Development, New Zealand National Measurement Institute SingTel Optus Society of Automotive Engineers, Australasia **Telstra** Corporation University of Western Australia Wireless Institute Australia

Keeping Standards up-to-date

Standards are living documents which reflect progress in science, technology and systems. To maintain their currency, all Standards are periodically reviewed, and new editions are published. Between editions, amendments may be issued. Standards may also be withdrawn. It is important that readers assure themselves they are using a current Standard, which should include any amendments which may have been published since the Standard was purchased.

Detailed information about joint Australian/New Zealand Standards can be found by visiting the Standards Web Shop at www.standards.com.au or Standards New Zealand web site at www.standards.co.nz and looking up the relevant Standard in the on-line catalogue.

Alternatively, both organizations publish an annual printed Catalogue with full details of all current Standards. For more frequent listings or notification of revisions, amendments and withdrawals, Standards Australia and Standards New Zealand offer a number of update options. For information about these services, users should contact their respective national Standards organization.

We also welcome suggestions for improvement in our Standards, and especially encourage readers to notify us immediately of any apparent inaccuracies or ambiguities. Please address your comments to the Chief Executive of either Standards Australia or Standards New Zealand at the address shown on the back cover.

This Standard was issued in draft form for comment as DR 06054.

Australian/New Zealand Standard[™]

Electromagnetic compatibility (EMC)

Part 4.6: Testing and measurement techniques—Immunity to conducted disturbances, induced by radiofrequency fields

Originated as AS/NZS 61000.4.6:1999. Second edition 2006.

COPYRIGHT

© Standards Australia/Standards New Zealand

All rights are reserved. No part of this work may be reproduced or copied in any form or by any means, electronic or mechanical, including photocopying, without the written permission of the publisher.

Jointly published by Standards Australia, GPO Box 476, Sydney, NSW 2001 and Standards New Zealand, Private Bag 2439, Wellington 6020

ii

PREFACE

This Standard was prepared by the Joint Standards Australia/Standards New Zealand Committee TE-003, Electromagnetic Interferences to supersede AS/NZS 61000.4.6:1999. It is one of a series of Standards intended to facilitate control of electromagnetic interference and the compatibility of electrical and electronic equipment.

This Standard is identical with, and has been reproduced from IEC 61000-4-6:2004, *Electromagnetic compatibility (EMC)*—Part 4-6: *Testing and measurement techniques*—Immunity to conducted disturbances, induced by radio-frequency fields.

The objective of this Standard is to provide designers, manufacturers, and testers of equipment incorporating electrical or electronic operation with methods of test for ascertaining immunity to electromagnetic disturbances.

As this Standard is reproduced from an international standard, the following applies:

- (a) Its number appears on the cover and title page while the international standard number appears only on the cover
- (b) In the source text 'this part of IEC 61000-4 should read 'this Australian/New Zealand Standard'.
- (c) A full point substitutes for a comma when referring to a decimal marker.

The international reference in Clause 2 has not been adopted as an Australian or Australian/New Zealand Standard.

iii

CONTENTS

Page

1	Scope and object1			
2	Normative references1			
3	Definitions1			
4	General3			
5	Test levels		4	
6	Test equipment		4	
	6.1	Test generator	4	
	6.2	Coupling and decoupling devices	5	
	6.3	Verification of the common mode impedance at the EUT port of coupling and decoupling devices	8	
	6.4	Setting of the test generator	9	
7	Test	Test set-up for table-top and floor-standing equipment10		
	7.1	Rules for selecting injection methods and test points	10	
	7.2	Procedure for CDN injection application	12	
	7.3	Procedure for clamp injection when the common-mode impedance	10	
	7.4	requirements can be met Procedure for clamp injection when the common-mode impedance	12	
	7.4	requirements cannot be met	13	
	7.5	Procedure for direct injection		
	7.6	EUT comprising a single unit	14	
	7.7	EUT comprising several units		
8	3 Test procedure		14	
9	Evaluation of the test results		15	
10	Test	report	16	
Annex A (normative) Additional information regarding clamp injection				
Annex B (informative) Selection criteria for the frequency range of application				
Annex C (informative) Guide for selecting test levels			35	
Annex D (informative) Information on coupling and decoupling networks				
Anr	Annex E (informative) Information for the test generator specification			
Annex F (informative) Test set-up for large EUTs				
Bibliography44				
Figure 1 – Rules for selecting the injection method11				
Figure 2 – Immunity test to RF conducted disturbances				
Figure 3 – Test generator set-up19				
Figure 4 – Definition of the wave shapes occurring at the output of the EUT				
	port of a coupling device (e.m.f. of test level 1)			
Figure 5 – Principle of coupling and decoupling				



This is a free preview. Purchase the entire publication at the link below:

Product Page

S Looking for additional Standards? Visit Intertek Inform Infostore

> Learn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation