

AS/NZS 2243.10:2004

AS/NZS 2243.10

Australian/New Zealand Standard™

Safety in laboratories

Part 10: Storage of chemicals



AS/NZS 2243.10:2004

This Joint Australian/New Zealand Standard was prepared by Joint Technical Committee CH-026, Safety in Laboratories. It was approved on behalf of the Council of Standards Australia on 27 April 2004 and on behalf of the Council of Standards New Zealand on 7 May 2004. It was published on 1 June 2004.

The following are represented on Committee CH-026:

Australian Government Analytical Laboratories
Australian Industry Group
Australian Institute of Occupational Hygienists
CSIRO
Department of Labour, New Zealand
Department of Primary Industries (Victoria)
Ministry of Economic Development, New Zealand
National Association of Testing Authorities, Australia
The New Zealand Chemical Industry Council
New Zealand Microbiological Society
Victorian WorkCover Authority
WorkCover New South Wales

Additional interests participating in the preparation of this Standard:

Fume extraction equipment manufacturing interests
Independent consultant health physicist
Monash University
University of Western Australia

Keeping Standards up-to-date

Standards are living documents which reflect progress in science, technology and systems. To maintain their currency, all Standards are periodically reviewed, and new editions are published. Between editions, amendments may be issued. Standards may also be withdrawn. It is important that readers assure themselves they are using a current Standard, which should include any amendments which may have been published since the Standard was purchased.

Detailed information about joint Australian/New Zealand Standards can be found by visiting the Standards Web Shop at www.standards.com.au or Standards New Zealand web site at www.standards.co.nz and looking up the relevant Standard in the on-line catalogue.

Alternatively, both organizations publish an annual printed Catalogue with full details of all current Standards. For more frequent listings or notification of revisions, amendments and withdrawals, Standards Australia and Standards New Zealand offer a number of update options. For information about these services, users should contact their respective national Standards organization.

We also welcome suggestions for improvement in our Standards, and especially encourage readers to notify us immediately of any apparent inaccuracies or ambiguities. Please address your comments to the Chief Executive of either Standards Australia International or Standards New Zealand at the address shown on the back cover.

AS/NZS 2243.10:2004

Australian/New Zealand Standard™

Safety in laboratories

Part 10: Storage of chemicals

Originated as AS 2243.10—1993.
Jointly revised and designated AS/NZS 2243.10:2004.

COPYRIGHT

© Standards Australia/Standards New Zealand

All rights are reserved. No part of this work may be reproduced or copied in any form or by any means, electronic or mechanical, including photocopying, without the written permission of the publisher.

Jointly published by Standards Australia International Ltd, GPO Box 5420, Sydney, NSW 2001 and Standards New Zealand, Private Bag 2439, Wellington 6020

ISBN 0 7337 6045 7

PREFACE

This Standard was prepared by Joint Standards Australia/Standards New Zealand Committee CH-026, Safety in Laboratories to supersede AS 2243.10—1993.

The objective of this Standard is to provide information on appropriate storage of chemicals and dangerous goods both within laboratories and within dedicated storage areas that are support areas for a laboratory.

This edition has been prepared to take into account several new Standards published on storage and handling of chemicals, to align it with current editions of other referenced documents and to make it appropriate for use in New Zealand.

The major changes in this edition are—

- (a) consolidation of storage area requirements from two types differentiated by capacity to one;
- (b) addition of more specific requirements for storage of chemicals within a laboratory; and
- (c) an increased alignment with and reference to the requirements in other Standards covering storage of chemicals.

Existing storage facilities will, in many instances, not comply with this Standard. In the interests of laboratory safety, a high priority should be allocated to the preparation of a program for upgrading storage facilities to meet the requirements of this Standard. Existing facilities should be assessed for risk and interim control measures implemented, depending on the time frame decided for the upgrading program.

Statements expressed in mandatory terms in notes to tables are deemed to be requirements of this Standard.

The term ‘informative’ has been used in this Standard to define the application of the appendix to which it applies. An ‘informative’ appendix is only for information and guidance.

This publication is Part 10 of a series of Standards prepared to promote safe working in laboratories. The Parts in the series are as follows:

Part 1: General

Part 2: Chemical aspects

Part 3: Microbiological aspects and containment facilities

Part 4 Ionizing radiations

Part 5: Non-ionizing radiations—Electromagnetic, sound and ultrasound

Part 6: Mechanical aspects

Part 7: Electrical aspects

Part 8: Fume cupboards

Part 9: Recirculating fume cabinets

Part 10: Storage of chemicals (this Part)

CONTENTS

	<i>Page</i>
FOREWORD.....	5
 SECTION 1 SCOPE AND GENERAL	
1.1 SCOPE	6
1.2 APPLICATION	6
1.3 REFERENCED DOCUMENTS	7
1.4 DEFINITIONS	8
1.5 INTERPRETATION.....	11
 SECTION 2 BASIC PRINCIPLES OF STORAGE	
2.1 SCOPE OF SECTION	12
2.2 DOCUMENTATION.....	12
2.3 KNOWLEDGE OF MATERIALS.....	12
2.4 CHOICE OF RISK CONTROL MEASURES	12
2.5 STORAGE PROCEDURES	12
2.6 PRINCIPLES OF STORAGE.....	14
 SECTION 3 REQUIRED FEATURES FOR A LABORATORY, STOREROOM OR SPACE, CHEMICAL STORAGE CABINETS, LABORATORY CUPBOARDS, RACKS AND SHELVES	
3.1 SCOPE OF SECTION	15
3.2 LABORATORY	15
3.3 CHEMICAL STORAGE CABINETS	15
3.4 LABORATORY CUPBOARDS.....	16
3.5 DISPLAY OF HAZARD IDENTIFICATION INFORMATION.....	16
3.6 STOREROOM OR SPACE	16
3.7 ROOM FOR OPENING PACKAGES.....	16
3.8 SHELVES AND RACKS	16
 SECTION 4 USE AND STORAGE OF CHEMICALS AND GAS CYLINDERS WITHIN A LABORATORY	
4.1 SCOPE OF SECTION	17
4.2 GASES AND CRYOGENIC LIQUIDS.....	17
4.3 SIZE OF PACKAGES.....	17
4.4 QUANTITIES OF CHEMICALS IN STORAGE WITHIN A LABORATORY	18
4.5 METHOD OF KEEPING CHEMICALS	20
4.6 RESTRICTION ON OPENING PACKAGES	20
4.7 SEGREGATION IN STORAGE	21
 SECTION 5 STORING CHEMICALS IN A SEPARATE STORE	
5.1 SCOPE OF SECTION	23
5.2 STORE LOCATION	23
5.3 EXCLUSIONS	23
5.4 STORE REQUIREMENTS	23
5.5 METHOD OF STORAGE	27
5.6 MANAGEMENT OF MOVEMENT OF GOODS	28
5.7 RESTRICTION ON OPENING OF PACKAGES	28
5.8 SEGREGATION IN STORAGE	28
5.9 FIRE PROTECTION	28
5.10 DISPLAY OF HAZARD IDENTIFICATION INFORMATION	28
5.11 SAFETY EQUIPMENT	29

This is a free preview. Purchase the entire publication at the link below:

[Product Page](#)

-
- Looking for additional Standards? Visit Intertek Inform Infostore
 - Learn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation
-