

AS 60417.2.3—2004
IEC 60417-2:1998,
IEC 60417-2:1998 Amdt 1:2000 and
IEC 60417-2:1998 Amdt 2:2002

AS 60417.2.3—2004

Australian Standard™

**Graphical symbols for use on
equipment**

**Part 2.3: Telephone and
telecommunications**

This Australian Standard was prepared by Committee TE-013, Symbols, Units and Quantities for Electrotechnology. It was approved on behalf of the Council of Standards Australia on 26 March 2004.
This Standard was published on 30 July 2004.

Keeping Standards up-to-date

Standards are living documents which reflect progress in science, technology and systems. To maintain their currency, all Standards are periodically reviewed, and new editions are published. Between editions, amendments may be issued. Standards may also be withdrawn. It is important that readers assure themselves they are using a current Standard, which should include any amendments which may have been published since the Standard was purchased.

Detailed information about Standards can be found by visiting the Standards Web Shop at www.standards.com.au and looking up the relevant Standard in the on-line catalogue.

Alternatively, the printed Catalogue provides information current at 1 January each year, and the monthly magazine, *The Global Standard*, has a full listing of revisions and amendments published each month.

Australian Standards™ and other products and services developed by Standards Australia are published and distributed under contract by SAI Global, which operates the Standards Web Shop.

We also welcome suggestions for improvement in our Standards, and especially encourage readers to notify us immediately of any apparent inaccuracies or ambiguities. Contact us via email at mail@standards.org.au, or write to the Chief Executive, Standards Australia International Ltd, GPO Box 5420, Sydney, NSW 2001.

AS 60417.2.3—2004

Australian Standard™

Graphical symbols for use on equipment

Part 2.3: Telephone and telecommunications

Originated as part of AS 1104S—1978.
Revised and redesignated in part as AS 60417.2.3—2004.

COPYRIGHT

© Standards Australia International

All rights are reserved. No part of this work may be reproduced or copied in any form or by any means, electronic or mechanical, including photocopying, without the written permission of the publisher.

Published by Standards Australia International Ltd
GPO Box 5420, Sydney, NSW 2001, Australia

ISBN 0 7337 6087 2

PREFACE

This Standard was prepared by the Joint Standards Australia/Standards New Zealand Committee TE-013, Symbols, Units and Quantities for Electrotechnology, to supersede, in part, AS 1104—1978, *Informative symbols for use on electrical and electronic equipment*.

After consultation with stakeholders in both countries, Standards Australia and Standards New Zealand decided to develop this Standard as an Australian Standard rather than an Australian/New Zealand Standard.

This Standard is identical with and partially reproduced from IEC 60417-2:1998, *Graphical symbols for use on equipment*, Part 2: *Symbol originals*, and Amendment No. 1 (2000) and Amendment No. 2 (2002).

The objective of this Standard is to provide designers, manufacturers and users of electrotechnical equipment with uniform symbols for informative purposes to enable the operation and proper functioning of machinery, appliances and equipment.

This Standard is part of a series, the designations and Part titles being as follows:

AS/IEC

- 60417.1 Part 1: Overview and application
- 60417.2.1 Part 2.1: General application
- 60417.2.2 Part 2.2: Audiovisual equipment
- 60417.2.3 Part 2.3: Telephone and communications (this Standard)
- 60417.2.4 Part 2.4: Maritime navigation
- 60417.2.5 Part 2.5: Home electric devices
- 60417.2.6 Part 2.6: Medical equipment
- 60417.2.7 Part 2.7: Safety aspects

The symbol originals have been presented in Parts so that users can purchase those Parts of interest.

Part 1 contains the description and purpose of the symbols as well as the full index to the symbols.

Symbols for use on equipment are not intended to be used to represent electrical components in circuit diagrams or the like; symbols for this purpose are the subject of AS/NZS 1102, *Graphical symbols for electrotechnology* (series).

The frame size for the symbols is 75 mm square. Up to three symbols are presented on each page.

As this Standard is reproduced from an international Standard, the following applies:

- (a) The French text has been retained.
- (b) Its number appears on the cover and title page while the international Standard number appears only on the cover.
- (c) In the source text, 'this International Standard' should read 'this Australian Standard'.
- (d) A full point substitutes for a comma when referring to a decimal marker.

The following amendments apply to the text of the Scope:

- 1 *Add* the following at the end of the first paragraph:
This Standard provides symbols for use in telephone and telecommunications.
- 2 *Add* the following before the words 'the space' in Note 1:
or symbols that are not relevant to this Part,
- 3 *Delete* Note 2.
- 4 *Delete* the second last paragraph.

The amendments are indicated with a bar line set against the amended text.

INTRODUCTION

This part of IEC 60417 contains graphical symbols for use on equipment created following the basic principles of International Standard 80416, jointly developed with ISO, which consists of the following parts under the general title *Basic principles for graphical symbols for use on equipment*:

- Part 1: Creation of symbol originals (2001, *published by IEC*);
- Part 2: Form and use of arrows (2001, *published by ISO*);
- Part 3: Guidelines for the application of graphical symbols (*in preparation, will be published by IEC*);
- Part 4: Supplementary guidelines for the adaptation of graphical symbols for use on screens and display (icons) (*in preparation, will be published by IEC*).

IEC 60417 is divided into two parts:

IEC 60417-1 contains a presentation of the graphical symbols with the corresponding descriptions in numerical order. It is complemented by an alphabetical index and a graphical survey of the symbols. Additional information is provided to the user by the classifications according to form and function, and the examples of application.

IEC 60417-2 contains a presentation of the full size symbol originals for reproduction purposes in numerical order. The position and size of the graphical symbols within the basic pattern, according to the rules of IEC 80416-1:2001, can be determined with the help of the transparent sheet of the basic pattern. The symbols are normally drawn to a minimum accuracy of ± 1 mm.

Reference should be made to IEC 80416-1:2001 for rules for the application and modification of the graphical symbols.

In some cases there are two alternative graphical representations for one function, for example symbol 5107A and symbol 5107B. In these cases, a reference will be found in the appropriate place to the alternative graphical representations which appear on an additional sheet.

A similar problem occurs when there are combinations of figures with different qualifying elements, for example symbol 5277. In these cases additional sheets are added and the symbols numbered 5277-1, 5277-2, etc.

During the revision of IEC 60417 editorial changes have been made to some graphical representations to correct previous errors, to correct the line thickness to 2 mm, to fit the drawings to the basic pattern and to ensure consistency between symbols in a group.

The user is informed that this standard is updated frequently in order to incorporate new symbols.

This is a free preview. Purchase the entire publication at the link below:

[Product Page](#)

-
- Looking for additional Standards? Visit Intertek Inform Infostore
 - Learn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation
-