

AS/NZS 5000.1:1999
(Incorporating Amendment No. 1)

AS/NZS 5000.1

Australian/New Zealand Standard™

Electric cables—Polymeric insulated

**Part 1: For working voltages up to and
including 0.6/1 kV**



Standards Australia



STANDARDS
NEW ZEALAND
Pūnaha Te Ao Māori

AS/NZS 5000.1:1999

This Joint Australian/New Zealand Standard was prepared by Joint Technical Committee EL/3, Electric Wires and Cables. It was approved on behalf of the Council of Standards Australia on 18 November 1999 and on behalf of the Council of Standards New Zealand on 22 November 1999. It was published on 5 December 1999.

The following interests are represented on Committee EL/3:

Australasian Railway Association
Australian Electrical and Electronic Manufacturers Association
Australian Industry Group
Department of Defence, Australia
Department of Mineral Resources, N.S.W.
Electrical Contractors Association of New Zealand
Electricity Supply Association of Australia
Institution of Engineers, Australia
Ministry of Commerce, New Zealand
New Zealand Manufacturers Federation
Regulatory Authorities (Electrical)
Testing interests, Australia

Keeping Standards up-to-date

Standards are living documents which reflect progress in science, technology and systems. To maintain their currency, all Standards are periodically reviewed, and new editions are published. Between editions, amendments may be issued. Standards may also be withdrawn. It is important that readers assure themselves they are using a current Standard, which should include any amendments which may have been published since the Standard was purchased.

Detailed information about joint Australian/New Zealand Standards can be found by visiting the Standards Australia web site at www.standards.com.au or Standards New Zealand web site at www.standard.co.nz and looking up the relevant Standard in the on-line catalogue.

Alternatively, both organizations publish an annual printed Catalogue with full details of all current Standards. For more frequent listings or notification of revisions, amendments and withdrawals, Standards Australia and Standards New Zealand offer a number of update options. For information about these services, users should contact their respective national Standards organization.

We also welcome suggestions for improvement in our Standards, and especially encourage readers to notify us immediately of any apparent inaccuracies or ambiguities. Please address your comments to the Chief Executive of either Standards Australia International or Standards New Zealand at the address shown on the back cover.

AS/NZS 5000.1:1999
(Incorporating Amendment No. 1)

Australian/New Zealand Standard™

Electric cables—Polymeric insulated

Part 1: For working voltages up to and including 0.6/1 kV

Originated in Australia, in part, as part of AS C50—1928, AS C116—1941, AS C130—1941, AS (E) C502—1943, AS C147—1950 and AS C189—1971. Originated in New Zealand as NZS/AS 3198—1990 and NZS/AS 3116—1990. Final Australian editions AS 3116—1990, AS 3198—1990 and AS 3147—1992. Final New Zealand editions NZS/AS 3116—1990 and NZS/AS 3198—1990. Previous editions AS 3147—1992, AS/NZS 3116:1996 and AS/NZS 3198:1996. AS 3147—1992, AS/NZS 3116:1996 and AS/NZS 3198:1996 jointly revised, amalgamated and redesignated AS/NZS 5000.1:1999. Reissued incorporating Amendment No. 1 (February 2001).

COPYRIGHT

© Standards Australia/Standards New Zealand

All rights are reserved. No part of this work may be reproduced or copied in any form or by any means, electronic or mechanical, including photocopying, without the written permission of the publisher.

Jointly published by Standards Australia International Ltd, GPO Box 5420, Sydney, NSW 2001 and Standards New Zealand, Private Bag 2439, Wellington 6020

ISBN 0 7337 3091 4

PREFACE

This Standard was prepared by the Standards Australia/Standards New Zealand Committee EL/3, on Electric Wires and Cables, to supersede AS 3147-1992, *Approval and test specification—Electric cables—Thermoplastic insulated—For working voltages up to and including 0.6/1 kV*, AS/NZS 3116:1996, *Approval and test specification—Electric cables—Elastomer insulated—For working voltages up to and including 0.6/1 kV*, and AS/NZS 3198:1996, *Approval and test specification—Electric cables—XLPE insulated—For working voltages up to and including 0.6/1 kV*. The superseded Standards will be withdrawn eighteen months after the publication of this Standard. During the period before withdrawal of the superseded Standards, while the Standards are concurrent for the same cable, it is expected that cables manufactured to any of the appropriate Standards may be approved for use.

This Standard incorporates Amendment No. 1 (February 2001). The changes required by the Amendment are indicated in the text by a marginal bar and amendment number against the clause, note, table, figure, or part thereof affected.

The objective of this Standard is to provide manufacturers and suppliers with construction, dimensions and tests for cables and flexible cables insulated with thermoplastic, elastomer or XLPE materials intended for use in electrical installations at working voltages up to and including 0.6/1(1.2) kV.

This Standard differs from the previous edition of each of the superseded Standards as follows:

- (a) The tables of construction and dimensions have been deleted and, where appropriate, instructions regarding construction have been incorporated in text throughout the Standard.
- (b) The tests and criteria for insulation and sheath material have been deleted and reference made to AS/NZS 3808. This Standard details the materials and associated tests for materials used in most cable Standards.
- (c) The requirements for non-metallic layers and further protection have been modified to allow for the use of multiple layers.
- (d) A definition of aerial cables has been added.
- (e) The lists of suitable materials for both insulation and sheath have been expanded to include those for thermoplastic insulated, elastomer insulated and XLPE insulated cables.
- (f) The requirement in AS 3147, for cables comprising active conductors of 16 mm² to be marked with the active conductor cross-sectional area, in mm², and with the conductor material, has been removed.

In the preparation of this Standard, consideration was given to IEC 60502:1997, *Extruded solid dielectric insulated power cables for rated voltages from 1 kV up to 30 kV* and acknowledgment is made of the assistance received from that source.

The nominal cross-sectional areas of the conductors specified in this Standard are based on the values recommended in IEC 228:1978, *Conductors of insulated cables*.

The terms 'normative' and 'informative' have been used in this Standard to define the application of the appendix to which they apply. A 'normative' appendix is an integral part of a Standard, whereas an 'informative' appendix is only for information and guidance.

Statements expressed in mandatory terms in notes to table are deemed to be requirements of this Standard.

CONTENTS

	<i>Page</i>
1 SCOPE	4
2 REFERENCED DOCUMENTS.....	4
3 DEFINITIONS.....	4
4 VOLTAGE DESIGNATION	6
5 CONDUCTORS	6
6 INSULATION	6
7 CONSTRUCTION OF CABLES.....	9
8 BEDDING	10
9 METALLIC LAYERS	11
10 SEPARATION LAYER.....	11
11 ARMOUR.....	12
12 METALLIC SHEATH.....	13
13 NON-METALLIC SHEATH	14
14 FURTHER PROTECTION	15
15 UNPROTECTED MULTI-CORE CABLES	16
16 MARKING	16
17 TESTS	17
 APPENDICES	
A PURCHASING GUIDELINES	21
B THE FICTITIOUS CALCULATION METHOD FOR THE DETERMINATION OF THE DIMENSIONS OF PROTECTIVE COVERINGS.....	22

This is a free preview. Purchase the entire publication at the link below:

[Product Page](#)

-
- [Looking for additional Standards? Visit Intertek Inform Infostore](#)
 - [Learn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation](#)
-