

AS/NZS CISPR 22:2004
CISPR 22:2003

AS/NZS CISPR 22:2004

Australian/New Zealand Standard™

**Information technology equipment—
Radio disturbance characteristics—
Limits and methods of measurement**



AS/NZS CISPR 22:2004

This Joint Australian/New Zealand Standard was prepared by Joint Technical Committee TE-003, Electromagnetic Interference. It was approved on behalf of the Council of Standards Australia on 2 June 2004 and on behalf of the Council of Standards New Zealand on 11 June 2004. It was published on 6 July 2004.

The following are represented on Committee TE-003:

Australian Broadcasting Authority
Australian Broadcasting Corporation
Australian Chamber of Commerce and Industry
Australian Communications Authority
Australian Electrical and Electronic Manufacturers Association
Australian Information Industry Association
CSIRO Telecommunications and Industrial Physics
Commercial Television Australia
Department of Defence (Australia)
Electrical Compliance Testing Association
Institution of Engineers Australia
Ministry of Economic Development (New Zealand)
SingTel Optus
Society of Automotive Engineers—Australasia
Telstra Corporation
University of Western Australia
Wireless Institute Australia

Keeping Standards up-to-date

Standards are living documents which reflect progress in science, technology and systems. To maintain their currency, all Standards are periodically reviewed, and new editions are published. Between editions, amendments may be issued. Standards may also be withdrawn. It is important that readers assure themselves they are using a current Standard, which should include any amendments which may have been published since the Standard was purchased.

Detailed information about joint Australian/New Zealand Standards can be found by visiting the Standards Web Shop at www.standards.com.au or Standards New Zealand web site at www.standards.co.nz and looking up the relevant Standard in the on-line catalogue.

Alternatively, both organizations publish an annual printed Catalogue with full details of all current Standards. For more frequent listings or notification of revisions, amendments and withdrawals, Standards Australia and Standards New Zealand offer a number of update options. For information about these services, users should contact their respective national Standards organization.

We also welcome suggestions for improvement in our Standards, and especially encourage readers to notify us immediately of any apparent inaccuracies or ambiguities. Please address your comments to the Chief Executive of either Standards Australia International or Standards New Zealand at the address shown on the back cover.

Australian/New Zealand Standard™

Information technology equipment— Radio disturbance characteristics— Limits and methods of measurement

Originated as AS/NZS 3548:1995.
Previous edition AS/NZS CISPR 22:2002.
Second edition 2004.

COPYRIGHT

© Standards Australia/Standards New Zealand

All rights are reserved. No part of this work may be reproduced or copied in any form or by any means, electronic or mechanical, including photocopying, without the written permission of the publisher.

Jointly published by Standards Australia International Ltd, GPO Box 5420, Sydney, NSW 2001 and Standards New Zealand, Private Bag 2439, Wellington 6020

ISBN 0 7337 6122 4

PREFACE

This Standard was prepared by the Joint Standards Australia/Standards New Zealand Committee TE-003, Electromagnetic Interference to supersede AS/NZS CISPR 22:2002.

This Standard is identical with, and has been reproduced from, CISPR 22:2003, *Information technology equipment—Radio disturbance characteristics—Limits and methods of measurement*.

The objective of this Standard is to specify uniform requirements for the radio disturbance level of the equipment contained in the scope, to fix limits of disturbance, to describe methods of measurement and to standardize operating conditions and interpretation of results.

The terms ‘normative’ and ‘informative’ are used to define the application of the annex to which they apply. A normative annex is an integral part of a standard, whereas an informative annex is only for information and guidance.

As this Standard is reproduced from an International Standard, the following applies:

- (a) Its number does not appear on each page of text and its identity is shown only on the cover and title page.
- (b) In the source text ‘this International Standard’ should read ‘this Australian/New Zealand Standard’.
- (c) A full point should be substituted for a comma when referring to a decimal marker.
- (d) Any French text on figures should be ignored.

CONTENTS

	<i>Page</i>
1 Scope and object.....	1
2 Normative references	1
3 Definitions	2
4 Classification of ITE.....	3
5 Limits for conducted disturbance at mains terminals and telecommunication ports.....	3
6 Limits for radiated disturbance.....	5
7 Interpretation of CISPR radio disturbance limit	5
8 General measurement conditions.....	6
9 Method of measurement of conducted disturbance at mains terminals and telecommunication ports	11
10 Method of measurement of radiated disturbance.....	16
Annex A (normative) Site attenuation measurements of alternative test sites	32
Annex B (normative) Decision tree for peak detector measurements	38
Annex C (normative) Possible test set-ups for common mode measurements	39
Annex D (informative) Schematic diagrams of examples of impedance stabilization networks (ISN).....	43
Annex E (informative) Parameters of signals at telecommunication ports	53
Figure 1 – Test site	19
Figure 2 – Minimum alternative measurement site.....	20
Figure 3 – Minimum size of metal ground plane	20
Figure 4 – Test configuration: tabletop equipment (conducted measurement)	21
Figure 5 – Alternative test configuration: tabletop equipment (conducted measurement).....	22
Figure 6 – Alternative test configuration: tabletop equipment (conducted measurement) – Plan view	23
Figure 7 – Test configuration: tabletop equipment (conducted measurement on a radiated test site).....	24
Figure 8 – Test configuration: floor-standing equipment (conducted measurement).....	25
Figure 9 – Test configuration: floor-standing and table-top equipment (conducted measurement).....	26
Figure 10 – Test configuration: table-top equipment (radiated measurement).....	27
Figure 11 – Test configuration: floor-standing equipment (radiated measurement)	28
Figure 12 – Test configuration: floor-standing and table-top equipment (radiated measurement).....	29
Figure 13 – Test configuration: floor-standing equipment (overhead cables, side view)	30
Figure 14 – Test configuration: floor-standing equipment (overhead cables, plan view).....	31
Figure A.1 – Typical antenna positions for alternate site NSA measurements	35
Figure A.2 – Antenna positions for alternate site measurements for minimum recommended volume.....	36
Figure B.1 – Decision tree for peak detector measurements.....	38
Figure C.1 – Using CDNs described in IEC 61000-4-6 as CDN/ISNs	39
Figure C.2 – Using a 150 Ω load to the outside surface of the shield ("in situ CDN/ISN")	40

This is a free preview. Purchase the entire publication at the link below:

[Product Page](#)

-
- [Looking for additional Standards? Visit Intertek Inform Infostore](#)
 - [Learn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation](#)
-