AS 2598—1983

Australian Standard®

STABILIZED POWER SUPPLIES—D.C. OUTPUT

This Australian standard was prepared by Committee EL/27, Power Electronics. It was approved on behalf of the Council of the Standards Association of Australia on 10 November 1982 and published on 7 March 1983.

The following interests were represented on the committee responsible for the preparation of this standard:

Australian Electrical and Electronic Manufacturers Association

Bureau of Steel Manufacturers of Australia

Confederation of Australian Industry

Department of Defence

Electrical Supply Association of Australia

Monash University

Railway of Australia

Telecom Australia

Suggestions for improvements to Australian Standards, addressed to the head office of Standards Australia, are welcomed. Notification of any inaccuracy or ambiguity found in an Australian Standard should be made without delay in order that the matter may be investigated and appropriate action taken.

This standard was issued in draft form for comment as DR 81269 to DR 81272.

Review of Australian Standards. To keep abreast of progress in industry, Australian Standards are subject to periodic review and are kept up to date by the issue of amendments or new editions as necessary. It is important therefore that Standards users ensure that they are in possession of the latest edition, and any amendments thereto.

Full details of all Australian Standards and related publications will be found in the Standards Australia Catalogue of Publications; this information is supplemented each month by the magazine 'The Australian Standard', which subscribing members receive, and which gives details of new publications, new editions and amendments, and of withdrawn Standards.

AS 2598-1983

Australian Standard®

STABILIZED POWER SUPPLIES—D.C. OUTPUT

First published 1983

PUBLISHED BY STANDARDS AUSTRALIA (STANDARDS ASSOCIATION OF AUSTRALIA) 1 THE CRESCENT, HOMEBUSH, NSW 2140

ISBN 0 7262 2847 8

2

PREFACE

This standard was prepared by the Association's Committee on Power Electronics. Although editorially modified in terminology, format and general treatment of the subject, it is similar to IEC 478-1 to IEC 478-4, Stabilized Power Supplies, D.C. Output. Cross-references to other Australian standards have been inserted and may have introduced some slight technical changes but, in general, the standard can be regarded as technically similar to IEC 478.

The purpose of the standard is to define and prescribe parameters and establish procedures applicable to stabilized power supplies designed to supply d.c. power from an a.c. or d.c. source for application in the computer and telecommunication industries and in industrial equipment.

The term 'regulated power supply' is in common use and considered synonymous with the term 'stabilized power supply'. However in order to harmonize with IEC 478, only the term 'stabilized power supply' is used.

© Copyright - STANDARDS AUSTRALIA

Users of Standards are reminded that copyright subsists in all Standards Australia publications and software. Except where the Copyright Act allows and except where provided for below no publications or software produced by Standards Australia may be reproduced, stored in a retrieval system in any form or transmitted by any means without prior permission in writing from Standards Australia. Permission may be conditional on an appropriate royalty payment. Requests for permission and information on commercial software royalties should be directed to the head office of Standards Australia.

Standards Australia will permit up to 10 percent of the technical content pages of a Standard to be copied for use exclusively in-house by purchasers of the Standard without payment of a royalty or advice to Standards Australia.

Standards Australia will also permit the inclusion of its copyright material in computer software programs for no royalty payment provided such programs are used exclusively in-house by the creators of the programs.

Care should be taken to ensure that material used is from the current edition of the Standard and that it is updated whenever the Standard is amended or revised. The number and date of the Standard should therefore be clearly identified.

The use of material in print form or in computer software programs to be used commercially, with or without payment, or in commercial contracts is subject to the payment of a royalty. This policy may be varied by Standards Australia at any time.

CONTENTS

3

Page

PART 1—INTRODUCTION AND DEFINITIONS

	. SCOPE AND GENERAL	
1.1	Scope	5
1.2	Referenced Documents	5
SECTION 2	. Terms and Definitions	
2.1	Application	6
2.2	General Terms	6
2.3	Terms Related to Physical and	
	Environmental Aspects	7
2.4	Terms Related to Steady-state	
	Operation	7
2.5	Terms Related to Dynamic	
	Operation	8
2.6	Terms Related to Combined	
	Operation of Two or More	
	Stabilized Power Supplies	9
2.7	Protection Terms	10
PAR	T 2—MARKING, PERFORMANCE	
	RATINGS AND PHYSICAL	
	CHARACTERISTICS	
	CHARACTERISTICS	
SECTION 3	. Marking and Performance	
SECTION 3	MARKING AND PERFORMANCE RATINGS	
SECTION 3 3.1	CHARACTERISTICS . Marking and Performance Ratings Marking	17
SECTION 3 3.1 3.2	MARKING AND PERFORMANCE RATINGS Marking Performance Ratings	17 17
SECTION 3 3.1 3.2	CHARACTERISTICS . MARKING AND PERFORMANCE RATINGS Marking Performance Ratings	17 17
SECTION 3 3.1 3.2 SECTION 4	CHARACTERISTICS . MARKING AND PERFORMANCE RATINGS Marking Performance Ratings PHYSICAL CHARACTERISTICS	17 17
SECTION 3 3.1 3.2 SECTION 4 4.1	CHARACTERISTICS . MARKING AND PERFORMANCE RATINGS Marking Performance Ratings PHYSICAL CHARACTERISTICS Dimensions	17 17 22
SECTION 3 3.1 3.2 SECTION 4 4.1 4.2	CHARACTERISTICS MARKING AND PERFORMANCE RATINGS Marking Performance Ratings PHYSICAL CHARACTERISTICS Dimensions Mass	17 17 22 22
SECTION 3 3.1 3.2 SECTION 4 4.1 4.2 4.3	CHARACTERISTICS Marking and Performance RATINGS Marking Performance Ratings Performance Ratings Physical Characteristics Dimensions Mass Mounting Position	17 17 22 22 22
SECTION 3 3.1 3.2 SECTION 4 4.1 4.2 4.3	 CHARACTERISTICS MARKING AND PERFORMANCE RATINGS Marking Performance Ratings PHYSICAL CHARACTERISTICS Dimensions Mass Mounting Position 	17 17 22 22 22
SECTION 3 3.1 3.2 SECTION 4 4.1 4.2 4.3 P	CHARACTERISTICS Marking AND PERFORMANCE RATINGS Marking Performance Ratings Performance Ratings Physical Characteristics Dimensions Mass Mounting Position PART 3—ELECTROMAGNETIC	17 17 22 22 22
SECTION 3 3.1 3.2 SECTION 4 4.1 4.2 4.3 P INTI	CHARACTERISTICS . MARKING AND PERFORMANCE RATINGS Marking Performance Ratings Performance Ratings Performance Ratings Performance Ratings Performance Ratings Marking Performance Ratings Mass Mounting Position Performance Ratings Performance Ratings Performance Ratings Mass Mounting Position Performance Ratings Performance Ratings Performance Ratings Performance Ratings<	17 17 22 22 22
SECTION 3 3.1 3.2 SECTION 4 4.1 4.2 4.3 P INTI	CHARACTERISTICS Marking and Performance RATINGS Marking Performance Ratings Performance Ratings Performance Ratings Performance Ratings Marking Performance Ratings Marking Performance Ratings Performance Ratings Mass Mass Mounting Position PART 3—ELECTROMAGNETIC ERFERENCE EMANATION TESTS	17 17 22 22 22

	EMANATION TESTS	
5.1	Scope of Section	23
5.2	Application	23
5.3	Measuring Equipment	23
5.4	Method of Measurement for	
	Power Supplies where the Input	
	Current does not Exceed 25 A	23
5.5	Minimum Requirements for	
	Input Currents not Exceeding 25 A	24
5.6	Method of Measurements for	
	Input Currents Between 25 A	
	and 100 A	24
5.7	Minimum Requirements for	
	Input Currents Between 25 A	
	and 100 A	24
5.8	Input Currents Exceeding 100 A .	24

PART 4-METHODS OF TEST

SECTION 6	. General Requirements For Methods of Test	
6.1	Scope of Part	28
6.2	Limits of Accuracy	28
6.3	Instrumentation	28

	1	180
6.4	Conditions of Measurement	28
6.5	Set of Test Data	28
6.6	Transient, Steady-state and	
	Settling Phases	28
SECTION 7	Load Effect	
7 1	Test Definition	29
7.1	Conditions of Measurement	29
7.2	Fauipment	29
7.5	Measurement Procedure for Voltage	- 27
<i></i>	stabilized Power Supplies	29
7.5	Measurement Procedure for	
	Current-stabilized Power Supplies	29
7.6	Presentation of Results	29
7.7	Precautions	29
		-
SECTION 8.	INPUT EFFECT	
8.1	Test Definition	33
8.2	Conditions of Measurement	33
8.3	Equipment	33
8.4	Measurement Procedure for	
	Voltage-stabilized Power Supplies	33
8.5	Measurement Procedure for	
	Current-stabilized Power Supplies	33
8.6	Presentation of Results	33
8.7	Precautions	33
SECTION 9.	Periodic and Random	
	DEVIATION (PARD)	
9.1	Test Definition	35
9.2	Conditions of Measurement	35
9.3	Equipment	35
9.4	Measurement Procedure	35
9.5	Presentation of Results	35
9.6	Precautions	35
Gramou 1(
SECTION IC	J. DRIFT	20
10.1	Conditions of Macananant	30
10.2	Conditions of Measurement	30
10.3	Equipment	36
10.4	Drift Test in Uncentralied	30
10.5	Drift Test in Uncontrolled	20
10 C	Descentation of Descrite	30
10.6	Presentation of Results	36
10.7	Precautions	30
SECTION 11	1. Output Impedance	
11.1	Test Definition	37
11.2	Conditions of Measurement	37
11.3	Equipment	37
11.4	Measurement Procedure for	
	Voltage-stabilized Power Supplies	37
11.5	Measurement Procedure for	
	Current-stabilized Power Supplies	37

11.6 Precautions 37

Page



This is a free preview. Purchase the entire publication at the link below:

Product Page

S Looking for additional Standards? Visit Intertek Inform Infostore

> Learn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation