# Australian/New Zealand Standard™

Electrical equipment for detection of oxygen and other gases and vapours at toxic levels—General requirements and test methods





#### AS/NZS 4641:2018

This Joint Australian/New Zealand Standard was prepared by Joint Technical Committee EL-023, Electrical equipment in mines and quarries. It was approved on behalf of the Council of Standards Australia on 8 May 2018 and by the New Zealand Standards Approval Board on 6 June 2018.

This Standard was published on 29 June 2018.

The following are represented on Committee EL-023:

Australian Cablemakers Association
Australian Chamber of Commerce and Industry
Australian Industry Group
Aviation and Marine Engineers Association
Construction, Forestry, Maritime, Mining and Energy Union
Department of Mines, Industry Regulation and Safety (WA)
Department of Natural Resources, Mines and Energy (Qld)
Engineers Australia
National Association of Testing Authorities, Australia
NSW Department of Industry, Skills and Regional Infrastructure Development
SafeWork NSW

University of Newcastle WorkSafe New Zealand

### Keeping Standards up-to-date

Standards are living documents which reflect progress in science, technology and systems. To maintain their currency, all Standards are periodically reviewed, and new editions are published. Between editions, amendments may be issued. Standards may also be withdrawn. It is important that readers assure themselves they are using a current Standard, which should include any amendments which may have been published since the Standard was purchased.

Detailed information about joint Australian/New Zealand Standards can be found by visiting the Standards Web Shop at www.saiglobal.com or Standards New Zealand web site at www.standards.govt.nz and looking up the relevant Standard in the online catalogue.

For more frequent listings or notification of revisions, amendments and withdrawals, Standards Australia and Standards New Zealand offer a number of update options. For information about these services, users should contact their respective national Standards organization.

We also welcome suggestions for improvement in our Standards, and especially encourage readers to notify us immediately of any apparent inaccuracies or ambiguities. Please address your comments to the Chief Executive of Standards Australia or the New Zealand Standards Executive at the address shown on the back cover.

This Standard was issued in draft form for comment as DR AS/NZS 4641:2016.

AS/NZS 4641:2018

## Australian/New Zealand Standard™

Electrical equipment for detection of oxygen and other gases and vapours at toxic levels—General requirements and test methods

Originated as AS/NZS 4641:2007. Second edition 2018.

### COPYRIGHT

© Standards Australia Limited

© The Crown in right of New Zealand, administered by the New Zealand Standards Executive

All rights are reserved. No part of this work may be reproduced or copied in any form or by any means, electronic or mechanical, including photocopying, without the written permission of the publisher, unless otherwise permitted under the Copyright Act 1968 (Australia) or the Copyright Act 1994 (New Zealand).

Jointly published by SAI Global Limited under licence from Standards Australia Limited, GPO Box 476, Sydney, NSW 2001 and by Standards New Zealand, PO Box 1473, Wellington 6140.

### **PREFACE**

This Standard was prepared by the Joint Standards Australia/Standards New Zealand Committee EL-023, Electrical equipment in mines and quarries, to supersede AS/NZS 4641:2007.

The objective of this Standard is to provide general requirements and test methods for manufacturers, testing authorities and certifying bodies concerned with electrical equipment for the measurement of the concentration of oxygen and toxic levels of gases and vapours.

The principal differences between this edition and the 2007 edition are as follows:

- (a) The nomenclature 'equipment' has replaced 'apparatus' but with the same meaning.
- (b) Requirements have been revised to enhance consistency with the principles of IEC 60079.29.1:2016.
- (c) The requirements for vibration testing have been expanded to discriminate between portable and machine-mounted equipment, and fixed and transportable equipment.
- (d) Requirements for software documentation have been simplified.
- (e) The requirements for fast transient testing have been relaxed for equipment intended for exclusive use in intrinsically safe applications.
- (f) Requirements for testing for electromagnetic immunity have been revised to enable testing for specific applications.
- (g) Appendix A has been added to describe tests to be completed on software/firmware revision.

The term 'informative' has been used in this Standard to define the application of the appendix to which it applies. An 'informative' appendix is only for information and guidance.

### CONTENTS

|        |   | Page |
|--------|---|------|
| SECTIO | ON 1 SCOPE AND GENERAL                        |      |
| 1.1    | SCOPE   | 5    |
|        | REFERENCED DOCUMENTS                          | 5    |
| 1.3    | DEFINITIONS                                   |      |
| 1.0    |   |      |
| SECTIO | ON 2 GENERAL REQUIREMENTS                     |      |
| 2.1    | INTRODUCTION                                  | 11   |
| 2.2    | CONSTRUCTION                                  |      |
| 2.3    | LABELLING AND MARKING                         | 15   |
| 2.4    | INSTRUCTION MANUAL                            | 16   |
| SECTIO | ON 3 GENERAL TESTING REQUIREMENTS             |      |
| 3.1    | GENERAL                                       | 18   |
| 3.2    | UNPOWERED STORAGE                             | 18   |
| 3.3    | STANDARD TEST GAS                             | 18   |
| 3.4    | FLOW RATE FOR TEST GASES                      |      |
| 3.5    | STANDARD LABORATORY CONDITIONS                |      |
| 3.6    | INITIAL CALIBRATION                           |      |
| 3.7    | MULTIPLE RANGE EQUIPMENT                      |      |
| 3.8    | EQUIPMENT RESPONSE PRIOR TO TEST              | 20   |
| SECTIO | ON 4 PERFORMANCE TESTS FOR TOXIC GAS MONITORS |      |
| 4.1    | LINEARITY TEST                                | 21   |
| 4.2    | SHORT-TERM STABILITY                          |      |
| 4.3    | LONG-TERM STABILITY                           |      |
| 4.4    | ALARMS  |      |
| 4.5    | TEMPERATURE VARIATION TEST                    |      |
| 4.6    | PRESSURE VARIATION                            |      |
| 4.7    | PRESSURE RECOVERY                             |      |
| 4.8    | HUMIDITY                                      |      |
| 4.9    | AIR VELOCITY                                  |      |
|        | FLOW RATE                                     |      |
| 4.11   | ORIENTATION                                   |      |
|        | VIBRATION                                     |      |
|        | DROP TEST                                     |      |
|        | WARM-UP TIME                                  |      |
|        | TIME OF RESPONSE                              |      |
|        | NON-AMBIGUITY TEST                            |      |
|        | RESIDUAL EFFECT TEST                          |      |
|        | BATTERY CAPACITY                              |      |
|        | POWER SUPPLY VARIATION TEST                   |      |
|        | POWER SUPPLY VARIATION TEST                   |      |
|        | ADDITION OF SAMPLING PROBE                    |      |
|        | EFFECT OF OTHER GASES/CROSS-SENSITIVITY       |      |
|        | ELECTROMAGNETIC IMMUNITY                      |      |
| 4.43   | ELECTIONIAUNETIC IMMUNITI                     |      |



|  | This is a free preview. | Purchase the e | entire publication | at the link below: |
|--|-------------------------|----------------|--------------------|--------------------|
|--|-------------------------|----------------|--------------------|--------------------|

**Product Page** 

- Dooking for additional Standards? Visit Intertek Inform Infostore
- Dearn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation