

AS/NZS 3947.3 Supp1:2001

AS/NZS 3947.3 Supp1

Australian/New Zealand Standard™

Low-voltage switchgear and controlgear

Part 3: Switches, disconnectors, switch-disconnectors and fuse-combination units

Supplement 1: Fuse-switch-disconnectors and switch-disconnectors for use with low-voltage aerial bundled cables

(Supplement to AS/NZS 3947.3:2001)



Standards Australia



STANDARDS
NEW ZEALAND
Pūranga Aotearoa

AS/NZS 3947.3 Supp1:2001

This Joint Australian/New Zealand Standard was prepared by Joint Technical Committee EL-006, Industrial switchgear and controlgear. It was approved on behalf of the Council of Standards Australia on 18 June 2001 and on behalf of the Council of Standards New Zealand on 1 August 2001. It was published on 4 October 2001.

The following interests are represented on Committee EL-006:

Australasian Railway Association
Australian Chamber of Commerce and Industry
Australian Electrical and Electronic Manufacturers Association
Bureau of Steel Manufacturers of Australia
Electrical Contractors Association of New Zealand
Electricity Supply Association of Australia
Independent Electrical Switchboard Manufacturers Association
Institution of Engineers Australia
Ministry of Economic Development New Zealand
National Electrical and Communications Association
Testing Interests (Australia)
WorkCover N.S.W.

Keeping Standards up-to-date

Standards are living documents which reflect progress in science, technology and systems. To maintain their currency, all Standards are periodically reviewed, and new editions are published. Between editions, amendments may be issued. Standards may also be withdrawn. It is important that readers assure themselves they are using a current Standard, which should include any amendments which may have been published since the Standard was purchased.

Detailed information about joint Australian/New Zealand Standards can be found by visiting the Standards Australia web site at www.standards.com.au or Standards New Zealand web site at www.standards.co.nz and looking up the relevant Standard in the on-line catalogue.

Alternatively, both organizations publish an annual printed Catalogue with full details of all current Standards. For more frequent listings or notification of revisions, amendments and withdrawals, Standards Australia and Standards New Zealand offer a number of update options. For information about these services, users should contact their respective national Standards organization.

We also welcome suggestions for improvement in our Standards, and especially encourage readers to notify us immediately of any apparent inaccuracies or ambiguities. Please address your comments to the Chief Executive of either Standards Australia International or Standards New Zealand at the address shown on the back cover.

AS/NZS 3947.3 Supp1:2001

Australian/New Zealand Standard™

Low-voltage switchgear and controlgear

Part 3: Switches, disconnectors, switch-disconnectors and fuse-combination units

Supplement 1: Fuse-switch-disconnectors and switch-disconnectors for use with low-voltage aerial bundled cables

(Supplement to AS/NZS 3947.3:2001)

Originated as AS 3947.3 Supplement 1—1995.
Jointly revised and redesignated AS/NZS 3947.3 Supplement 1:2001.

COPYRIGHT

© Standards Australia/Standards New Zealand

All rights are reserved. No part of this work may be reproduced or copied in any form or by any means, electronic or mechanical, including photocopying, without the written permission of the publisher.

Jointly published by Standards Australia International Ltd, GPO Box 5420, Sydney, NSW 2001 and Standards New Zealand, Private Bag 2439, Wellington 6020

ISBN 0 7337 4044 8

PREFACE

This Standard was prepared by the Standards Australia/Standards New Zealand Committee EL-006 on Industrial Switchgear and Controlgear to supersede AS 3947.3 Supplement 1—1995.

The objective of this Standard is to specify the characteristics, conditions for operation and behaviour in normal and specified abnormal service, tests and methods to confirm that those conditions have been met for fuse-switch-disconnectors and switch-disconnectors for use with low-voltage aerial bundled cables (ABC).

This Standard follows the clause numbers of AS/NZS 3947.1, *Low-voltage switchgear and controlgear*, Part 1: *General rules*, and AS/NZS 3947.3, except where noted.

For the purpose of this Standard, AS/NZS 3947.1 and AS/NZS 3947.3 are referred to as Parts 1 and 3, respectively.

Some clauses of this Standard supplement, modify or replace clauses in AS/NZS 3947.1 and AS/NZS 3947.3, except that where this Standard has no corresponding clauses, those of the main documents apply without modification.

This Standard differs from AS 3947.3 Supplement 1—1995 in the following areas:

- (a) Overload requirements for equipment incorporating fuses.
- (b) Requirements for Electromagnetic Compatibility (EMC) have been added.
- (c) Type tests for performance—Test sequences V: Overload performance capability have been added.
- (d) Current carrying capacities of cables in Table C1 have been updated to reflect changes introduced into AS/NZS 3008.1 for both Australian and New Zealand conditions.

The term ‘informative’ has been used in this Standard to define the application of the appendix to which it applies. An ‘informative’ appendix is only for information and guidance.

CONTENTS

	<i>Page</i>
1 GENERAL.....	4
2 DEFINITIONS.....	5
3 CLASSIFICATION	5
4 CHARACTERISTICS	5
5 PRODUCT INFORMATION	7
6 NORMAL SERVICE, MOUNTING AND TRANSPORT CONDITIONS	8
7 CONSTRUCTIONAL AND PERFORMANCE REQUIREMENTS.....	8
8 TESTS	12

APPENDICES

A INFORMATION TO BE GIVEN WITH ENQUIRIES AND ORDERS	19
B TYPICAL OPERATING STICK HEADS	20
C A GUIDE TO MINIMIZING TERMINAL TEMPERATURES UNDER IN-SERVICE CONDITIONS	21

This is a free preview. Purchase the entire publication at the link below:

[Product Page](#)

-
- Looking for additional Standards? Visit Intertek Inform Infostore
 - Learn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation
-