

AS/NZS CISPR 16.2.2:2012
CISPR 16-2-2, Ed 2.0 (2010)

AS/NZS CISPR 16.2.2:2012

Australian/New Zealand Standard™

**Specification for radio disturbance and
immunity measuring apparatus and
methods**

**Part 2.2: Methods of measurement of
disturbances and immunity—
Measurement of disturbance power**



AS/NZS CISPR 16.2.2:2012

This Joint Australian/New Zealand Standard was prepared by Joint Technical Committee TE-003, Electromagnetic Interference. It was approved on behalf of the Council of Standards Australia on 12 October 2012 and on behalf of the Council of Standards New Zealand on 15 September 2012.

This Standard was published on 5 November 2012.

The following are represented on Committee TE-003:

Australian Broadcasting Corporation
Australian Chamber of Commerce and Industry
Australian Communications and Media Authority
Australian Industry Group
Australian Information Industry Association
Consumer Electronics Suppliers Association
Curtin University
Department of Defence
Electrical Compliance Testing Association
Energy Networks Association
Engineers Australia
EMC Society of Australia
Free TV Australia
Lighting Council of Australia
Ministry of Economic Development, New Zealand
National Measurement Institute
SingTel Optus
Wireless Institute Australia

Keeping Standards up-to-date

Standards are living documents which reflect progress in science, technology and systems. To maintain their currency, all Standards are periodically reviewed, and new editions are published. Between editions, amendments may be issued. Standards may also be withdrawn. It is important that readers assure themselves they are using a current Standard, which should include any amendments which may have been published since the Standard was purchased.

Detailed information about joint Australian/New Zealand Standards can be found by visiting the Standards Web Shop at www.saiglobal.com.au or Standards New Zealand web site at www.standards.co.nz and looking up the relevant Standard in the on-line catalogue.

For more frequent listings or notification of revisions, amendments and withdrawals, Standards Australia and Standards New Zealand offer a number of update options. For information about these services, users should contact their respective national Standards organization.

We also welcome suggestions for improvement in our Standards, and especially encourage readers to notify us immediately of any apparent inaccuracies or ambiguities. Please address your comments to the Chief Executive of either Standards Australia or Standards New Zealand at the address shown on the back cover.

This Standard was issued in draft form for comment as DR AS/NZS CISPR 16.2.2.

AS/NZS CISPR 16.2.2:2012

Australian/New Zealand Standard™

**Specification for radio disturbance and
immunity measuring apparatus and
methods**

**Part 2.2: Methods of measurement of
disturbances and immunity—
Measurement of disturbance power**

Originated as part of AS/NZS 1052.2:1999.
Previous edition AS/NZS CISPR 16.2.2:2006.
Third edition 2012.

COPYRIGHT

© Standards Australia Limited/Standards New Zealand

All rights are reserved. No part of this work may be reproduced or copied in any form or by any means, electronic or mechanical, including photocopying, without the written permission of the publisher, unless otherwise permitted under the Copyright Act 1968 (Australia) or the Copyright Act 1994 (New Zealand).

Jointly published by SAI Global Limited under licence from Standards Australia Limited, GPO Box 476, Sydney, NSW 2001 and by Standards New Zealand, Private Bag 2439, Wellington 6140

ISBN 978 1 74342 284 7

PREFACE

This Standard was prepared by the Joint Standards Australia/Standards New Zealand Committee TE-003, Electromagnetic Interference, to supersede AS/NZS CISPR 16.2.2:2006.

The objective of this Standard is to provide a basic standard which specifies the methods of measurement of disturbance power using the absorbing clamp in the frequency range 30 MHz to 1000 MHz.

This Standard is identical with, and has been reproduced from, CISPR 16-2-2, Ed 2.0 (2010), *Specification for radio disturbance and immunity measuring apparatus and methods—Part 2-2: Methods of measurement of disturbances and immunity—Measurement of disturbance power*.

As this Standard is reproduced from an International Standard, the following applies:

- (a) Its number appears on the cover and title page while the International Standard number appears only on the cover.
- (b) In the source text ‘this part of CISPR 16’ should read ‘this Australian/New Zealand Standard’.
- (c) A full point substitutes for a comma when referring to a decimal marker.

References to International Standards should be replaced by references to Australian or Australian/New Zealand Standards, as follows:

<i>Reference to International Standard</i>		<i>Australian/New Zealand Standard</i>	
CISPR		AS/NZS CISPR	
16	Specification for radio disturbance and immunity measuring apparatus and methods	16	Specification for radio disturbance and immunity measuring apparatus and methods:
16-1-1 (2010)	Part 1-1: Radio disturbance and immunity measuring apparatus—Measuring apparatus	16.1.1 (2012)	Part 1.1: Radio disturbance and immunity measuring apparatus—Measuring apparatus
16-1-3 (2004)	Part 1-3: Radio disturbance and immunity measuring apparatus—Ancillary equipment—Disturbance power	16.1.3 (2004)	Part 1.3: Radio disturbance and immunity measuring apparatus—Ancillary equipment—Disturbance power
16-1-4	Part 1-4: Radio disturbance and immunity measurement apparatus—Antennas and test sites for radiated disturbance measurements	16.1.4	Part 1.4: Radio disturbance and immunity measurement apparatus—Antennas and test sites for radiated disturbance measurements
16-4-2	Part 4-2: Uncertainties, statistics and limit modelling—Measurement instrumentation uncertainty	16.4.2	Part 4.2: Uncertainties, statistics and limit modelling—Measurement instrumentation uncertainty

CONTENTS

1	Scope	7
2	Normative references	7
3	Terms and definitions	7
4	Types of disturbance to be measured	12
4.1	General	12
4.2	Types of disturbance	12
4.3	Detector functions	12
5	Connection of measuring equipment	13
5.1	General	13
5.2	Connection of ancillary equipment	13
6	General measurement requirements and conditions	13
6.1	General	13
6.2	Disturbance not produced by the equipment under test	13
6.2.1	General	13
6.2.2	Compliance testing	13
6.3	Measurement of continuous disturbance	13
6.3.1	Narrowband continuous disturbance	13
6.3.2	Broadband continuous disturbance	14
6.3.3	Use of spectrum analyzers and scanning receivers	14
6.4	Operating conditions of the EUT	14
6.4.1	General	14
6.4.2	Normal load conditions	14
6.4.3	The time of operation	14
6.4.4	Running-in time	14
6.4.5	Supply	14
6.4.6	Mode of operation	14
6.5	Interpretation of measuring results	14
6.5.1	Continuous disturbance	14
6.5.2	Discontinuous disturbance	15
6.5.3	Measurement of the duration of disturbances	15
6.6	Measurement times and scan rates for continuous disturbance	15
6.6.1	General	15
6.6.2	Minimum measurement times	15
6.6.3	Scan rates for scanning receivers and spectrum analyzers	16
6.6.4	Scan times for stepping receivers	17
6.6.5	Strategies for a spectrum overview using the peak detector	18
6.6.6	Timing considerations using FFT-based instruments	21
7	Measurements using the absorbing clamp	23
7.1	Introduction to ACMM	23
7.2	Application of the absorbing clamp measurement method	24
7.2.1	General	24
7.2.2	Frequency range	24
7.2.3	EUT unit dimensions	24
7.2.4	LUT requirements	24
7.3	Requirements for measurements instrumentation and test site	24

This is a free preview. Purchase the entire publication at the link below:

[Product Page](#)

-
- Looking for additional Standards? Visit Intertek Inform Infostore
 - Learn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation
-