AS 1852(446)—1988

Australian Standard®

INTERNATIONAL ELECTROTECHNICAL VOCABULARY

Chapter 446—ELECTRICAL RELAYS

This Australian Standard was prepared by Committee TE/13, Symbols, Units & Quantities for Electrotechnology. It was approved on behalf of the Council of the Standards Association of Australia on 15 March 1988 and published on 17 June 1988.

The following interests are represented on Committee TE/13:

Australian Electrical and Electronic Manufacturers Association

Confederation of Australian Industry

Department of Administrative Services—Construction Group (Commonwealth)

Department of Defence

Department of Technical and Further Education, N.S.W., Victoria and South Australia

Department of Transport and Communications (Commonwealth)

Electricity Supply Association of Australia

Institute of Draftsmen, Australia

Institution of Radio and Electronics Engineers, Australia

Melbourne & Metropolitan Board of Works

Queensland Chamber of Mines

Railways of Australia Committee

Royal Melbourne Institute of Technology

Telecom Australia

The Association of Consulting Engineers, Australia

The technical press

Review of Australian Standards. To keep abreast of progress in industry, Australian Standards are subject to periodic review and are kept up to date by the issue of amendments or new editions as necessary. It is important therefore that Standards users ensure that they are in possession of the latest edition, and any amendments thereto.

Full details of all Australian Standards and related publications will be found in the Standards Australia Catalogue of Publications; this information is supplemented each month by the magazine 'The Australian Standard', which subscribing members receive, and which gives details of new publications, new editions and amendments, and of withdrawn Standards.

Suggestions for improvements to Australian Standards, addressed to the head office of Standards Australia, are welcomed. Notification of any inaccuracy or ambiguity found in an Australian Standard should be made without delay in order that the matter may be investigated and appropriate action taken.

AS 1852(446)—1988

Australian Standard®

INTERNATIONAL ELECTROTECHNICAL VOCABULARY

Chapter 446—ELECTRICAL RELAYS

First published as AS C50(16)—1970 (endorsement of IEC 50(16)—1956).

Redesignated AS 1852(16)—1970 (endorsement of IEC 50(16)—1956).

Revised and redesignated AS 1852(446)—1978 (endorsement of IEC 50(446)—1977).

Second edition—1988.

PUBLISHED BY STANDARDS AUSTRALIA (STANDARDS ASSOCIATION OF AUSTRALIA) 1 THE CRESCENT, HOMEBUSH, NSW 2140

PREFACE

This Standard was prepared by the Association's Committee on Symbols, Units and Quantities for Electrotechnology, under the authority of both the Telecommunications and Electronics Standards Board and the Electrical Standards Board to supersede AS 1852(446)—1978.

This Standard is identical with and has been reproduced from IEC 50(446)—1983. Acknowledgement is accordingly made to the International Electrotechnical Commission for this assistance. It should be noted that to avoid misunderstanding between terms, the sections of this edition have been numbered from 11 to 18, whereas the sections of the 1978 edition, were numbered 01 to 08.

This Standard is one of the AS 1852 series of Standards. In the past, this series has consisted of direct endorsements of the IEC 50 series of the International Electrotechnical Vocabulary. In future, newly issued parts of IEC 50, where appropriate, will be issued as Australian Standards, i.e. not endorsements. The full text of the definitions in English, French and Russian has been included as some definitions are considered to be incomplete when produced in one language.

The purpose of the AS 1852 series is to provide a glossary of terms used in electrical engineering. The series lists terms in English, French and Russian, and in some cases Spanish. It is intended that other Australian Standards will refer to AS 1852 and not repeat any definitions.

CONTENTS

SECTIO	N	rage
446-11	GENERAL TERMS	3
446-12	TERMS RELATING TO ENERGIZATION (INPUT AND AUXILIARY)	6
446-13	TERMS RELATING TO CONDITIONS AND OPERATION OF A RELAY	10
446-14	TERMS RELATING TO INFLUENCING QUALITIES OR FACTORS	18
446-15	TERMS RELATING TO MEASURING RELAYS	19
446-16	TERMS RELATING TO OUTPUTS OF THE RELAYS (WITH OR WITHOUT CONTACT)	23
446-17	TERMS RELATING TO TIMES	29
446-18	TERMS RELATING TO ACCURACY APPLICABLE TO A GIVEN RELAY (MEASURING RELAY AND SPECIFIED TIME RELAY)	34
INDEX		37

© Copyright - STANDARDS AUSTRALIA

Users of Standards are reminded that copyright subsists in all Standards Australia publications and software. Except where the Copyright Act allows and except where provided for below no publications or software produced by Standards Australia may be reproduced, stored in a retrieval system in any form or transmitted by any means without prior permission in writing from Standards Australia. Permission may be conditional on an appropriate royalty payment. Requests for permission and information on commercial software royalties should be directed to the head office of Standards Australia.

Standards Australia will permit up to 10 percent of the technical content pages of a Standard to be copied for use exclusively in-house by purchasers of the Standard without payment of a royalty or advice to Standards Australia.

Standards Australia will also permit the inclusion of its copyright material in computer software programs for no royalty payment provided such programs are used exclusively in-house by the creators of the programs.

Care should be taken to ensure that material used is from the current edition of the Standard and that it is updated whenever the Standard is amended or revised. The number and date of the Standard should therefore be clearly identified.

The use of material in print form or in computer software programs to be used commercially, with or without payment, or in commercial contracts is subject to the payment of a royalty. This policy may be varied by Standards Australia at any time.

STANDARDS ASSOCIATION OF AUSTRALIA

Australian Standard INTERNATIONAL ELECTROTECHNICAL VOCABULARY CHAPTER 446—ELECTRICAL RELAYS

SECTION 446-11—GENERAL TERMS

446-11-01

relais électrique

Appareil destiné à produire des modifications soudaines, prédéterminées dans un ou plusieurs circuits électriques de sortie, lorsque certaines conditions sont remplies dans les circuits électriques d'entrée dont il subit l'action.

- Notes I. Le terme relais doit être utilisé exclusivement dans le sens de relais élémentaire ne comportant physiquement qu'une seule opération logique entre ses circuits d'entrée et ses circuits de sortie.
 - Le terme relais englobe l'ensemble des composants indispensables à son fonctionnement spécifié.
 - 3. Pour les applications protection de d'automatisme associés, le nom de l'opération logique (voir note 1) doit être ajouté au mot relais pour le qualifier. Dans ce cas et selon la fonction spécifiée, définie par les normes ou le constructeur, le relais peut comprendre un relais auxiliaire afin d'accomplir la fonction requise.

Par exemple: relais différentiel, relais d'impédance, relais de déclenchement.

electrical relay

A device designed to produce sudden, predetermined changes in one or more electrical output circuits when certain conditions are fulfilled in the electrical input circuits controlling the device.

- Notes 1. The term relay shall be restricted to a relay unit having a single relaying function between its input circuits and its output circuits.
 - The term relay includes all the components which are necessary for the specified operation.
 - 3. For protection and automatic control purposes, the name of the single relaying function (see Note 1) shall be added to qualify the relay. In the case and according to the specified function (defined by the standards or by the manufacturer), the relay may include an auxiliary relay in order to perform as required. Examples: differential relays, impedance relay, tripping relay.

электрическое реле

Аппарат, предназначенный производить скачкообразные изменения в одной или нескольких его выходных электрических цепях, когда выполняются определенные условия во входных электрических цепях, подвергаемых воздействию.

- Примечания 1. Термин « реле » должен использоваться исключительно в смысле элементарного реле, выполняющего физически только одну операцию преобразования между его входными и выходными цепями.
 - 2. Термин « реле » охватывает все элементы, необходимые для его функционирования.
 - 3. Для целей релейной защиты и автоматики должно быть добавлено название операции преобразования (см. примечание 1), чтобы охарактеризовать реле. В этом случае в соответствии с предусмотренной функцией (определенной стандартом или изготовителем) реле может включать вспомогательное реле для выполнения требуемой функции.

Например: дифференциальное реле, реле сопротивления, отключающее реле.

446-11-02

relais de tout ou rien

Relais électrique destiné à être alimenté par une grandeur dont la valeur est soit comprise à l'intérieur de son domaine de fonctionnement soit pratiquement nulle.

all-or-nothing relay

An electrical relay which is intended to be energized by a quantity whose value is either within its operative range or effectively zero.

логическое реле

Электрическое реле, предназначенное возбуждаться величиной, значение которой либо находится в рабочем дианазоне, либо практически равно нулю.



The is a new provider i arenade and chare publication at the limit below	This is a free preview.	Purchase the	entire publication	at the link below:
--	-------------------------	--------------	--------------------	--------------------

Product Page

- Dooking for additional Standards? Visit Intertek Inform Infostore
- Dearn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation