Australian/New Zealand Standard™

The storage and handling of LP Gas





AS/NZS 1596:2002

This Joint Australian/New Zealand Standard was prepared by Joint Technical Committee ME-015, Storage and Handling—Liquefied Petroleum Gases. It was approved on behalf of the Council of Standards Australia on 15 April 2002 and on behalf of the Council of Standards New Zealand on 18 April 2002. It was published on 10 May 2002.

The following interests are represented on Committee ME-015:

A.C.T. WorkCover The Australian Gas Association Australasian Corrosion Association Australasian Fire Authorities Council Australian Liquefied Petroleum Gas Association Department for Administrative Information Services, S.A. Department of Industries and Business, N.T. Department of Infrastructure, Energy and Resources, Tas. Department of Mineral and Petroleum Resources, W.A. Department of Natural Resources and Mines, Old Department of Urban Affairs and Planning, N.S.W. Fire Protection Association Australia Institution of Engineers Australia LPG Association of New Zealand WorkCover New South Wales Victorian WorkCover Authority

Keeping Standards up-to-date

Standards are living documents which reflect progress in science, technology and systems. To maintain their currency, all Standards are periodically reviewed, and new editions are published. Between editions, amendments may be issued. Standards may also be withdrawn. It is important that readers assure themselves they are using a current Standard, which should include any amendments which may have been published since the Standard was purchased.

Detailed information about joint Australian/New Zealand Standards can be found by visiting the Standards Australia web site at www.standards.com.au or Standards New Zealand web site at www.standards.co.nz and looking up the relevant Standard in the on-line catalogue.

Alternatively, both organizations publish an annual printed Catalogue with full details of all current Standards. For more frequent listings or notification of revisions, amendments and withdrawals, Standards Australia and Standards New Zealand offer a number of update options. For information about these services, users should contact their respective national Standards organization.

We also welcome suggestions for improvement in our Standards, and especially encourage readers to notify us immediately of any apparent inaccuracies or ambiguities. Please address your comments to the Chief Executive of either Standards Australia International or Standards New Zealand at the address shown on the back cover.

AS/NZS 1596:2002

Australian/New Zealand Standard™

The storage and handling of LP Gas

Originated in Australia as AS CB 20—1965. Originated in New Zealand as NZS 5434:1986. Previous edition AS/NZS 1596:1997. Sixth edition 2002.

COPYRIGHT

© Standards Australia/Standards New Zealand

All rights are reserved. No part of this work may be reproduced or copied in any form or by any means, electronic or mechanical, including photocopying, without the written permission of the publisher.

Jointly published by Standards Australia International Ltd, GPO Box 5420, Sydney, NSW 2001 and Standards New Zealand, Private Bag 2439, Wellington 6020

PREFACE

This Standard was prepared by the Joint Standards Australia/Standards New Zealand Committee ME-015, Storage and Handling—Liquefied Petroleum Gases, to supersede AS 1596—1997, Storage and handling of LP Gas.

In 1973, AS CB20, which had been published in 1965 as the first Standard on the subject, was translated to metric units to become AS 1596, but was not comprehensively revised.

A later edition of 1979 contained only the more pressing adjustments, then a more comprehensive review resulted in a new edition in 1983.

The 1989 edition included a rewrite of the cylinder section and revision of the location requirements for cylinder filling and storage areas together with a total review of the fire safety section.

The 1997 edition was prepared as a Joint Australian/New Zealand Standard. The main changes included the use of hazardous areas as defined in the AS/NZS 2430 series of Standards, the removal of approvals by regulatory authorities, and a revision of Section 10 to include procedures relative to the size, type and complexity of the installation.

This revised edition is essentially similar to the 1997 edition, but it incorporates changes made in Amendments 1 and 2 to the 1997 edition. The main changes have been made to—

- (a) improve the clarity of expression in several clauses;
- (b) describe the parts of a system to which AS/NZS 1596 applies and to which AG 601 applies;
- (c) allow for new dispenser designs; and
- (d) summarize the requirements that apply to portable cylinder exchange facilities at service stations and other retail sites.

The terms 'normative' and 'informative' have been used in this Standard to define the application of the appendix to which they apply. A 'normative' appendix is an integral part of a Standard, whereas an 'informative' appendix is only for information and guidance.

Australian and New Zealand references are separated by a slash (/). Australian references apply in Australia, and New Zealand references apply in New Zealand. Joint Standards apply in both Australia and New Zealand.

CONTENTS

| EODE | | Page |
|--------|--------------------------------------------------------|----------|
| FURE | WORD | 0 |
| SECTIO | ON 1 SCOPE AND GENERAL | |
| 1.1 | SCOPE AND APPLICATION | 10 |
| 1.2 | OBJECTIVE | 11 |
| 1.3 | REFERENCED DOCUMENTS | 11 |
| 1.4 | DEFINITIONS | 11 |
| 1.5 | RESTRICTIONS ON IGNITION SOURCES | 17 |
| SECTIO | ON 2 MINOR STORAGE AND USAGE | |
| 2.1 | APPLICATION | 18 |
| 2.2 | PRECAUTIONS | |
| 2.3 | RESTAURANTS | |
| 2.4 | LP GAS CYLINDERS ON TROLLEYS | |
| 2.5 | NON-REFILLABLE CONTAINERS | |
| 2.6 | CYLINDER USE | |
| SECTIO | ON 3 COMPONENTS FOR TANK SYSTEMS | |
| 3.1 | APPLICATION | 21 |
| 3.2 | TANK DESIGN AND CONSTRUCTION | |
| 3.3 | CONTROL OF LP GAS OUTFLOW | |
| 3.4 | SAFETY VALVES | |
| 3.5 | VALVES AND ACCESSORIES | |
| 3.6 | PIPING | |
| 3.7 | VAPORIZERS | |
| SECTIO | ON 4 TANK SYSTEM INSTALLATION | |
| 4.1 | APPLICATION | 32 |
| 4.2 | TANK SPACING AND SEPARATION DISTANCES | |
| 4.3 | TANK SITE CONDITIONS | |
| 4.4 | CONSTRUCTION OF FIREWALLS, VAPOUR BARRIERS AND THERMAL | |
| 7.7 | SCREENS | |
| 4.5 | TANK FOUNDATIONS AND SUPPORTS | |
| 4.6 | TANK INSTALLATION AND DESIGN | |
| 4.7 | CONNECTIONS FOR TANK FILLING AND TANKER LOADING | |
| 4.8 | EMERGENCY SHUTDOWN SYSTEM | |
| 4.9 | PIPING | |
| | VAPORIZER INSTALLATION | |
| | REGULATORS | |
| | PUMPS AND COMPRESSORS | |
| | SECURITY AND DAMAGE AVOIDANCE | |
| | LIGHTNING AND BONDING PROTECTION | |
| | | |
| | LADDERS, STEPS AND PLATFORMS | |
| | LEAK DETECTION | |
| | MARKINGS AND NOTICES | |
| | UNODOURIZED GAS INSTALLATIONS | 48 48 |
| 4 19 | UNULUURIZED UAS INSTALLATIUNS | 4X |



| | This is a free preview. | Purchase the e | entire publication | at the link below: |
|--|-------------------------|----------------|--------------------|--------------------|
|--|-------------------------|----------------|--------------------|--------------------|

Product Page

- Dooking for additional Standards? Visit Intertek Inform Infostore
- Dearn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation